



Distribution records of the main forensically important species of beetles (Insecta: Coleoptera) in Peru

Alfredo Edgardo Giraldo-Mendoza

Universidad Nacional Agraria La Molina, Museo de Entomología Klaus Raven Büller, Av. La Molina s/n, Lima 12, Lima, Perú.

✉ aegmendoza@gmail.com

<http://orcid.org/0000-0002-6062-3977>

ABSTRACT. Eighteen species of Coleoptera were determined as the most frequently recorded beetles in different bibliographic references and entomological collections. The distribution of forensically important beetle species in Peru was obtained from reviewing of biodiversity surveys, forensic entomological succession studies and systematic revisions, as well as specimen examination in six Peruvian entomological collections. Peruvian distribution at region, province, and ecological region level are provided for the eighteen species belonging to Cleridae (*Necrobia* Olivier, 1795), Dermestidae (*Dermestes* Linnaeus, 1758), Histeridae (*Euspilotus* Lewis, 1907, *Saprinus* Erichson, 1834, *Xerosaprinus* Wenzel, 1962), Staphylinidae (*Creophilus* Leach, 1819, *Oxelytrum* Gistel, 1848), and Trogidae (*Omorgus* Erichson, 1847, *Polynoncus* Burmeister, 1876) families. These species can be considered priorities for future forensic studies in Peru.

Keywords: Andes, carrion, bibliographic review, necrophilous, Neotropics, scavenger

Received:

September 06, 2024

Accepted:

November 28, 2024

Available online:

December 15, 2024

Subject Editor:

Hiva Naserzadeh

Citation: Giraldo-Mendoza, A.E. (2025) Distribution records of the main forensically important species of beetles (Insecta: Coleoptera) in Peru. *Journal of Insect Biodiversity and Systematics*, 11 (in press).

INTRODUCTION

Forensic entomology is a promising discipline in forensic science. The high frequency of forensic cases involving insects demands greater application in criminal investigations (Lutz et al., 2021), and in response to this demand, its methodology and techniques have been progressively consolidated (Singh et al., 2022). Globally, beetles of forensic importance have been recognized in the families Anthicidae, Carabidae, Cleridae, Dermestidae, Geotrupidae, Histeridae, Hybosoridae, Hydrophilidae, Lathridiidae, Leiodidae, Monotomidae, Nitidulidae, Ptinidae, Scarabaeidae, Staphylinidae, Tenebrionidae and Trogidae, according to studies conducted in the Nearctic (Nadeau et al., 2015), Neotropical (Almeida et al., 2015), Oriental (Bala & Singh, 2015) and Palaearctic (Sawaby et al., 2016) regions. For forensic science, the valuable biological traits of Coleoptera are long duration of immature stages for better estimation of minimum postmortem interval and the development of tough structures for obtaining toxicological samples (Midgley et al., 2010).

In Peru, there are still no published records of entomofauna associated with forensic cases. However, forensic entomological succession studies have been conducted using bio-models in the coastal region (Iannacone, 2003; Grados, 2014; Ginés et al., 2015; Sarmiento & Padilla, 2015; Murrugarra, 2016; Villanueva, 2016; Villanueva & Seclén, 2016; Andrade et al., 2018; Medina et al., 2018; Chamocho et al., 2022; Esquiagola, 2022; Lázaro, 2021; Jaime, 2023), the Andean region (Peceros, 2011; Oré, 2017; Cortéz, 2021; Infante, 2021; Briceño et al., 2022) and the Amazon region (Pizango et al., 2019; Torres, 2020). In recent years, knowledge of necrophilous insect assemblages has increased by searching and examining stranded marine vertebrate carcasses (Saavedra et al., 2019; Iannacone et al., 2023). The objective of the present work is to provide distribution records for the main species of forensically important beetles in Peru, according to their availability in previous publications and the specimens found in entomological collections.

Corresponding author: Alfredo Edgardo Giraldo-Mendoza, ✉ aegmendoza@gmail.com

Copyright © 2025, Giraldo-Mendoza, A.E. This is an open access article distributed under the terms of the Creative Commons NonCommercial Attribution License (CC BY NC 4.0), which permits Share - copy and redistribute the material in any medium or format, and Adapt - remix, transform, and build upon the material, under the Attribution-NonCommercial terms.

MATERIAL AND METHODS

The starting point for the taxa treated in this work is the genera and species known for their forensic importance in Peru, as established by Giraldo-Mendoza (2021). Distribution records were obtained from published biodiversity surveys (e.g. Andrade & Hava, 2018; Iannacone et al., 2023; Rossi et al., 2018), forensic entomological succession studies (e.g. Andrade et al., 2018; Briceño et al., 2022; Chamocho et al., 2022), and systematic revisions of particular families or subfamilies (e.g. Arriagada, 2015; Costa-Silva et al., 2024; Peck & Anderson, 1985). Another source of records was the label data of specimens housed in the following Peruvian entomological collections: Estación Experimental Agraria Illpa-INIA (ILLPA), Museo de Entomología Klaus Raven Büller-UNALM (MEKRB), Museo de Historia Natural Javier Prado-UNMSM (MUSM), Laboratorio de Sanidad Vegetal-SENASA (SENASA), Laboratorio de Entomología-UNASAM (UNASAM) and Museo de Historia Natural Victor Baca Aguinaga-UNPRG (UNPRG). Label data, including region, province, locality, sexagesimal coordinates, elevation, trap or substrate, date of collection, name of collector, number of specimens, and entomological collection in parentheses, are presented for all specimens.

The specimens of Histeridae that were deposited in the entomological collections were determined by two specialists, Gerardo Arriagada and Alexey Tishechkin. Their names were given in brackets for these specimens. The unidentified specimens were studied by help of references and keys to determine families, genera or species of Coleoptera (Almeida & Mise, 2009), Dermestidae (Háva & Kalik, 2005; Andrade & Háva, 2018), Silphinae (Peck & Anderson, 1985), and Trogidae (Scholtz, 1990; Costa-Silva et al., 2020, 2024). Distribution data were arranged into six ecological regions based on the criteria proposed by the Ministerio del Ambiente de Perú (MINAM, 2018): 1) coastal desert, coastal strip west of the Andes (< 1500 m), 2) dry forest, northern xeric vegetation west of the Andes (< 2800 m), 3) Andean foothills, cacti and shrub vegetation in the western range and inter-Andean valleys (1500–3500 m), 4) Andean highlands, grasslands, relict forests and wetlands (> 3500 m), 5) montane forest, cloud forests east of the Andes (600–3000 m); 6) tropical rainforest, lowland forests east of the Andes (< 600 m). For each species, the Peruvian distribution at the regional, provincial, and ecological regions are provided, as well as published records (references) and material examined (label data provided here). Distribution maps were created using Simple Mapper (Shorthouse, 2010).

RESULTS

Eighteen species of forensically important beetles in Peru were determined and listed below based on their taxonomy. Peruvian distribution of the species at region, province, and ecological region levels are provided. The distribution data of 385 records of these species were obtained from previous publications and direct examination of 610 specimens housed in Peruvian entomological collections

Taxonomic hierarchy

Class Insecta Linnaeus, 1758

Order Coleoptera Linnaeus, 1758

Family Cleridae Latreille, 1802

Subfamily Korynetinae Laporte, 1836

Genus *Necrobia* Olivier, 1795

***Necrobia ruficollis* (Fabricius, 1775)**

Material examined. (3 specimens) PERU, 1 (MEKRB), on seabird remains, Ica, Pisco, San Andrés (13°43'15.47"S 76°13'18.79"W), III-2014, A. Giraldo leg.; 2 (MEKRB), on pig carcass, Lima, Lima, Chorrillos, Pantanos de Villa (20 m), Y. Murrugarra leg.

Distribution. Cosmopolitan. PERU. Callao, Huanuco (Huanuco), Ica (Chincha, Pisco), La Libertad (Trujillo), Lima (Lima) (Murrugarra, 2016; Villanueva, 2016; Torres, 2020; Lázaro, 2021; Iannacone et al., 2023). In coastal deserts and montane forests (Fig. 1A).




Figure 1. Distribution maps of main forensically important beetles in Peru: **A.** *N. ruficollis* (red circles), *N. rufipes* (yellow squares); **B.** *D. ater* (red circles), *D. frischii* (yellow squares); **C.** *D. maculatus* (red circles), *D. peruvianus* (yellow squares); **D.** *E. ater* (red circles), *E. azureus* (yellow squares); **E.** *E. decoratus* (red circles), *E. lepidus* (yellow squares); **F.** *S. caerulescens* (red circles), *X. chiliensis* (yellow squares); **G.** *O. anticola* (red circles), *O. cayennense* (yellow squares); **H.** *O. discicolle* (red circles), *C. maxillosus* (yellow squares); **I.** *O. suberosus* (red circles), *P. peruanus* (yellow squares).

Necrobia rufipes (DeGeer, 1775)

Material examined. (111 specimens) PERU, 10 (MEKRB), on sea lion carcass, Ancash, Santa, Samanco, Vesique beach (09°12'30.04"S 78°29'04.32"W), 27-II-2018, A. Giraldo & R. Gasani leg.; 5 (MUSM), Callao, La Punta, (12°04'26.39"S 77°09'57.59"W, 10 m); 12 (MEKRB), Huánuco, Leoncio Prado, Tingo Maria, 10-VII-1981, Mosquera leg.; 2 (MUSM), on coastal desert, direct searching, Ica, Nasca, Marcona (15°20'47.5"S 75°07'27.1"W, 58 m), 19-III-2019, I. Galindo leg.; 3 (MUSM), Ica, Pisco, Pisco (13°42'50.40"S 76°11'02.39"W, 10 m); 1 (MEKRB), on seabird remains, Ica, Pisco, San Andres (13°43'15.47"S 76°13'18.79"W), III-2014, A. Giraldo leg.; 1 (MEKRB), on slaughterhouse waste, La Libertad, Pacasmayo, Pacasmayo (07°23'49.20"S 79°34'17.01"W) 19-XII-2018, A. Giraldo leg.; 1 (MEKRB), on sea lion carcass, Lambayeque, Chiclayo, Pimentel, Pimentel beach (06°50'28.82"S 79°56'15.53"W), 20-IX-2018, A. Giraldo leg.; 1 (MEKRB), on Humboldt penguin carcass, Lima, Huaura, Huacho (11°06'25.00"S 77°37'04.00"W), 10-VIII-2018, A. Giraldo leg.; 2 (SENASA), Lima, Lima, 20-IV-1944, J. Lamas leg.; 2 (SENASA), Lima, Lima, 11-IV-1962, Lung leg.; 19 (MEKRB), Lima, Lima, 10-XI-1963, K. Raven leg.; 3 (MEKRB), Lima, Lima, 10-XII-1963, K. Raven leg.; 1 (MEKRB), Lima, Lima, 01-II-1965, C. Olivares leg.; 1 (MEKRB), Lima, Lima, 24-VII-1968, O. Velarde leg.; 1 (MEKRB), Lima, Lima, 15-XII-1968, O. Velarde leg.; 2 (MEKRB), Lima, Lima, X-1970, I. Caceres leg.; 7 (SENASA), Lima, Lima, 25-IX-1972, T. Grundy leg.; 1 (SENASA), Lima, Lima, 14-XII-1972, C. Valle leg.; 1 (SENASA), Lima, Lima, 15-IV-1980, W. Diaz leg.; 12 (MUSM), 1 (SENASA), Lima, Lima, 30-V-1980, W. Diaz leg.; 4 (MUSM), Lima, Barranco (20 m); 1 (MUSM), Lima, Lima, Chorrillos, Pantanos de Villa (20 m); 4 (MEKRB), Lima, Lima, La Molina, 17-XII-1980, J. Musto leg.; 1 (MEKRB), Lima, Lima, La Molina, 22-II-2005, S. Mayta leg.; 1 (MEKRB), Lima, Lima, La Molina, 05-V-2005, M. Cardozo leg.; 1 (MEKRB), Lima, Lima, La Molina, 16-V-2005, M. Cardozo leg.; 1 (MEKRB), Lima, Lima, La Molina, 18-VII-2005, S. Diaz leg.; 1 (MEKRB), Lima, Lima, La Molina, 18-II-2006, J. Alvarado leg.; 5 (MUSM), Lima, Lima, San Miguel (12°04'37.19"S 77°05'05.99"W, 45 m); 1 (MUSM), on sea lion carcass, Lima, Lima, Villa El Salvador, Venecia beach (12°14'31.20"S 76°56'45.59"W, 2 m); 1 (MUSM), on garbage dump, Moquegua, Mariscal Nieto, near to Cerro baúl archaeological site (17°06'46.79"S 70°50'27.59"W, 2030 m), 24-II-2022, A. Giraldo leg.; 1 (MEKRB), on green turtle carcass, Tumbes, Contralmirante Villar, Zorritos, Zorritos beach (03°40'38.10"S 80°40'20.00"W, 10 m), 19-IX-2018, A. Giraldo leg.

Distribution. Cosmopolitan. PERU. Ancash (Santa), Ayacucho (Huamanga), Callao, Huanuco (Huanuco, Leoncio Prado), Ica (Chincha, Nasca, Pisco), Junin (Huancayo), La Libertad (Pacasmayo, Trujillo), Lambayeque (Chiclayo, Ferreñafe), Lima (Huarochiri, Huaura, Lima), Moquegua (Mariscal Nieto), Piura (Ayabaca, Huancabamba, Morropon, Paita, Piura, Sechura, Sullana, Talara), Tacna (Tacna), Tumbes (Contralmirante Villar, Zarumilla) (Iannacone, 2003; Peceros, 2011; Ginés et al., 2015; Sarmiento & Padilla, 2015; Murrugarra, 2016; Villanueva & Seclén, 2016; Villanueva, 2016; Oré, 2017; Andrade et al., 2018; Medina et al., 2018; Juárez & González, 2019, 2024; Saavedra et al., 2019; Torres, 2020; Cortéz, 2021; Lázaro, 2021; Chamocho et al., 2022; Esquiagola, 2022; Iannacone et al., 2023; Jaime, 2023). In coastal deserts, dry forests, Andean foothills, and montane forests (Fig. 1A).

Family Dermestidae Latreille, 1804

Subfamily Dermestinae Latreille, 1804

Genus *Dermestes* Linnaeus, 1758

Dermestes ater DeGeer, 1774

Material examined. (65 specimens) PERU, 10 (MEKRB), Ancash, Santa, Chimbote, 02-XI-1963, K. Raven leg.; 4 (MEKRB), on sea lion carcass, Ancash, Santa, Samanco, Vesique beach (09°12'30.04"S 78°29'04.32"W), 27-II-2018, A. Giraldo & R. Gasani leg.; 9 (MEKRB), Ica, Chincha, Chincha, 11-VII-1993, F. Cazorla leg.; 1 (MEKRB), Lambayeque, Chiclayo, cerro Reque (06°51'18.00"S 79°47'38.39"W, 36 m), 09-VIII-2023, A. Giraldo leg.; 4 (MEKRB), Lima, Huarochiri, Santa Eulalia, 08-I-2022, H. Gamarra leg.; 1 (MUSM), Lima, Huaura, Lachay lomas, 16-X-1976, R. Garcia leg.; 1 (MUSM), Lima, Lima, V-1957, F. Blancas leg.; 1 (MUSM), Lima, Lima, VIII-1957, F. Blancas leg.; 12 (MEKRB), Lima, Lima, 05-I-1964, Aranda leg.; 1 (MEKRB), Lima, Lima, 16-VI-1968, Millones leg.; 2 (SENASA), Lima, Lima, 15-XI-1968,

M. Delgado leg.; 2 (SENASA), Lima, Lima, 15-II-1974, L. Castillo leg.; 5 (MEKRB), Lima, Lima, 15-X-1977, H. Blancas leg.; 2 (MEKRB), Lima, Lima, 13-VI-1981, R. Ortiz leg.; 1 (MEKRB), Lima, Lima, La Molina, 26-V-1968, Del Valle leg.; 4 (MEKRB), Lima, Lima, La Molina, 09-X-1977, J. Alcazar leg.; 4 (MEKRB), on domestic pigeon carcass, Lima, Lima, Los Olivos (11°56'31.20"S 77°04'15.59"W, 75 m), 01-25-I-2024, A. Giraldo leg.; 1 (MEKRB), Lima, Lima, Surco, 27-IV-1995, C. Vergara leg.

Distribution. Cosmopolitan. PERU. Ancash (Santa), Ica (Chincha), Lambayeque (Chiclayo), Lima (Huaral, Huarochiri, Huaura, Lima), Piura (Paita, Piura) (Peceros, 2011; Andrade & Háva, 2018; Andrade et al., 2018; Juárez & González, 2019; Saavedra et al., 2019; Lázaro, 2021; Jaime, 2023). In coastal desert and dry forests (Fig. 1B).

Dermestes frischii Kugelann, 1792

Material examined. (63 specimens) PERU, 2 (MEKRB), on sea lion carcass, Ancash, Santa, Samanco, Vesique beach (09°12'30.04"S 78°29'04.32"W), 27-II-2018, A. Giraldo & R. Gasani leg.; 1 (MEKRB), Cajamarca, Cutervo, Cutervo (2700 m), 04-XI-2001, J. Llontop leg.; 22 (MEKRB), Callao, 03-I-1995, L. Arroyo leg.; 4 (MEKRB), on ray carcass, Ica, Chincha, Qala beach (13°21'39.60"S 76°13'08.39"W, 17 m), 18-II-2022, A. Giraldo leg.; 1 (MUSM), on coastal desert, direct searching, Ica, Nasca, Marcona (15°20'47.5"S 75°07'27.1"W, 58 m), 19-III-2019, I. Galindo leg.; 1 (MUSM), Ica, Palpa, Changuillo, Coyungo, Puerto Caballa (14°56'29.7"S 75°29'04.3"W, 0 m), 02-IV-2010, D. Silva & M. Vilchez leg.; 2 (MEKRB), on sea lion carcass, Ica, Pisco, Paracas, Lagunillas beach (13°53'49.20"S 76°18'50.39"W, 17 m), 19-II-2022, A. Giraldo leg.; 2 (MUSM), Ica, Pisco San Gallán island (13°50'31.20"S 76°27'03.59"W), 24-VIII-1999; 2 (MEKRB), on seabird remains, Ica, Pisco, San Andrés (13°43'15.47"S 76°13'18.79"W), III-2014, A. Giraldo leg.; 3 (MEKRB), on sea lion carcass, Lambayeque, Chiclayo, Pimentel, Pimentel beach (06°50'28.82"S 79°56'15.53"W), 20-IX-2018, A. Giraldo leg.; 5 (MUSM), on pitfall trap (rotten squid), Lima, Canta, left bank of Chillón river, near to Chaperito bridge (11°29'17.7"S 76°38'58.7"W, 2357 m), 11-V-16-VII-2006, M. Dieguez & A. Asenjo leg.; 1 (MEKRB), on Humboldt penguin carcass, Lima, Huaura, Huacho (11°06'25"S 77°37'04"W), 10-VIII-2018, A. Giraldo leg.; 2 (MEKRB), on pitfall trap (rotten flaked tuna), Lima, Huaura, Lachay lomas (11°21'28.80"S 77°22'08.39"W), 25-V-2018, A. Giraldo leg.; 1 (MEKRB), Lima, Huaura, Vegueta, Don Martín island, 27-X-2016, J. Figueroa leg.; 1 (MUSM), Lima, Lima, 19-V-1971, C. Luna Victoria leg.; 2 (MEKRB), Lima, Lima, La Molina, 19-XI-2006, H. Velasquez leg.; 1 (MEKRB), Lima, Lima, La Molina, 26-XII-2006, A. Camargo leg.; 1 (MEKRB), Lima, Lima, San Juan de Miraflores, Villa Jardín, 14-III-1994, S. Rondon leg.; 2 (MUSM), on sea lion carcass, Lima, Lima, Villa El Salvador, Venecia beach (12°14'31"S 76°56'44"W, 2 m), 13-II-2013, S. Pizarro leg.; 1 (MEKRB), on garbage dump, Moquegua, Mariscal Nieto, near to Cerro baúl archaeological site (17°06'46.79"S 70°50'27.59"W, 2030 m), 24-II-2022, A. Giraldo leg.; 6 (SENASA), Ilo, Ilo, 05-IV-2005, W. Diaz leg.

Distribution. Cosmopolitan. PERU. Ancash (Santa), Cajamarca (Cutervo), Callao, Ica (Chincha, Nasca, Palpa, Pisco), La Libertad (Trujillo), Lambayeque (Chiclayo), Lima (Canta, Huarochiri, Huaura, Lima), Moquegua (Mariscal Nieto), Piura (Paita, Piura), Tacna (Tacna) (Ciro et al., 2008; Peceros, 2011; Ginés et al., 2015; Sarmiento & Padilla, 2015; Murrugarra, 2016; Villanueva, 2016; Andrade & Háva, 2018; Andrade et al., 2018; Juárez & González, 2019; Saavedra et al., 2019; Lázaro, 2021; Chamochumbi et al., 2022; Esquiagola, 2022; Iannacone et al., 2023; Jaime, 2023). In coastal deserts, dry forests, and Andean foothills (Fig. 1B).

Dermestes maculatus De Geer, 1774

Material examined. (269 specimens) PERU, 4 (SENASA), Ancash, Santa, 06-IX-1963, Salinas leg.; 10 (MEKRB), Ancash, Santa, Chimbote, 02-XI-1963, K. Raven leg.; 2 (MEKRB), Arequipa, Arequipa, 03-X-1996, M. Guzman leg.; 1 (MEKRB), Arequipa, Arequipa, 28-IX-2012, L. Cruz leg.; 1 (MUSM), Ayacucho, Huamanga, Ayacucho, IV-1969; 1 (MUSM), Cajamarca, Cajamarca 06-XI-1975, E. Angeles leg.; 3 (MEKRB), 4 (SENASA), Callao, 15-XI-1963, M. Delgado leg.; 4 (MUSM), Callao, 30-VIII-1964, M. Delgado leg.; 2 (MUSM), Callao, 03-I-1995, L. Arroyo leg.; 1 (MUSM), Callao, La Punta, 30-IX-1968, L. Campos leg.; 1 (MUSM), Callao, La Punta, 11-X-1968, L. Campos leg.; 1 (MUSM), Callao, La Punta, 14-X-1968, L.

Campos leg.; 12 (MEKRB), Ica, Chíncha, Chíncha, 11-VII-1993, F. Cazorla leg.; 4 (MUSM), Ica, Pisco, Pisco beach, 03-VII-1963, R. Garcia leg.; 6 (MUSM), Lima, Huarochiri, Santa Eulalia, 04-III-1965, R. Garcia leg.; 1 (MUSM), Lima, Huaura, La Cruz island, 15-IX-1950, F. Blancas leg.; 6 (MUSM), Lima, Lima, 14-X-1947, F. Blancas leg.; 4 (MUSM), Lima, Lima, V-1957, F. Blancas leg.; 5 (MUSM), Lima, Lima, VIII-1957, F. Blancas leg.; 1 (MUSM), Lima, Lima, 23-XI-1957, F. Blancas leg.; 7 (SENASA), Lima, Lima, 11-IV-1962, Lung leg.; 2 (MEKRB), 1 (SENASA), Lima, Lima, 03-IX-1962, Lung leg.; 10 (SENASA), Lima, Lima, 24-X-1963, M. Delgado leg.; 20 (MEKRB), Lima, Lima, 05-I-1964, Aranda leg.; 8 (MEKRB), Lima, Lima, IV-1965, Cisneros leg.; 2 (MEKRB), Lima, Lima, 18-VI-1965, Korytkowski leg.; 2 (MEKRB), Lima, Lima, 02-VII-1968, A. Almestar leg.; 1 (MEKRB), Lima, Lima, 10-VII-1968, O. Velarde leg.; 5 (MEKRB), Lima, Lima, 12-VIII-1968, E. Almonte leg.; 2 (SENASA), Lima, Lima, IX-1968, E. Almonte leg.; 6 (SENASA), Lima, Lima, 27-XII-1969, M. Delgado leg.; 4 (SENASA), Lima, Lima, 1971; 2 (SENASA), Lima, Lima, 16-X-1971, F. Velazco leg.; 1 (SENASA), Lima, Lima, 21-IX-1972, J. Grundy leg.; 7 (SENASA), Lima, Lima, 25-IX-1972, J. Grundy leg.; 4 (SENASA), Lima, Lima, 15-II-1974, L. Castillo leg.; 2 (MEKRB), Lima, Lima, 24-VII-1974, M. Buitrón leg.; 1 (MEKRB), Lima, Lima, 19-VIII-1974, M. Buitrón leg.; 1 (MUSM), Lima, Lima, 13-II-1976, M. Galvez leg.; 7 (MEKRB), Lima, Lima, 09-XI-1976, D. Ojeda leg.; 1 (MEKRB), Lima, Lima, 12-VII-1980, R. Marin leg.; 2 (MEKRB), Lima, Lima, 15-XI-1999, E. Ormachea leg.; 9 (MUSM), Lima, Lima, Agua Dulce, 20-II-1967, L. Campos leg.; 7 (MUSM), Lima, Lima, Barranco, 22-IV-1968, L. Campos leg.; 2 (MUSM), Lima, Lima, Barranco, 30-IV-1968, L. Campos leg.; 1 (MUSM), Lima, Lima, Barranco, 08-V-1968, L. Campos leg.; 6 (MUSM), Lima, Lima, Chosica; 1 (MEKRB), Lima, Lima, Cieneguilla, 20-X-1977, M. Martinez leg.; 1 (MUSM), Lima, Lima, La Herradura beach, 05-II-1969, L. Campos leg.; 3 (MEKRB), Lima, Lima, La Molina, 18-V-1968, Del Valle leg.; 2 (MEKRB), Lima, Lima, La Molina, 06-VIII-1973; 1 (MEKRB), Lima, Lima, La Molina, 06-XI-1977, N. Martinez leg.; 1 (MEKRB), Lima, Lima, La Molina, 20-XI-1977, N. Martinez leg.; 2 (MEKRB), Lima, Lima, La Molina, 05-X-1980, R. Marin leg.; 1 (MEKRB), Lima, Lima, La Molina, 02-XI-1980, R. Marin leg.; 1 (MEKRB), Lima, Lima, La Molina, 19-IX-1987, G. Hospina leg.; 1 (MEKRB), Lima, Lima, La Molina, 23-IV-1991, J. Anteparra leg.; 1 (MEKRB), Lima, Lima, La Molina, 20-V-1991, R. Rodriguez leg.; 1 (MEKRB), Lima, Lima, La Molina, 22-VI-1991, J. Iannacone leg.; 1 (MEKRB), Lima, Lima, La Molina, 24-X-1991, E. Lujan leg.; 5 (MEKRB), Lima, Lima, La Molina, 26-X-1992, R. Beingolea leg.; 1 (MEKRB), Lima, Lima, La Molina, 07-VIII-1993, J. Donet leg.; 2 (MEKRB), Lima, Lima, La Molina, 13-II-1996, R. Castillo leg.; 9 (MEKRB), Lima, Lima, La Molina, 26-V-1996, J. Nina leg.; 2 (MEKRB), Lima, Lima, La Molina, 22-VI-1996, A. Guerra leg.; 3 (MUSM), Lima, Lima, La Molina, 28-IX-1996, A. Jeri leg.; 1 (MEKRB), Lima, Lima, La Molina, 13-XI-1996, R. Castillo leg.; 5 (MEKRB), Lima, Lima, La Molina, 26-XI-1996, R. Marin leg.; 2 (MEKRB), Lima, Lima, La Molina, 15-V-2004, H. Velasquez leg.; 1 (MEKRB), Lima, Lima, La Molina, 03-VII-2004, C. Vega leg.; 6 (MEKRB), on pitfall trap (rotten fish), Lima, Lima, Los Olivos (11°56'31.20"S 77°04'15.59"W, 75 m), 05-IV-2012, A. Giraldo leg.; 1 (MEKRB), on rat carcass, Lima, Lima, Los Olivos (11°56'31.20"S 77°04'15.59"W, 75 m), 21-IV-2022, A. Giraldo leg.; 3 (MEKRB), on domestic pigeon carcass, Lima, Lima, Los Olivos (11°56'31.20"S 77°04'15.59"W, 75 m), 01-25-I-2024, A. Giraldo leg.; 2 (MEKRB), on pitfall trap (rotten squid), Lima, Lima, Los Olivos (11°56'31.20"S 77°04'15.59"W, 75 m), 09-III-2024, A. Giraldo leg.; 4 (MUSM), Lima, Lima, Lurin, 18-XII-1968, L. Campos leg.; 1 (MEKRB), Lima, Lima, Lurin, 20-III-1973; 1 (MUSM), Lima, Lima, Lurin, 18-II-1975, R. Garcia leg.; 1 (MEKRB), Lima, Lima, UNMSM campus, 06-X-2012, J. Miñano leg.; 1 (MEKRB), Lima, Lima, Vitarte, 04-VI-1964, A. Martinez leg.; 3 (SENASA), Loreto, Maynas, 25-VIII-1964, C. Olivares leg.; 1 (MEKRB), Puno, Puno, 26-IV-1971.

Distribution. Cosmopolitan. PERU. Ancash (Santa), Arequipa (Arequipa), Ayacucho (Huamanga), Cajamarca (Cajamarca), Callao, Huanuco (Huanuco), Ica (Chíncha, Pisco), La Libertad (Sanchez Carrion, Trujillo), Lambayeque (Chiclayo), Lima (Huarochiri, Huaura, Lima), Loreto (Maynas), Piura (Paita, Piura), Puno (Puno), Tacna (Tacna) (Murphy, 1925; Koepcke & Koepcke, 1952; Iannacone, 2003; Peceros, 2011; Ginés et al., 2015; Murrugarra, 2016; Villanueva & Seclen, 2016; Villanueva, 2016; Oré, 2017; Andrade & Háva, 2018; Andrade et al., 2018; Medina et al., 2018; Juárez & González, 2019; Pizango et al., 2019; Saavedra et al., 2019; Torres, 2020; Lázaro, 2021; Briceño et al., 2022; Esquiagola, 2022; Iannacone et al., 2023; Jaime, 2023). In coastal deserts, dry forest, Andean foothills, Andean highlands, montane forests, and tropical rainforests (Fig. 1C).

Dermestes peruvianus Laporte, 1840

Material examined. (22 specimens) PERU, 1 (SENASA), Arequipa, Arequipa, IV-1959, Sanchez Aguirre leg.; 1 (MUSM), Ica, Pisco, Pisco beach, 03-VII-1963, R. Garcia leg.; 4 (MEKRB), on sea lion carcass, Ica, Pisco, Paracas, Lagunillas beach (13°53'49.20"S 76°18'50.39"W, 17 m), 19-II-2022, A. Giraldo leg.; 1 (MEKRB), Ica, Pisco, San Gallán island, VI-2002, L. Alza leg.; 5 (MEKRB), Junin, Huancayo, Huancayo, 15-I-1977, M. Palacios leg.; 6 (MEKRB), Junin, Huancayo, Huancayo, 28-XII-1977, J. Alcazar leg.; 2 (MUSM), Lima, Huaura, Don Martin island, 20-IV-1965, M. Peña leg.; 2 (MEKRB), Lima, Lima, La Molina, 12-VII-1979, E. Vasquez leg.

Distribution. Cosmopolitan. PERU. Arequipa (Arequipa), Ica (Chincha, Pisco), Junin (Huancayo), La Libertad (Trujillo), Lima (Huaura, Lima), Piura (Ayabaca, Huancabamba) (Murphy, 1925; Villanueva, 2016; Juárez & González, 2018, 2019, 2021; Lázaro, 2021; Iannacone et al., 2023). In coastal desert and Andean foothills (Fig. 1C).

Family Histeridae Gyllenhal, 1808

Subfamily Sapriniinae Blanchard, 1845

Genus *Euspilotus* Lewis, 1907

Euspilotus ater Arriagada, 2015

Material examined. (52 specimens) PERU, 1 (MEKRB), Ancash, Huaraz, Huaraz, U. Mayolo leg. [G. Arriagada det.]; 1 (MEKRB), Ancash, Huaylas, Caraz (2256 m), 12-VI-2004, R. Rodríguez leg. [G. Arriagada det.]; 1 (MUSM), on pitfall trap (rotten squid), Lima, Huarochiri, 5 km E of Matucana (2545 m), 12-III-30-IV-2006, V. M. Diéguez leg. [G. Arriagada det.]; 2 (MEKRB), 2 (MUSM), on pitfall trap (rotten chicken gizzards), Lima, Huarochiri, Matucana (2380 m), 08-IV-08-V-2004, V. M. Diéguez leg. [G. Arriagada det.]; 18 (MEKRB), on pig carcass, Lima, Lima, El Agustino, 18-24-VI-2013, L. Grados leg.; 13 (MEKRB), on pig carcass, Lima, Lima, El Agustino, 27-30-VI-2013, L. Grados leg.; 2 (MEKRB), on pig carcass, Lima, Lima, El Agustino, 03-VII-2013, L. Grados leg.; 9 (MEKRB), on pig carcass, Lima, Lima, El Agustino, 22-26-I-2014, L. Grados leg.; 3 (MEKRB), on pitfall trap (rotten flaked tuna), Tacna, Tarata, Tarata near to Mirador La Apacheta (17°33'35.99"S 70°01'48.00"W, 3460 m), 22-II-2022, A. Giraldo leg.

Distribution. Argentina, Chile. PERU: Ancash (Corongo, Huaraz, Huaylas), Lima (Canta, Huarochiri, Lima), Tacna (Tarata) (Grados, 2014; Arriagada, 2015). In coastal desert and Andean foothills (Fig. 1D).

Euspilotus azureus Sahlberg, 1823

Material examined. (69 specimens) PERU, 1 (MUSM), Amazonas, Bagua, Achaguay Alto (05°35'23.99"S 78°30'10.80"W, 688 m) [G. Arriagada det.]; 15 (MUSM), Ayacucho, Huamanga, Ayacucho (13°09'25.20"S 74°12'35.99"W, 2760 m) [G. Arriagada det.]; 2 (MUSM), Cusco, La Convención, CC Timpia (12°07'19.19"S 72°49'22.79"W, 445 m) [G. Arriagada det.]; 28 (MEKRB), Junin, Chanchamayo, San Ramon, 07-V-2015, J. Huanca leg.; 4 (MEKRB), Lima, Lima, La Molina, 09-X-1977, J. Alcázar leg.; 2 (MEKRB), Lima, Lima, La Molina, 15-X-1977, H. Blancas leg.; 1 (MEKRB), Lima, Lima, La Molina, 22-X-1977, M. Palacios leg.; 1 (MEKRB), Lima, Lima, La Molina, 12-VIII-1980, R. Marín leg.; 4 (MEKRB), Lima, Lima, La Molina, 15-XI-1980, F. Wong leg.; 1 (MEKRB), Lima, Lima, La Molina, 15-IV-1991, L. González leg.; 1 (MEKRB), on pitfall trap (rotten flaked tuna), Lima, Lima, San Diego, Chillón river (11°56'12.34"S 77° 04'59.05"W), 06-23-XI-2023, A. Giraldo leg.; 7 (MEKRB), Pasco, Oxapampa, Palcazú, 06-V-2015, J. Huanca leg.; 1 (MUSM), San Martín, Moyobamba, Fundo Pabloyacu (06°04'04.79"S 76°56'38.40"W, 1061 m) [G. Arriagada det.]; 1 (MUSM), San Martín, Rioja, Yuracyacu (05°57'07.19"S 77°11'13.19"W, 805 m) [G. Arriagada det.].

Distribution. Central and South America. PERU. Amazonas (Bagua), Ayacucho (Huamanga), Cusco (La Convencion, Paucartambo), Huanuco (Huanuco), Junin (Chanchamayo, Satipo), Lima (Lima), Pasco (Oxapampa), San Martin (Moyobamba, Rioja) (Degallier, 1981; Arriagada, 2015; Torres, 2020). In coastal deserts, Andean foothills, montane forests, and tropical rainforests (Fig. 1D).

Euspilotus decoratus (Erichson, 1834)

Material examined. (181 specimens) PERU, 1 (MEKRB), Arequipa, Caylloma, Majes (16°14'23.99"S 72°14'09.60"W, 1420 m); 1 (MUSM), Arequipa, Islay, Mollendo (17°01'15.60"S 72°01'01.19"W, 69 m) [G. Arriagada det.]; 1 (MEKRB), Ica, Ica, 22-X-1991, Aleman leg.; 1 (MEKRB), Ica, Pisco, Paracas PFLGN (13°44'52.79"S 76°13'40.79"W), IV-2011, A. Giraldo leg.; 4 (MUSM), Ica, Pisco, Pisco beach (13°42'46.79"S 76°13'15.60"W, 10 m) [G. Arriagada det.]; 1 (MEKRB), La Libertad, Gran Chimú, Cascas, 24-XII-1971, C. Luna Victoria leg.; 2 (MEKRB), La Libertad, Trujillo, Trujillo, 04-VIII-1973, E. Carbonell leg.; 10 (MEKRB), Lima, Lima, 10-XII-1963, K. Raven leg.; 1 (MEKRB), Lima, Lima, 22-XI-1965, S. Román leg.; 5 (MEKRB), Lima, Lima, 27-IV-1968, L. del Valle leg.; 4 (MEKRB), Lima, Lima, 18-VI-1968, W. Dale leg.; 1 (MEKRB), Lima, Lima, 13-VII-1974, M. Buitrón leg.; 3 (MEKRB), Lima, Lima, 27-VII-1975, M. Buitrón leg.; 1 (SENASA), Lima, Lima, 11-V-1977, H. Picho leg.; 1 (MEKRB), Lima, Lima, 5-X-1977, H. Blancas leg.; 1 (MEKRB), Lima, Lima, 12-III-1978, M. Ortiz leg.; 3 (MEKRB), Lima, Lima, 12-VIII-1980, R. Marin leg.; 4 (MEKRB), Lima, Lima, 15-IV-1981, C. Calderon leg.; 1 (MEKRB), 7 (MUSM), 1 (SENASA), Lima, Lima, 24-IV-1981, R. Ortiz leg. [G. Arriagada det.]; 10 (MEKRB), on pig carcass, Lima, Lima, El Agustino, 15-19-VI-2013, L. Grados leg.; 16 (MEKRB), on pig carcass, Lima, Lima, El Agustino, 22-30-VI-2013, L. Grados leg.; 11 (MEKRB), on pig carcass, Lima, Lima, El Agustino, 01-08-VII-2013, L. Grados leg.; 23 (MEKRB), on pig carcass, Lima, Lima, El Agustino, 12-30-VII-2013, L. Grados leg.; 5 (MEKRB), on pig carcass, Lima, Lima, El Agustino, 01-28-VIII-2013, L. Grados leg.; 26 (MEKRB), on pig carcass, Lima, Lima, El Agustino, 21-31-I-2014, L. Grados leg.; 4 (MUSM), Lima, Lima, Barranco (12°08'24.00"S 77°01'22.79"W, 20 m) [G. Arriagada det.]; 2 (MEKRB), on pig carcass, Lima, Lima, Chorrillos, Pantanos de Villa (12°13'01.20"S 76°59'13.19"W), 15-II-2007, Y. Murrugarra leg.; 1 (MEKRB), on pig carcass, Lima, Lima, Chorrillos, Pantanos de Villa (12°13'01.20"S 76°59'13.19"W), 14-XI-2007, Y. Murrugarra leg.; 1 (MEKRB), on pig carcass, Lima, Lima, Chorrillos, Pantanos de Villa (12°13'01.20"S 76°59'13.19"W), 02-I-2008, Y. Murrugarra leg.; 1 (MEKRB), Lima, Lima, Cieneguilla, 10-X-1995, F. Mamani leg.; 3 (MUSM), Lima, Lima, La Herradura beach (12°10'30"S 77°02'02.40"W, 10 m) [G. Arriagada det.]; 1 (MEKRB), Lima, Lima, La Molina, 16-IV-1968, del Valle leg.; 4 (MEKRB), Lima, Lima, La Molina, 17-XII-1974, F. Hinostroza leg.; 1 (MEKRB), Lima, Lima, La Molina, 10-III-1977, N. Martínez leg.; 4 (MEKRB), Lima, Lima, La Molina, 09-X-1977, J. Alcázar leg.; 3 (MEKRB), Lima, Lima, La Molina, 22-X-1977, M. Palacios leg.; 1 (MEKRB), Lima, Lima, La Molina, 07-IX-1989, G. Hospina leg.; 1 (MEKRB), Lima, Lima, La Molina, 20-II-1990, A. Ramos leg.; 1 (MEKRB), Lima, Lima, La Molina, 09-XII-1992, E. Echegaray leg.; 2 (MEKRB), Lima, Lima, La Molina, 07-VIII-1993, J. Donet leg.; 1 (MEKRB), Lima, Lima, La Molina, 13-I-1996, D. Fonseca leg.; 1 (MEKRB), Lima, Lima, La Molina, 10-XII-1996, C. Maihuay leg.; 1 (MEKRB), on pitfall trap (rotten squid), Lima, Lima, Los Olivos (11°56'31.20"S 77°04'15.59"W, 75 m), 09-III-2024, A. Giraldo leg.; 2 (MUSM), Lima, Lima, San Miguel (12°10'30"S 77°02'02.40"W, 45 m) [G. Arriagada det.]; 1 (MEKRB), Tacna, Tacna, La Yarada, Los Palos beach (18°11'59.99"S 70°32'09.60"W, 60 m), Y. Callohuari leg.

Distribution. Chile. PERU. Arequipa (Caylloma, Islay), Ica (Chincha, Ica, Pisco), La Libertad (Gran Chimú, Trujillo), Lambayeque (Chiclayo), Lima (Huarochiri, Lima), Tacna (Tacna) (Peceros, 2011; Grados, 2014; Ginés et al., 2015; Murrugarra, 2016; Villanueva, 2016; Medina et al. 2018; Lázaro, 2021; Esquiagola, 2022; Iannacone et al., 2023). In coastal desert (Fig. 1E).

Euspilotus lepidus (Erichson, 1847)

Material examined. (9 specimens) PERU, 1 (MUSM), Apurímac, Abancay, Tamburco (13°53'16.79"S 73°03'25.20"W, 4049 m) [G. Arriagada det.]; 1 (MUSM), Apurímac, Aymaraes, Chapimarca (13°59'49.19"S 73°09'32.40"W, 2896 m) [G. Arriagada det.]; 1 (MUSM), Ayacucho, Huamanga, Ayacucho (13°09'25.20"S 74°12'35.99"W, 2760 m) [G. Arriagada det.]; 1 (MUSM), Ayacucho, Lucanas, Chaviña (14°54'28.79"S 73°53'56.40"W, 4000 m) [G. Arriagada det.]; (Arriagada com pers.), Cusco, Cusco, San Jerónimo, Pacchayoc (13°34'58.80"S 72°03'39.60"W, 3850 m); 1 (MEKRB), Cusco, Urubamba, Ollantaytambo, Piscacucho (13°12'50.40"S 72°22'58.79"W, 2715 m); (Arriagada com pers.), Lima, Canta, Canta (11°29'16.79"S 76°39'0.0"W, 2357 m); 1 (SENASA), Puno, Puno, 07-V-2004, D. Cotrado leg.; 2 (MEKRB), on pitfall trap (rotten flaked tuna), Tacna, Tarata, near to Ticaco (17°26'31.20"S 69°58'51.59"W, 3921 m), 23-II-2022, A. Giraldo leg.; 1 (MEKRB), on pitfall trap (rotten flaked tuna), Tacna, Tarata, near to Mirador La Apacheta (17°33'35.99"S 70°01'48.0"W, 3460 m), 22-II-2022, A. Giraldo leg.

Distribution. Argentina, Bolivia, Chile. PERU. Apurimac (Abancay, Aymaraes), Ayacucho (Huamanga, Lucanas), Cusco (Cusco, Quispicanchi, Urubamba), Lima (Canta), Puno (Puno), Tacna (Tarata) (Lewis, 1904; Rossi et al., 2018; Infante, 2021). In Andean foothills and Andean highlands (Fig. 1E).

Genus *Saprinus* Erichson, 1834

Saprinus caerulescens (Hoffmann, 1803)

Material examined. (106 specimens) PERU, 12 (SENASA), Ancash, Santa, 10-X-1979, L. Chang leg. [A. Tishechkin det.]; 4 (MEKRB), Arequipa, Caylloma, Majes (1420 m), 02-VII-2015, L. Linares leg.; 4 (MEKRB), Arequipa, Caylloma, Majes (1420 m), 03-VII-2015, L. Linares leg.; 2 (MEKRB), Arequipa, Caylloma, Majes (1420 m), 20-VII-2015, L. Linares leg.; 2 (MEKRB), Arequipa, Islay, Mollendo, 26-XII-1996, O. Morón leg.; 1 (MEKRB), Huánuco, Leoncio Prado, Tingo María, 29-V-1999, L. Gil leg.; 1 (MEKRB), on ray carcass, Ica, Chincha, Qala beach (13°21'39.60"S 76°13'08.39"W, 17 m), 18-II-2022, A. Giraldo leg.; 1 (MUSM), on coastal desert, direct searching, Ica Nasca, Marcona (15°20'47.5"S 75°07'27.1"W, 58 m), 19-III-2019, I. Galindo leg. [G. Arriagada det.]; 4 (MUSM), Ica, Pisco, Paracas (20 m) [G. Arriagada det.]; 1 (MEKRB), Junín, Chanchamayo La Merced 18-VIII-2012, J. Miñano leg.; 4 (MUSM), Lambayeque, Chiclayo, Santa Rosa (06°52'33.60"S 79°55'37.20"W, 10 m) [G. Arriagada det.]; 2 (MEKRB), on sea lion carcass, Lambayeque, Chiclayo, Pimentel, Pimentel beach (06°50'28.82"S 79°56'15.53"W), 20-IX-2018, A. Giraldo leg.; 1 (MEKRB), Lima, Cañete, 15-IV-2006, R. Capcha leg.; 1 (MEKRB), Huaral, Huaral, V-2008, L. Medina leg.; 18 (MEKRB), on pig carcass, Lima, Lima, El Agustino, 15-30-VI-2013, L. Grados leg.; 5 (MEKRB), on pig carcass, Lima, Lima, El Agustino, 01-04-VII-2013, L. Grados leg.; 2 (MEKRB), on pig carcass, Lima, Lima, El Agustino, 12-15-VII-2013, L. Grados leg.; 1 (MEKRB), on pig carcass, Lima, Lima, El Agustino, 30-VII-2013, L. Grados leg.; 9 (MEKRB), on pig carcass, Lima, Lima, El Agustino, 21-25-I-2014, L. Grados leg.; 3 (MEKRB), on pig carcass, Lima, Lima, Chorrillos, Pantanos de Villa (12°13'01.20"S 76°59'13.19"W), 15-II-2007, Y. Murrugarra leg.; 1 (MEKRB), on pig carcass, Lima, Lima, Chorrillos, Pantanos de Villa (12°13'01.20"S 76°59'13.19"W), 29-VI-2007, Y. Murrugarra leg.; 1 (MEKRB), Lima, Lima, Cieneguilla, 10-X-1995, M. Mamani leg.; 1 (MEKRB), Lima, Lima, La Molina, 06-I-1982, Madrid leg.; 1 (MEKRB), Lima, Lima, La Molina, 23-IV-1991, J. Anteparra leg.; 1 (MEKRB), Lima, Lima, La Molina, 02-V-1991, R. Rodriguez leg.; 1 (MEKRB), Lima, Lima, La Molina, 15-VII-1991, J. Iannacone leg.; 1 (MEKRB), Lima, Lima, La Molina, 24-X-1991, E. Luján leg.; 1 (MEKRB), Lima, Lima, La Molina, 24-X-1992, R. Beingolea leg.; 2 (MEKRB), Lima, Lima, La Molina, 15-VI-1996, A. Jeri leg.; 1 (MEKRB), Lima, Lima, La Molina, 18-VIII-1996, M. Castillo leg.; 3 (MEKRB), Lima, Lima, La Molina, 18-IX-1996, R. Castillo leg.; 2 (MEKRB), Lima, Lima, La Molina, 27-IX-1996, A. Guerra leg.; 2 (MEKRB), Lima, Lima, La Molina, 13-XI-1996, W. Catalán leg.; 4 (MEKRB), Lima, Lima, La Molina, 10-XII-1996, M. Narrea leg.; 2 (MEKRB), Lima, Lima, La Molina, 20-XII-1996, R. Lázaro leg.; 2 (MEKRB), Lima, Lima, La Molina, 24-XII-1996, M. Narrea leg.; 1 (MEKRB), Lima, Lima, La Molina, 18-XII-1998, G. Tejada leg.; 1 (MEKRB), Lima, Lima, La Molina, 08-XI-2002, M. Chávez leg.; 1 (MEKRB), Lima, Lima, La Molina, VI-2008, L. Medina leg.; 1 (MEKRB), Lima, Lima, La Molina, 03-II-2009, M. Rivera leg.

Distribution. Palearctic, including the Azores and Cape Verde islands (native). PERU (introduced), Ancash (Santa), Arequipa (Caylloma, Islay), Ayacucho (Huamanga), Huanuco (Leoncio Prado), Ica (Chincha, Nasca, Pisco), Junin (Chanchamayo), La Libertad (Trujillo), Lambayeque (Chiclayo), Lima (Cañete, Huaral, Huarochiri, Huaura, Lima), Piura (Piura), Tacna (Tacna) (Arriagada, 1987; Giraldo-Mendoza, 2002; Peceros, 2011; Grados, 2014; Ginés et al., 2015; Villanueva & Seclen, 2016; Villanueva, 2016; Oré, 2017; Andrade et al., 2018; Medina et al., 2018; Lázaro, 2021; Chamochumbi et al., 2022; Esquiagola, 2022; Iannacone et al., 2023; Jaime, 2023). In coastal deserts, dry forests, Andean foothills, and montane forests (Fig. 1F).

Genus *Xerosaprinus* Wenzel, 1962

Xerosaprinus chiliensis (Marseul, 1855)

Material examined. (19 specimens) PERU, 3 (MUSM), Ica, Pisco, Paracas (13°44'52.79"S 76°13'40.79"W, 10 m) [G. Arriagada det.]; 1 (MEKRB), on pitfall trap, Ica, Pisco, Paracas, PFLGN, IV-2011, A. Giraldo leg.; 1 (MEKRB), on sea lion carcass, Lambayeque, Chiclayo, Pimentel, Pimentel beach (06°50'28.82"S

79°56'15.53"W), 20-IX-2018, A. Giraldo leg.; 4 (MUSM), Lima, Huaura, Don Martín island (11°01'11.99"S 77°40'12"W, 10 m) [G. Arriagada det.]; 1 (MEKRB), on pitfall trap (rotten flaked tuna), Lima, Huaura, Lachay lomas (11°21'28.80"S 77°22'08.39"W, 400 m), 25-V-2018, A. Giraldo leg.; 1 (MEKRB), Lima, Lima 18-VI-1968, W. Dale leg.; 1 (MEKRB), on pig carcass, Lima, Lima, El Agustino, 02-VII-2013, L. Grados leg.; 1 (MEKRB), on pig carcass, Lima, Lima, El Agustino, 28-VIII-2013, L. Grados leg.; 2 (MEKRB), on pig carcass, Lima, Lima, El Agustino, 24-I-2014, L. Grados leg.; 1 (MEKRB), on pig carcass, Lima, Lima, Chorrillos, Pantanos de Villa, 15-II-2007, Y. Murrugarra leg.; 1 (MEKRB), on pig carcass, Lima, Lima, Chorrillos, Pantanos de Villa, 07-XI-2007, Y. Murrugarra leg.; 2 (MEKRB), on pig carcass, Lima, Lima, Chorrillos, Pantanos de Villa, 12-XI-2007, Y. Murrugarra leg.

Distribution. Chile. PERU: Ica (Chincha, Pisco), La Libertad (Trujillo), Lambayeque (Chiclayo), Lima (Huaura, Lima) (Arriagada, 1985; Grados, 2014; Murrugarra, 2016; Medina et al., 2018). In the coastal desert (Fig. 1F).

Family Staphylinidae Latreille, 1802

Subfamily Silphinae Latreille, 1807

Genus *Oxelytrum* Gistel, 1848

Oxelytrum anticola (Guérin-Méneville, 1855)

Material examined. (27 specimens) PERU, 1 (UNASAM), Ancash, Carhuaz, Carhuaz (2638 m); 1 (UNASAM), Ancash, Carhuaz, Marcara (2726 m); 1 (UNASAM), Ancash, Huaraz, Huaraz (3052 m); 1 (UNASAM), Ancash, Huari, Pontó (2700 m); 1 (UNASAM), Ancash, Yungay, Mancos, Tingua (2575 m); 2 (UNASAM), Ancash, Yungay, Tumpa (3006 m); 4 (MUSM), on sheep carcass, Ayacucho, Lucanas, Puquio (14°40'51.59"S 74°03'39.60"W, 3841m), 21-I-2022, A. Giraldo leg.; 1 (MUSM), on sheep carcass, Ayacucho, Lucanas, Puquio (14°40'51.59"S 74°03'39.60"W, 3841m), 02-III-2022, A. Giraldo leg.; 1 (MUSM), Ayacucho, Sucre, Santiago de Paucaray (14°03'09.78"S 73°38'29.21"W, 3276 m), 09-XI-2021, E. Gamboa leg.; 4 (UNPRG), on cougar carcass, Cajamarca, Cajamarca, Namora, Fundo Santa María (07°12'32.39"S 78°21'10.79"W, 2967 m); 1 (MUSM), Cajamarca, San Miguel, Tongod (06°47'41.71"S 78°52'55.66"W, 3588 m), 07-V-2021, N. Zenteno leg.; 1 (MUSM), on pitfall trap, Ica, Palpa, Tibillo (14°04'24.87"S 75°13'35.06"W, 3187 m), 07-08-XI-2021, L. Ramírez leg.; 1 (MUSM), Junín, Huancayo, Pariahuanca (11°54'41.40"S 74°56'20.30"W, 3355 m), 23-VI-2019, E. Medina leg.; 2 (MUSM), on dog carcass, Puno, Puno, Pichacani, 1.3 km NE to Ayuncora (16°04'40.79"S 70°00'39.59"W, 3978 m), 24-II-2022, A. Giraldo leg.; 5 (MUSM), on pitfall trap (rotten flaked tuna), Tacna, Tarata, near to Ticaco (17°26'31.20"S 69°58'51.59"W, 3921 m), 23-II-2022, A. Giraldo leg.

Distribution. Bolivia, Ecuador. PERU. Ancash (Bolognesi, Carhuaz, Huaraz, Huari, Yungay), Apurímac (Aymaraes), Arequipa (Arequipa), Ayacucho (Huamanga, Lucanas, Sucre), Cajamarca (Cajamarca, San Miguel), Cusco (Canchis, Cusco), Ica (Palpa), Junín (Huancayo, Jauja), La Libertad (Bolívar, Sánchez Carrion), Lima (Huarochiri), Moquegua (Mariscal Nieto), Piura (Ayabaca, Huancabamba), Puno (Puno), Tacna (Candarave, Tarata) (Giraldo-Mendoza, 2016; Bustamante et al., 2017; Oré, 2017; Rossi et al., 2018; Infante, 2021; Juárez & González, 2019, 2021; Briceño et al., 2022). In Andean foothills and Andean highlands (Fig. 1G).

Oxelytrum cayennense (Sturm, 1826)

Material examined. Not available.

Distribution. South America. PERU. Cusco (La Convención), Junín (Chanchamayo, Satipo), Loreto (Loreto, Maynas), Madre de Dios (Tambopata), Pasco (Oxapampa), Puno (Sandia), Ucayali (Coronel Portillo) (Giraldo-Mendoza, 2016; Bustamante et al., 2017; Pizango et al., 2019). In montane forests and tropical rainforests (Fig. 1G).

Oxelytrum discicolle (Brullé, 1840)

Material examined. (3 specimens) PERU, 3 (SENASA), Cajamarca, Cajamarca, 23-IX-1972, L. Arriaga leg.

Distribution. North, Central and South America. PERU. Amazonas (Bongara), Cajamarca (Cajamarca, Chota, Cutervo, Santa Cruz, San Marcos, San Miguel), Cusco (La Convencion, Paucartambo, Quispicanchi, Urubamba), Huanuco (Huanuco, Leoncio Prado), La Libertad (Otuzco), Lima (Cajatambo), Pasco (Oxapampa), Ucayali (Coronel Portillo, Padre Abad) (Giraldo-Mendoza, 2016; Bustamante et al., 2017; Torres, 2020). In Andean foothills and montane forest (Fig. 1H).

Subfamily Staphylininae Latreille, 1802

Genus *Creophilus* Leach, 1819

Creophilus maxillosus (Linnaeus, 1758)

Material examined. (17 specimens) PERU, 4 (UNPRG), on cougar carcass, Cajamarca, Cajamarca, Namora, Fundo Santa María (07°12'32.39"S 78°21'10.79"W, 2967 m); 1 (MUSM), Cusco, La Convención, Santa Teresa (13°07'45.98"S 72°35'38.86"W, 2736 m); 9 (MEKRB), Puno, Puno, 12-VIII-1996, M. Mamani leg.; 3 (ILLPA), Puno, Puno, 28-X-2003, P. Delgado leg.

Distribution. Palaearctic (native), South America (introduced). PERU. Ayacucho (Huamanga, Lucanas), Cajamarca (Cajamarca), Cusco (La Convencion), Huanuco (Huanuco), Junin (Huancayo), Lima (Canta, Huarochiri), Puno (Puno) (Asenjo & Clarke, 2007; Oré, 2017; Torres, 2020; Cortéz, 2021; Infante, 2021). In Andean foothills, Andean highlands, and montane forest (Fig. 1H).

Family Trogidae MacLeay, 1819

Genus *Omorgus* Erichson, 1847

Omorgus suberosus (Fabricius, 1775)

Material examined. (58 specimens) PERU, 1 (MEKRB), Huancavelica, Huancavelica, 17-XI-2006, Z. Cardenas leg.; 1 (MEKRB), Huanuco, Leoncio Prado, Tingo Maria, 17-IV-1999, L. Gil leg.; 2 (MEKRB), Huanuco, Leoncio Prado, Tingo Maria, 13-II-2000, D. Ruiz leg.; 1 (MEKRB), Ica, Chinchipe, Chinchipe, 20-IV-2002, D. Luque leg.; 1 (MEKRB), Ica, Ica, 01-VI-2008, P. Bello leg.; 6 (MEKRB), La Libertad, Ascope, Cartavio, 1959, Riccini leg.; 1 (MEKRB), La Libertad, Ascope, Cartavio, II-1960, Montoya leg.; 2 (MEKRB), La Libertad, Trujillo, Moche, 11-VIII-1996, R. Castillo leg.; 1 (MEKRB), La Libertad, Trujillo, Trujillo, 15-V-1999, L. Gil leg.; 1 (MEKRB), La Libertad, Trujillo, Trujillo, 01-XI-2009, L. M. Cruces leg.; 2 (MEKRB), Lima, Cañete, San Vicente de Cañete, 11-I-1998, J. Herrera leg.; 2 (MEKRB), Lima, Lima, 15-XI-1964, Olivares leg.; 2 (MEKRB), Lima, Lima, 22-I-1965, Olivares leg.; 3 (MEKRB), Lima, Lima, 25-I-1965, K. Raven leg.; 2 (MEKRB), Lima, Lima, 15-II-1965, K. Raven leg.; 3 (MEKRB), Lima, Lima, 20-II-1965, K. Raven leg.; 1 (MEKRB), Lima, Lima, 20-IV-1965, K. Raven leg.; 1 (MEKRB), Lima, Lima, 14-II-1968, Del Valle leg.; 4 (MEKRB), Lima, Lima, 10-XII-1968, E. Almonte leg.; 2 (MEKRB), Lima, Lima, 04-I-1969, Del Valle leg.; 3 (SENASA), Lima, Lima, 13-III-1969, M. Delgado leg.; 1 (SENASA), Lima, Lima, 15-XII-1980, A. Decheco leg.; 1 (MEKRB), Lima, Lima, 07-I-1986, K. Raven leg.; 1 (MEKRB), Lima, Lima, La Molina, 27-II-1968, Del Valle leg.; 2 (MEKRB), Lima, Lima, La Molina, 06-X-1996, Mayhuay leg.; 1 (MEKRB), Lima, Lima, La Molina, 29-IX-1997, J. Vasquez leg.; 1 (MEKRB), Lima, Lima, La Molina, 15-X-1997, J. Vasquez leg.; 1 (MEKRB), Lima, Lima, La Molina, 24-II-2002, C. Ono leg.; 3 (MEKRB), Lima, Lima, La Molina, 22-II-2005, S. Mayta leg.; 1 (MEKRB), Lima, Lima, La Molina, 07-I-2006, W. Ojeda leg.; 1 (MEKRB), Lima, Lima, La Molina, 15-XI-2009, S. Santos leg.; 1 (MEKRB), Lima, Lima, Vitarte, 15-XII-2000, J. Hop leg.; 1 (MEKRB), Pasco, Oxapampa, Puerto Bermudez, 15-VII-2009, J. Garcia leg.; 1 (MEKRB), San Martin, San Martin, Tarapoto, 20-IX-1975, P. Aguilar leg.

Distribution. Africa, Asia, Australia, and Europe (introduced). North, Central, and South America (native). PERU. Amazonas (Bagua), Huancavelica (Huancavelica), Huanuco (Huanuco, Leoncio Prado), Ica (Chinchipe, Ica, Pisco), La Libertad (Ascope, Trujillo), Lima (Canta, Cañete, Huaura, Lima), Loreto (Maynas), Pasco (Oxapampa), Piura (Piura, Sullana), San Martin (San Martin), Tumbes (Tumbes) (Aguilar, 1976; Scholtz, 1990; Giraldo-Mendoza, 2002; Andrade et al., 2018; Costa-Silva et al., 2020; Torres, 2020). In coastal deserts, dry forests, Andean foothills, montane forests, and tropical rainforests (Fig. 1I).

Genus *Polynoncus* Burmeister, 1876

Polynoncus peruanus (Erichson, 1847)

Material examined. (23 specimens) PERU, 2 (MEKRB), on sheep carcass, Ayacucho, Lucanas, Puquio (14°40'51.59"S 74°03'39.60"W, 3841 m), 21-I-2022, A. Giraldo leg.; 1 (MEKRB), on garbage dump, Cusco, Canas, Langui, Langui Lake mirador (14°27'32.39"S 71°17'34.80"W, 4296 m), 28-II-2022, A. Giraldo leg.; 4 (MEKRB), on garbage dump, Huancavelica, Huaytará, near to Huaytará (13°38'13.20"S 75°22'30.00"W, 3778 m), 25-I-2022, A. Giraldo leg.; 6 (MEKRB), on wool remains, Puno, Chucuito, Juli, near to Sorapa (16°21'53.99"S 69°38'41.99"W, 3942 m), 14-I-2022, A. Giraldo leg.; 7 (MEKRB), on dog carcass, Puno, Puno, Pichacani, 1.3 km NE to Ayuncora (16°04'40.79"S 70°00'39.59"W, 3978 m), 24-II-2022, A. Giraldo leg.; 3 (MEKRB), on pitfall trap (rotten flaked tuna), Tacna, Tarata, near to Ticaco (17°26'31.20"S 69°58'51.59"W, 3921 m), 23-II-2022, A. Giraldo leg.

Distribution. Chile. PERU. Apurimac (Aymaraes, Grau), Ayacucho (Lucanas), Cusco (Canas, Cusco, Espinar), Huancavelica (Huaytara), Huanuco (Ambo), Junin (Jauja, Junin, Yauli), Puno (Chucuito, Puno, San Roman), Tacna (Tarata) (Scholtz, 1990; Infante, 2021; Costa-Silva et al., 2024). In Andean highlands (Fig. 11).

DISCUSSION

Considering the distribution records presented in this work, some patterns can be recognized, assuming the Andes Mountains are a potential barrier to species dispersion. These patterns are the following: 1) *Dermestes ater*, *Euspilotus decoratus*, and *Xerosaprinus chiliensis* restricted to ecological regions west to Andes; 2) *Oxelytrum cayennense* restricted to ecological regions east to Andes; 3) *Euspilotus lepidus*, *Oxelytrum anticola* and *Polynoncus peruanus* restricted to Andean ecological regions; 4) *Dermestes frischii*, *Dermestes peruviianus* and *Euspilotus ater* extending from the Andean foothills towards the west; 5) *Creophilus maxillosus* and *Oxelytrum discicolle* extending from the Andean foothills towards the east; 6) *Necrobia ruficollis* in coastal desert and montane forests at both sides of Andes; 7) *Dermestes maculatus*, *Euspilotus azureus*, *Necrobia rufipes*, *Omorgus suberosus* and *Saprinus caerulescens* inhabiting between four to six distinct ecological regions at both sides of Andes. The distributions of the eighteen species discussed here could be wider in Peru since most of them have a high dispersal capacity and are able to inhabit human-modified environments. Also, a greater sampling effort would allow a better definition of these distributions. Although the information presented here was obtained through independent collection and research efforts, it is valuable and should be available for the other species previously listed by Giraldo-Mendoza (2021). In Peru, more comprehensive studies are needed to determine the biological cycle of species, the abundance and frequency of species in specific localities, and the distribution of species assemblages along altitudinal or anthropogenic disturbance gradients. According to broad thematic reviews published in recent years (Lutz et al., 2021; Singh et al., 2022), these kinds of studies are necessary for the progress of forensic entomology.

AUTHOR'S CONTRIBUTION

The author confirms his contribution to the whole processing steps in the research, conceptualization, collecting the specimens, preparation of the manuscript, and illustrations. He read and approved the final version of the manuscript.

FUNDING

This research received no specific grant from any funding agencies.

AVAILABILITY OF DATA AND MATERIAL

The specimens listed in this study are deposited in ILLPA, MEKRB, MUSM, SENASA, UNASAM, and UNPRG entomological collections and are available from the curator upon request.

ETHICS APPROVAL AND CONSENT TO PARTICIPATE

This study only included plants and arthropod material, and all required ethical guidelines for the treatment and use of animals were strictly adhered to in accordance with international, national, and institutional regulations. No human participants were involved in any studies conducted by the authors for this article.

CONSENT FOR PUBLICATION

Not applicable.

CONFLICT OF INTERESTS

The author declares that there is no conflict of interest regarding the publication of this paper.

ACKNOWLEDGMENTS

The author thanks Clorinda Vergara (MEKRB), Karina Vilca (UNASAM), Mabel Alvarado (MUSM), Norma Nolazco (SENASA), Pedro Delgado (ILLPA) and Roger Barboza (UNPRG) for facilitating the examination of the specimens housed in their respective entomological collections.

REFERENCES

- Aguilar, P.G. (1976) Fauna desértico-costera peruana- I. Invertebrados más frecuentes en las lomas. *Revista Peruana de Entomología*, 19 (1), 67–70.
- Almeida, L.M. & Mise, K.M. (2009) Diagnosis and key of the main families and species of South American Coleoptera of forensic importance. *Revista Brasileira de Entomologia*, 53 (2), 227–244. <https://doi.org/10.1590/S0085-56262009000200006>
- Almeida, L.M., Corrêa, R.C. & Grossi, P.C. (2015) Coleoptera species of forensic importance from Brazil: an updated list. *Revista Brasileira de Entomologia*, 59, 274–284. <https://doi.org/10.1016/j.rbe.2015.07.008>
- Andrade, K. & Háva, J. (2018) Records of *Dermestes* Linnaeus, 1758 (Coleoptera: Dermestidae) of forensic interest, from the province of Castilla, Piura (Peru). *Folia Heyrovskiana, series A*, 26 (2), 12–15.
- Andrade, K., Ruiz, C. & Córdova, M. (2018) Estudio comparativo de insectos asociados a cadáveres de cobayas en dos formas de muerte en Castilla, Piura (Perú). *Cuadernos de Medicina Forense*, 24 (1–2), 6–13.
- Arriagada, G. (1985) Notas sobre histéricidos neotropicales (Coleoptera: Histeridae). *Revista Chilena de Entomología*, 12, 105–112.
- Arriagada, G. (1987) Notas sinonímicas y datos distribucionales de Sapriniinae neotropicales (Coleoptera: Histeridae). *Revista Chilena de Entomología*, 15, 61–70.
- Arriagada, G. (2015) Nueva especie de Sapriniinae de Perú, Chile y Argentina, nuevos registros y sinonimias (Coleoptera: Histeridae). *Boletín del Museo Nacional de Historia Natural, Chile*, 64, 181–197. <https://doi.org/10.54830/bmnhn.v64.2015.119>
- Asenjo, A. & Clarke, D.J. (2007) First record of *Creophilus maxillosus* (Linnaeus, 1758) (Staphylinidae) for Peru. *The Coleopterists Bulletin*, 61 (4), 551. [https://doi.org/10.1649/0010-065X\(2007\)61\[551:FROCML\]2.0.CO;2](https://doi.org/10.1649/0010-065X(2007)61[551:FROCML]2.0.CO;2)
- Bala, M. & Singh, N. (2015) Beetles and forensic entomology: A comprehensive review. *Journal of Entomological Research*, 39 (4), 293–302. <https://doi.org/10.5958/0974-4576.2015.00036.5>
- Briceño, D., Ramírez, F. & Valderrama, S.M. (2022) Entomofauna cadavérica asociada a los restos incinerados de *Sus scrofa domestica* L., en el centro poblado de Chuyugual, La Libertad, Perú. *Manglar*, 19 (3), 221–226. <https://doi.org/10.17268/manglar.2022.027>
- Bustamante, A., Oroz, A., Yábar, E., Marquina, E.L. & Elme, A. (2017) Contribución al conocimiento de los escarabajos de la familia Silphidae (Coleoptera) en el Perú. *Archivos Entomológicos*, 17, 135–143.
- Chamochumbi, C.E., Jara, C.A., Delgado, S., Espinoza, J.G., Díaz, C.N. & Castillo, J.L. (2022) Entomofauna de interés forense asociada al proceso de descomposición cadavérica de *Sus scrofa* en época de verano en un distrito del norte del Perú. *Revista de Investigación Científica REBIOL*, 42 (2), 141–146. <https://doi.org/10.17268/rebiol.2022.42.02.08>
- Ciro, W., Anteparra, M.E. & Hermann, A. (2008) Dermestidae (Coleoptera) en el Perú: revisión y nuevos registros. *Revista Peruana de Biología*, 15 (1), 15–20. <https://doi.org/10.15381/rpb.v15i1.1662>

- Cortéz, S.A. (2021) *Entomofauna forense asociada a la descomposición de biomodelos en condiciones de exposición ambiental y sumersión*. PhD Thesis. Universidad Peruana Los Andes, Huancayo. 153 p.
- Costa-Silva, V., Strümpher, W.P. & Vaz-de-Mello, F.Z. (2020) Review of the Brazilian species of *Omorgus* Erichson, 1847 (Coleoptera: Trogidae: Omorginae). *Journal of Natural History*, 54 (31–32), 1993–2024. <https://doi.org/10.1080/00222933.2020.1833999>
- Costa-Silva, V., Strümpher, W.P., Thyssen, P.J. & Vaz-de-Mello, F.Z. (2024) Taxonomic revision of the South American genus *Polynoncus* Burmeister, 1876 (Coleoptera: Scarabaeoidea: Trogidae), *Journal of Natural History*, 58 (1–4), 14–166. <https://doi.org/10.1080/00222933.2023.2260060>
- Degallier, N. (1981) Étude des *Euspilotus* du groupe *azureus* [Coleoptera, Histeridae, Saprininae]. *Revue française d'Entomologie (Nouvelle Série)*, 3 (2), 59–67.
- Esquiagola, I.C.B. (2022) *Entomofauna presente en la descomposición post mortem de Sus scrofa "cerdo" durante el verano en la provincia de Tacna, 2019*. BSc Thesis. Universidad Nacional Jorge Basadre Grohmann, Tacna. 73 p.
- Ginés, E., Alcántara, M.A., Calderón, C., Infante, C. & Villacorta, M. (2015) Entomofauna de interés forense asociada a restos cadavéricos de cerdos (*Sus scrofa* L.), expuestos a condiciones de campo en Lambayeque – Perú. *Revista Peruana de Entomología*, 50 (1), 1–11.
- Giraldo-Mendoza, A.E. (2002) *Análisis de los Patrones de Variación Espacio-Temporal de las Poblaciones de Coleópteros en la Reserva Nacional de Lachay Durante el Periodo 1998 – 2001*. BSc Thesis. Universidad Nacional Agraria La Molina, Lima. 257 p.
- Giraldo-Mendoza, A.E. (2016) Nuevos registros de Silphidae (Coleoptera) para Perú, con comentarios sobre su ecología y distribución. *Archivos Entomológicos*, 16, 139–150.
- Giraldo-Mendoza, A.E. (2021) A preliminary list of beetles (Insecta: Coleoptera) of forensic importance from Peru. *Dugesiana*, 28 (2), 61–74. <https://doi.org/10.32870/dugesiana.v28i2.7148>
- Grados, L.E. (2014) *Entomofauna asociada a la descomposición cadavérica de Sus scrofa L. (cerdo) en dos épocas del año, El Agustino, Lima, Perú*. BSc Thesis. Universidad Nacional Federico Villareal. Facultad de Ciencias Naturales y Matemática. Escuela Profesional de Biología. 89 p.
- Háva, J. & Kalík, V. (2005) Contribution to the *Dermestes peruvianus* species group from the Neotropical region (Coleoptera: Dermestidae). *Baltic Journal of Coleopterology*, 5 (2), 87–98.
- Iannacone, J. (2003) Artropofauna de importancia forense en un cadáver de cerdo en el Callao, Perú. *Revista Brasileira de Zoologia*, 20 (1), 85–90. <https://doi.org/10.1590/S0101-81752003000100010>
- Iannacone, J., Alvariano, L., Minaya, D., Alarcón, G., Rodríguez, A. & Ávila, E. (2023) Cadaveric entomofauna in stranded marine vertebrates on the central coast of Peru. *Graellsia*, 79 (2), e195. <https://doi.org/10.3989/graellsia.2023.v79.353>
- Infante, U.R. (2021) *Entomofauna cadavérica de Vicugna vicugna (Molina 1782), de la Reserva Nacional Pampa Galeras Bárbara D'Achille, Ayacucho*, BSc Thesis. Universidad Nacional San Luis Gonzaga, Ica. 69 p.
- Jaime, G.A. (2023) *Sucesión Ecológica de Insectos en Cadáver de "cerdo" (Sus scrofa L., 1758), como una Herramienta para Estimar el Intervalo Post-Mortem en el Bosque seco de Piura, Perú*. BSc Thesis. Universidad Nacional de Trujillo, Trujillo. 54 p.
- Juárez, G. & González, U. (2018) Lista de coleópteros (Insecta: Coleoptera) de la Región Piura, Perú. *Folia Entomológica Mexicana*, 4 (1), 1–27.
- Juárez, G. & González, U. (2019) Actualización a la lista de coleópteros (Insecta: Coleoptera) de la Región Piura, Perú. *Graellsia*, 75 (2), e097. <https://doi.org/10.3989/graellsia.2019.v75.233>
- Juárez, G. & González, U. (2021) Actualización a la lista de coleópteros (Insecta: Coleoptera) del bosque de neblina de Cuyas, Ayabaca-Región Piura, Perú. *Graellsia*, 77 (1), e126 <https://doi.org/10.3989/graellsia.2021.v77.278>
- Juárez, G. & González, U. (2024) An updated checklist of the checkered beetles (Coleoptera: Cleridae) of Peru. *Journal of Insect Biodiversity*, 51 (1), 6–30. <https://doi.org/10.12976/jib/2024.51.1.2>
- Koepcke, H.-W. & Koepcke, M. (1952) Sobre el proceso de transformación de la materia orgánica en las playas arenosas marinas del Perú. *Publicaciones del Museo de Historia Natural "Javier Prado", Serie A Zoología*, 8, 1–25.
- Lázaro, G. (2021) *Diversidad de la Entomofauna Cadavérica de Sus scrofa spp (cerdo) en la Provincia de Chíncha – Ica*, BSc Thesis. Universidad Nacional San Luis Gonzaga, Ica. 59 p.
- Lewis, G. (1904) On new species of Histeridae and notices of others. *The Annals and Magazine of Natural History*, 14(80), 137–151. <https://doi.org/10.1080/03745480409442983>
- Lutz, L., Zehner, R., Verhoff, M.A., Bratzke, H. & Amendt, J. (2021) It is all about the insects: a retrospective on 20 years of forensic entomology highlights the importance of insects in legal investigations. *International Journal of Legal Medicine*, 135, 2637–2651. <https://doi.org/10.1007/s00414-021-02628-6>

- Medina, L.J., Sosa, J.E., Villacorta, M., Santa Cruz, C.Y. & Calderón, C. (2018) Sucesión entomológica asociada a restos cadavéricos de *Sus scrofa* Linnaeus (Artiodactyla: Suidae) y su utilidad en la estimación del intervalo post mortem en Lambayeque, Perú. *Revista Chilena de Entomología*, 44 (4), 443–461.
- Midgley, J.M., Richards, C.S. & Villet, M.H. (2010) The utility of Coleoptera in forensic investigations. In: Amendt, J., Goff, M.L., Campobasso, C.P. & Grassberger, M. (eds) *Current concepts in Forensic Entomology*. Springer, Dordrecht. pp. 57–68. https://doi.org/10.1007/978-1-4020-9684-6_4
- MINAM (2018) *Mapa Nacional de Ecosistemas del Perú. Memoria Descriptiva*. Ministerio del Ambiente. Lima, Perú, 117 p.
- Murphy, R.C. (1925) Los invertebrados terrestres de las islas guaneras del Perú. *Boletín de la Compañía Administradora del Guano*, 1 (12), 475–490.
- Murrugarra, V.Y. (2016) *Sucesión de Artropofauna en Cadáveres de cerdos (Sus scrofa L., 1758), en Pantanos de Villa, Chorrillos, Lima, Perú*. MScThesis, Universidad Nacional Mayor de San Marcos, Lima. 105 p.
- Nadeau, P., Thibault, M., Horgan, F.G., Michaud, J.-P., Gandiaga, F., Comeau, C. & Moreau, G. (2015) Decaying matters: Coleoptera involved in heterotrophic systems. In: Stack, C. (ed.) *Beetles: Biodiversity, Ecology and Role in the Environment*. Nova Science, New York, pp. 123–174
- Oré, M.J. (2017) *Entomofauna Tanatológica en el Proceso de Descomposición del Cadáver de Sus scrofa "cerdo"*. BSc Thesis. Universidad Nacional de San Cristóbal de Huamanga, Ayacucho. 68 p.
- Peceros, F.M.E. (2011) *Sucesión Entomológica Asociada a Procesos de Descomposición de Carcasas de Cerdo (Sus scrofa L., 1758) en la Provincia de Huarochirí*. BSc. Thesis. Universidad Nacional Mayor de San Marcos, Lima. 133 p.
- Peck, S.B. & Anderson, R.S. (1985) Taxonomy, phylogeny and biogeography of the carrion beetles of Latin America (Coleoptera: Silphidae). *Quaestiones Entomologicae*, 21, 247–317.
- Pizango, J., Cachi, F.M., Acosta, A., Zárate, R. & Ginés, E. (2019) Entomofauna de interés forense asociada a la descomposición de *Sus scrofa domesticus* (cerdo doméstico) en la Amazonía peruana. *Ciencia Amazónica (Iquitos)*, 7 (1), 21–36. <https://doi.org/10.22386/ca.v7i1.262>
- Rossi, C., Galindo, I., Huamán, G., Cuadros, B., Ortega, Y., Quispitúpac, E. & Martínez, N. (2018) Primer estudio de la riqueza de coleópteros en un bosque de *Polylepis tomentella* del distrito de Chaviña (Ayacucho, Perú). *Ecología Austral*, 28, 229–234. <https://doi.org/10.25260/EA.18.28.1.1.493>
- Saavedra, D., Andrade, K., Verona, H. & Córdova, M. (2019) Coleópteros (Insecta: Coleoptera) asociados a cadáveres de vertebrados marino-costeros en la playa Colan, Piura (Perú). *Folia Entomológica Mexicana (nueva serie)*, 5 (1), 1–8.
- Sarmiento, V. & Padilla, S. (2015) Sucesión entomológica asociada a procesos de descomposición en cadáveres de *Oryctolagus cuniculus* en condiciones de campo, Trujillo, La Libertad, 2014. *Sciendo*, 17 (1), 134–140.
- Sawaby, R.F., EL Hamouly, H. & Abo-El Ela, R.H. (2016) Taxonomic study of the main families of Egyptian Coleoptera with forensic importance. *Life Science Journal*, 13 (4), 39–53.
- Scholtz, C.H. (1990) Revision of the Trogidae of South America (Coleoptera: Scarabaeoidea). *Journal of Natural History*, 24, 1391–1456. <https://doi.org/10.1080/00222939000770841>
- Shorthouse, D. (2010) Simple Mapppr, an online tool to produce publication-quality point maps. Available from <http://www.simplemapppr.net> [Accessed August 20, 2024]
- Singh, R., Kumawat, R.K., Singh, G., Jangir, S.S., Kushwaha, P. & Rana, M. (2022) Forensic entomology: A novel approach in crime investigation. *GSC Biological and Pharmaceutical Sciences*, 19 (2), 165–174. <https://doi.org/10.30574/gscbps.2022.19.2.0183>
- Torres, J.L. (2020) *Sucesión de Artropofauna de Interés Forense Asociada a las Fases de Putrefacción Cadavéricas de Cerdo (Sus scrofa L., 1758) en el Distrito de Pillco Marca, Huánuco-Perú 2020*. MSc Thesis. Universidad Nacional Hermilio Valdizán, Huánuco. 148 p.
- Villanueva, J.C. (2016) *Entomofauna Asociada a las Fases de Descomposición del Cadáver de Sus scrofa domestica L. Trujillo, 2015*. BSc Thesis. Universidad Nacional de Trujillo, Trujillo. 98 p.
- Villanueva, D.P. & Seclén, C.R. (2016) *Entomofauna Forense y su Utilidad en la Estimación del Interval Postmortem en Cadáveres Ahorcados de Cerdos (Sus scrofa L.) Chiclayo-Perú*, BSc Thesis, Universidad Nacional Pedro Ruiz Gallo, Lambayeque. 90 p.

گزارش انتشار گونه‌های مهم سخت‌بال‌پوشان در پزشکی قانونی (Insecta: Coleoptera) در پرو

آلفردو ادگار دو گیرالدو-مندوزا

دانشگاه ملی کشاورزی لا مولینا، موزه حشره‌شناسی کلاوس راون بیلر، خیابان لا مولینا، لیما ۱۲، پرو

* پست الکترونیک نویسنده مسئول مکاتبه: aegmendoza@gmail.com

تاریخ دریافت: ۱۶ شهریور ۱۴۰۳ | تاریخ پذیرش: ۰۸ آذر ۱۴۰۳ | تاریخ انتشار: در حال چاپ |

چکیده: هجده گونه از سخت‌بال‌پوشان به عنوان رایج‌ترین سوسک‌های ثبت شده در منابع مختلف کتاب‌شناختی و مجموعه‌های حشره‌شناسی مشخص شدند. انتشار گونه‌های سخت‌بال‌پوشان مهم از نظر پزشکی قانونی در پرو از طریق بررسی نظرسنجی‌های تنوع زیستی، مطالعه متوالی منابع حشره‌شناسی پزشکی قانونی و بازنگری‌های سیستماتیک به دست آمد. همچنین نمونه‌های موجود در شش مجموعه حشره‌شناسی کشور پرو مورد بررسی قرار گرفتند. توزیع گونه‌های در مناطق مختلف کشور پرو در سطح استانی و منطقه اکولوژیک برای هجده گونه متعلق به خانواده‌های Cleridae (*Necrobia* Olivier, 1795)، Dermestidae (*Dermestes* Linnaeus, 1758)، Histeridae (*Euspilotus* Lewis, 1907, *Saprinus* Erichson, 1834, *Xerosaprinus* Wenzel, 1962)، Staphylinidae (*Creophilus* Leach, 1819, *Oxelytrum* Gistel, 1848) و Trogidae (*Omorgus* Erichson,) (1847, *Polynoncus* Burmeister, 1876) ارزیابی شد. این گونه‌ها در مطالعات آینده پزشکی قانونی در پرو می‌توانند در اولویت باشند.

واژگان کلیدی: آند، لاشه، مرور کتاب‌شناختی، مرده‌خواری، نئوتروپیک، لاشخور