



Thysanoptera (Insecta) of China: an updated checklist

Majid Mirab-balou

Department of Plant Protection, College of Agriculture, Ilam University, Ilam, Iran.

✉ m.mirabbalou@ilam.ac.ir

<http://orcid.org/0000-0003-3536-1511>

ABSTRACT. The present list is based on all available published literatures on taxonomy and biodiversity of the thrips fauna of China (including Taiwan, Hong Kong and Macau) up to July 2024. The known Chinese Thysanoptera fauna currently consists of 816 species in 206 genera, including 443 species in the suborder Terebrantia and 373 species in the suborder Tubulifera. In addition, the family Stenurothripidae Bagnall has been added to the fauna of China. In the past 10 years, many additional taxa have been newly recorded or described for China, that is includes about 12.6% of all species of thrips in the world. Amongst Chinese taxa, the family Thripidae is the most diverse, with 412 species, and within this family, the richest genera are *Thrips*, *Stenchaetothrips*, *Mycterothrips* and *Trichromothrips*, respectively. Totally, the most species have been recorded from Taiwan, with 292 records, followed by Yunnan, with 273 records, and Guangdong, with 237 records.

Keywords: Eastern Palearctic, fauna, Oriental, synonymy, taxonomy, Taiwan

Received:

July 27, 2024

Accepted:

December 04, 2024

Published:

March 18, 2025

Subject Editor:

Kambiz Minaei

Citation: Mirab-balou, M. (2025) Thysanoptera (Insecta) of China: an updated checklist. *Journal of Insect Biodiversity and Systematics*, 11 (2), 469–541.

INTRODUCTION

Thysanoptera (commonly known as thrips) are fringe winged, slenderer bodied insects with asymmetrical mouthparts (Mound & Marullo, 1996). They are usually small in size (~0.5-15 mm), and inhabit in tropical, subtropical and temperate regions (Lewis, 1997). Thysanoptera is a diverse order, comprising 6,458 species in 788 extant genera, of which 187 species in 70 genera are fossils; the order is organized into two suborders and fifteen families (including fossils) (ThripsWiki, 2023). The latest checklist of Thysanoptera in China was published by Mirab-balou et al. (2011a), including 566 species in 155 genera. Since then, several papers (about 130 publications) have appeared on the taxonomy and faunistic studies of thrips in China. These studies have resulted in a substantial increase in the number of species known from China, totalling 816 species in 206 genera belonging to six families, adding 250 species and 51 genera comparing the last published checklist from China by Mirab-balou et al. (2011a). Furthermore, the status of some recorded taxa was changed after 2011. An updated checklist of Thysanoptera from China (including Taiwan) is presented here with details based on the original references indicating the recent advances in the knowledge of the fauna of Thysanoptera in various parts of the country.

China (Fig. 1) is one of the world's largest countries, with an area of 9.6 million square kilometres, which suggests a high level of biodiversity in these areas. China is constitutionally a unitary state divided into 22 provinces (Anhui, Fujian, Gansu, Guangdong, Guizhou, Hainan, Hebei, Heilongjiang, Henan, Hubei, Hunan, Jiangsu, Jiangxi, Jilin, Liaoning, Qinghai, Shaanxi, Shandong, Sichuan, Shanxi, Yunnan, Zhejiang), five autonomous regions (Guangxi, Inner Mongolia, Ningxia, Tibet or Xizang, Xinjiang), and four direct-administered municipalities (Beijing, Chongqing, Shanghai, Tianjin)- collectively referred to as "mainland China"- as well as the special administrative region (SARs) of Hong Kong and Macau. The PRC regards the island of Taiwan as its Taiwan province, Kinmen and Matsu as a part of Fujian province and islands the ROC controls in the South China Sea as a part of Hainan province and Guangdong province, although all these territories are governed by the Republic of China (Anonymous, 2024a).

Corresponding author: Majid Mirab-balou, ✉ m.mirabbalou@ilam.ac.ir

Copyright © 2025, Mirab-balou, M. This is an open access article distributed under the terms of the Creative Commons NonCommercial Attribution License (CC BY NC 4.0), which permits Share - copy and redistribute the material in any medium or format, and Adapt - remix, transform, and build upon the material, under the Attribution-NonCommercial terms.



Figure 1. A general map of China, showing the whole territory of the mainland and the provinces.

MATERIAL AND METHODS

The data compiled here are from all published records, including scientific literature, online databases, and published books. The review includes about 130 scientific papers on the thysanopteran fauna in China (including Taiwan), published from 2011 to July 2024. Genera are listed alphabetically within each family or subfamily, and species are similarly listed within each genus. The valid name of each species is presented according to the last taxonomic modification. Each species account includes its taxonomic name, references, and locality records within China based on the published literature. The subheading “Distribution” for each species refers only to localities within China (including Taiwan). Each taxonomic change, deleted/rejected/misidentification taxa, was also highlighted in separate notes. A plus (+) and an asterisk (*) indicate recorded taxa and new distribution in China after the last checklist by Mirabalou et al. (2011a), respectively.

RESULTS

The current checklist includes 443 species of Terebrantia in 116 genera belonging to five families: Aeolothripidae, Melanthripidae, Merothripidae, Stenurothripidae and Thripidae; and 373 species in 90 genera of single family Phlaeothripidae in Tubulifera.

Taxonomic hierarchy

Class Insecta Linnaeus, 1758

Order Thysanoptera Haliday, 1836

I. Suborder Terebrantia Haliday, 1836

This suborder included eight families in the world, of which the following five families are known from China: Aeolothripidae, Melanthripidae, Merothripidae, Stenurothripidae and Thripidae. Amongst them, the family Stenurothripidae was recorded in China having one genus and one species (Feng & Tong, 2021).

Family Aeolothripidae Uzel, 1895

After the last checklist (Mirab-balou et al., 2011a), six species and three genera have been added to the fauna of China. Therefore, this family includes 24 species belonging to six genera.

+ Genus *Aduncothrips* Ananthkrishnan, 1963

Note. Added by Li et al. (2022a) to the fauna of China.

+ *Aduncothrips albus* Li & Zhang, 2022

Distribution. Yunnan (Li et al., 2022a).

+ *Aduncothrips huapingensis* Li & Zhang, 2022

Distribution. Yunnan (Li et al., 2022a).

+ *Aduncothrips japonicus* (Masumoto & Okajima, 2019)

Distribution. Yunnan (Li et al., 2022a).

+ *Aduncothrips kailiensis* Li & Zhang, 2022

Distribution. Guizhou (Li et al., 2022a).

Genus *Aeolothrips* Haliday, 1836***Aeolothrips albicinctus* Haliday, 1836**

Distribution. Beijing.

***Aeolothrips collaris* Priesner, 1919**

Distribution. Zhejiang.

***Aeolothrips eremicola* Priesner, 1938**

Distribution. Inner Mongolia, Ningxia.

***Aeolothrips fasciatus* (Linnaeus, 1758)**

Distribution. Beijing, Fujian, Gansu, Hainan, Hebei, Henan, Hubei, Inner Mongolia, Ningxia, Yunnan, Zhejiang*.

***Aeolothrips flaviventer* Pelikán, 1983**

Distribution. Inner Mongolia, Ningxia.

***Aeolothrips intermedius* Bagnall, 1934**

Distribution. Gansu, Inner Mongolia, Ningxia, Xinjiang.

***Aeolothrips kurosawai* Bhatti, 1971**

Distribution. Yunnan.

***Aeolothrips luteolus* Kurosawa, 1939**

Distribution. Hubei.

***Aeolothrips melaleucus* (Haliday, 1852)**

Distribution. Beijing, Gansu, Henan, Inner Mongolia, Shandong.

***Aeolothrips mongolicus* Pelikán, 1985**

Distribution. Inner Mongolia, Ningxia.

***Aeolothrips xinjiangensis* Han, Pan & Hu, 1987**

Distribution. Inner Mongolia, Xinjiang.

***Aeolothrips xizangensis* Han, 1986**

Distribution. Tibet.

***Aeolothrips yunnanensis* Han, 1986**

Distribution. Yunnan.

Genus *Franklinothrips* Back, 1912***Franklinothrips megalops* (Trybom, 1912)**

Distribution. Hubei, Taiwan.

***Franklinothrips suzukii* Okajima, 1979**

Distribution. Taiwan.

***Franklinothrips tani* Mirab-balou, Shi & Chen, 2011**

Distribution. Yunnan.

***Franklinothrips vespiformis* (Crawford, 1909)**

Distribution. Guangdong*, Taiwan.

Note. Mirab-balou & Tong (2012a) recorded this species for the mainland China.

+ Genus *Rhipidothrips* Uzel, 1895

Note. Added by Mirab-balou et al. (2011b) to the fauna of China.

+ *Rhipidothrips brunneus* Williams, 1913

Distribution. Shandong.

Note. Added by Mirab-balou et al. (2011b) to the fauna of China.

Genus *Mymarothrips* Bagnall, 1928***Mymarothrips garuda* Ramakrishna & Margabandhu, 1931**

Distribution. Fujian, Guangdong, Yunnan*.

+ Genus *Streothrips* Bhatti, 1971

Note. Added by Liu et al. (2020) to fauna of China.

+ *Streothrips jianshuiensis* Liu, Mound & Zhang, 2020

Distribution. Yunnan (Liu et al., 2020).

Family *Melanthripidae* Bagnall, 1913

After the last checklist (Mirab-balou et al., 2011a), only one species has been added to the fauna of China. Therefore, this family includes three species belonging to the genus *Melanthrips*.

Genus *Melanthrips* Haliday, 1836***Melanthrips fuscus* (Sulzer, 1776)**

Distribution. Jiangsu, Zhejiang*.

+ *Melanthrips knechteli* Priesner, 1936

Distribution. Jiangsu, Zhejiang (Yang et al., 2014).

***Melanthrips pallidior* Priesner, 1919**

Distribution. Jiangsu, Sichuan, Zhejiang*.

Family Merothripidae Hood, 1914

After the last checklist (Mirab-balou et al., 2011a), no species have been added, and it still includes three species belonging to the genus *Merothrips* in this country.

Genus *Merothrips* Hood, 1912***Merothrips indicus* Bhatti & Ananthkrishnan, 1975**

Distribution. Guangdong, Taiwan, Yunnan.

***Merothrips laevis* Hood, 1938**

Distribution. Guangdong, Taiwan.

***Merothrips morgani* Hood, 1912**

Distribution. Guangdong.

+ Family Stenurothripidae Bagnall, 1923

Mirab-balou et al. (2011a) recorded four families of the suborder Terebrantia from China. Recently, one species of the genus *Holarthrothrips* was recorded for the fauna of this country, with a new record of the family Stenurothripidae for China (Feng & Tong, 2021).

+ Genus *Holarthrothrips* Bagnall, 1927

Note. Added by Feng and Tong (2021) to the fauna of China.

+ *Holarthrothrips indicus* Bhatti & Ananthkrishnan, 1978

Distribution. Guangdong (Feng & Tong, 2021).

Family Thripidae Stephens, 1829

This family is divided into four subfamilies, i.e., Dendrothripinae, Panchaetothripinae, Sericothripinae, and Thripinae (Bhatti, 1989). After the last checklist (Mirab-balou et al., 2011a), 122 species and 33 genera have been added to the fauna of China. Therefore, this family includes 412 species belonging to 107 genera.

Subfamily Dendrothripinae Priesner, 1925

After the last checklist (Mirab-balou et al., 2011a), 12 species and 3 genera have been added to the fauna of China. In addition, *Dendrothrips mendax* Bhatti was deleted from the list because of misidentification (see Wang et al., 2019a). Therefore, Dendrothripinae includes 25 species belonging to six following genera.

Genus *Asprothrips* Crawford, 1938**+ *Asprothrips atermaculosus* Wang & Tong, 2017**

Distribution. Fujian, Hunan (Wang & Tong, 2017b).

+ *Asprothrips bimaculatus* Michel & Ryckewaert, 2014

Distribution. Guangxi, Taiwan (Tong et al., 2016).

Note. Tong et al. (2016) described the male for the first time.

+ *Asprothrips bucerus* Tong, Wang & Mirab-balou, 2016

Distribution. Guangdong, Guizhou (Tong et al., 2016).

+ *Asprothrips fuscipennis* Kudô, 1984

Distribution. Fujian, Guangdong, Jiangxi* (see Wang & Tong, 2017b).

+ *Asprothrips punctulosus* Tong, Wang & Mirab-balou, 2016

Distribution. Jiangxi (Tong et al., 2016).

Genus *Dendrothrips* Uzel 1895

***Dendrothrips guttatus* Wang, 1993**

Distribution. Taiwan.

***Dendrothrips homalii* Zhang & Tong, 1988**

Distribution. Guangdong, Hainan, Hunan*.

Note. Wang et al. (2019a) described the male for the first time.

+ *Dendrothrips latimaculatus* Nonaka & Okajima, 1991

Distribution. Guangdong, Jiangxi, Taiwan (Wang et al., 2019a).

Note. *Dendrothrips mendax* Bhatti that recorded in the previous checklist (Mirab-balou et al., 2011a), was a misidentification of *D. latimaculatus* (see Wang et al., 2019a). Wang et al. (2019a) described the male for the first time.

+ *Dendrothrips magnoliae* Kudô, 1984

Distribution. Jilin, Shandong (Wang et al., 2019a).

Note. Wang et al. (2019a) described the male for the first time.

***Dendrothrips maltimaculatus* Nonaka & Okajima, 1991**

Distribution. Taiwan.

***Dendrothrips minowai* Priesner, 1935**

Distribution. Fujian, Guangdong, Guangxi, Guizhou, Hainan, Hunan*, Jiangsu*, Jiangxi*, Taiwan*, Yunnan*.

+ *Dendrothrips octosparsus* Wang, Mound & Tong, 2019

Distribution. Guangxi, Hubei, Hunan, Jiangxi, Shaanxi, Shandong, Sichuan (Wang et al., 2019a).

***Dendrothrips ornatus* (Jablonowski, 1894)**

Distribution. Beijing, Inner Mongolia, Liaoning, Zhejiang*.

***Dendrothrips sexmaculatus* Bagnall, 1916**

Distribution. Hainan.

***Dendrothrips stannardi* (Ananthakrishnan, 1958)**

Distribution. Fujian, Hainan, Hubei*, Sichuan, Guangxi*, Yunnan.

+ *Dendrothrips strasseni* Bhatti, 1971

Distribution. Yunnan (Elie et al., 2021).

+ Genus *Edissa* Faure, 1953

Note. Added by Zhang et al. (2018) to the fauna of China.

+ *Edissa steinerae* Mound, 1999

Distribution. Guangdong (Zhang et al., 2018).

+ Genus *Ensiferothrips* Bianchi, 1944

Note. Added by Zhang et al. (2018) to the fauna of China.

+ *Ensiferothrips wallacei* Mound & Tree, 2016

Distribution. Hainan (Zhang et al., 2018).

Note. Li et al. (2022c) described the male for the first time with variation in fore wing setae.

+ Genus *Filicopsothrips* Mound, 1999

Note. Added by Li et al. (2020) to the fauna of China.

+ *Filicopsothrips pulcher* Li, Yuan & Zhang, 2020

Distribution. Yunnan (Li et al., 2020).

Genus *Pseudodendrothrips* Schmutz, 1913***Pseudodendrothrips bhattii* Kudô, 1984**

Distribution. Guangdong, Hainan, Yunnan*, Zhejiang.

***Pseudodendrothrips fumosus* Chen, 1980**

Distribution. Fujian, Hainan, Taiwan.

***Pseudodendrothrips lateralis* Wang, 1993**

Distribution. Taiwan.

***Pseudodendrothrips mori* (Niwa, 1908)**

Distribution. Fujian, Guangdong, Guangxi, Hainan, Hebei, Henan, Hubei, Hunan, Jiangsu, Taiwan, Yunnan*, Zhejiang.

***Pseudodendrothrips puerariae* Zhang & Tong, 1990**

Distribution. Yunnan.

***Pseudodendrothrips ulmi* Zhang & Tong, 1988**

Distribution. Zhejiang.

Subfamily Panchaetothripinae Bagnall, 1912

After the last checklist (Mirab-balou et al., 2011a), 18 species and five genera have been added to the fauna of China. In addition, *Caliothrips indicus* (Bagnall, 1913) was a misidentification of *C. quadrifasciatus*, and *Caliothrips fasciatus* (Pergande, 1895) was deleted from the last list (Wang et al., 2022). Therefore, Panchaetothripinae includes 47 species belonging to 18 following genera.

Genus *Anisopilothrips* Stannard & Mitri, 1962***Anisopilothrips venustulus* (Priesner, 1923)**

Distribution. Hong Kong, Guangdong, Taiwan, Yunnan.

+ **Genus *Araliacothrips* Li, Li & Zhang, 2018**

Note. Added by Li et al. (2018c) to the fauna of China.

+ ***Araliacothrips dawweishanensis* Li, Li & Zhang, 2018**

Distribution. Yunnan (Li et al., 2018c).

+ **Genus *Aoratothrips* Priesner, 1933**

Note. Added by Li et al. (2018c) to the fauna of China.

+ ***Aoratothrips tenuis* Priesner, 1933**

Distribution. Yunnan (Li et al., 2018c).

Genus *Astrothrips* Karny, 1921

+ ***Astrothrips aureolus* Stannard & Mitri, 1962**

Distribution. Yunnan (Elie et al., 2021).

+ ***Astrothrips asiaticus* (Bhatti, 1967)**

Distribution. Hainan, Sichuan, Yunnan (Li et al., 2022b).

***Astrothrips aucubae* Kurosawa, 1932**

Distribution. Fujian, Guangxi, Guizhou, Guangdong, Hainan, Taiwan, Yunnan*.

Note. Li et al. (2022b) described male for the first time.

***Astrothrips chisinliaoensis* Chen, 1980**

Distribution. Hainan*, Taiwan, Yunnan*.

+ ***Astrothrips glanduculus* Li & Zhang, 2022**

Distribution. Yunnan (Li et al., 2022b).

+ ***Astrothrips globiceps* (Karny, 1913)**

Distribution. Hainan, Yunnan (Li et al., 2022b).

***Astrothrips strasseni* Kudô, 1979**

Distribution. Yunnan.

+ ***Astrothrips tumiceps* Karny, 1923**

Distribution. Yunnan (Li et al., 2022b).

Genus *Caliothrips* Daniel, 1904

***Caliothrips insularis* (Hood, 1928)**

Distribution. Beijing, Guangdong*, Hebei.

Note. Although this species was reported in the previous checklist, Wang et al. (2022) repeated again as a new record for China.

+ ***Caliothrips quadrifasciatus* (Girault, 1927)**

Distribution. Guangdong*, Guangxi* (Wang et al., 2022).

***Caliothrips tongi* Mound, Zhang & Bei, 2011**

Distribution. Fujian, Yunnan*, Zhejiang.

Genus *Copidothrips* Hood, 1954***Copidothrips octarticulatus* Schmutz, 1913**

Distribution. Guangxi, Taiwan, Yunnan*.

Genus *Elixothrips* Stannard & Mitri, 1962***Elixothrips brevisetis* (Bagnall, 1919)**

Distribution. Guangdong, Taiwan.

Genus *Helionothrips* Bagnall, 1932***Helionothrips aino* (Ishida, 1931)**

Distribution. Beijing*, Fujian, Guangdong, Guangxi, Guizhou*, Hainan, Henan, Hunan*, Jiangxi, Shanxi, Shaanxi, Sichuan*, Taiwan, Yunnan.

Note. *H. mube* Kudô synonymized with *H. aino* by Wang et al. (2022).

***Helionothrips annosus* Wang, 1993**

Distribution. Hainan*, Guangdong*, Guangxi*, Chongqing*, Sichuan*, Taiwan, Yunnan*.

***Helionothrips brunneipennis* (Bagnall, 1915)**

Distribution. Hainan, Guangdong, Taiwan*, Yunnan.

***Helionothrips cephalicus* Hood, 1954**

Distribution. Gansu*, Guangdong*, Guizhou*, Hong Kong*, Hunan*, Jiangxi*, Sichuan, Taiwan, Yunnan*.

***Helionothrips communis* Wang, 1993**

Distribution. Taiwan.

***Helionothrips errans* (Williams, 1916)**

Distribution. Guangdong, Guangxi, Henan, Taiwan, Yunnan.

***Helionothrips linderæ* Kudô, 1992**

Distribution. Taiwan.

+ *Helionothrips lushanensis* Wang & Tong, 2017

Distribution. Hunan, Jiangxi (Wang & Tong, 2017a).

+ *Helionothrips pallidus* Xie, Li & Zhang, 2022

Distribution. Guizhou, Yunnan (Xie et al., 2022).

***Helionothrips parvus* Bhatti, 1968**

Distribution. Guangxi, Guizhou*, Yunnan*.

+ *Helionothrips phragmitesi* Xie, Li & Zhang, 2022

Distribution. Chongqing (Xie et al., 2022).

***Helionothrips ponkikiri* Kudô, 1992**

Distribution. Guangxi, Sichuan.

+ *Helionothrips rugatus* Mirab-balou, Wang & Tong, 2017

Distribution. Guangdong, Guangxi, Guizhou*, Yunnan (Mirab-balou et al., 2017).

***Helionothrips shennongjiaensis* Feng, Yang & Zhang, 2007**

Distribution. Fujian*, Guangdong*, Guizhou*, Hainan*, Hubei, Hunan*, Sichuan*, Yunnan*.

***Helionothrips unitatus* Chen, 1981**

Distribution. Hong Kong, Taiwan.

Genus *Heliothrips* Haliday, 1836***Heliothrips haemorrhoidalis* (Bouché, 1833)**

Distribution. Fujian, Guangdong, Guangxi, Hainan, Sichuan, Taiwan, Zhejiang*.

+ *Heliothrips longisensibilis* Xie, Mound & Zhang, 2019

Distribution. Hainan, Yunnan (Xie et al., 2019b).

+ Genus *Hercinothrips* Bagnall, 1932

Note. Added by Wang et al. (2022) to the fauna of China.

+ *Hercinothrips femoralis* (Reuter, 1891)

Distribution. Guangdong* (Wang et al., 2022).

Genus *Monilothrips* Moulton, 1929***Monilothrips kempii* Moulton, 1929**

Distribution. Sichuan, Taiwan, Yunnan.

+ Genus *Noathrips* Bhatti, 1967

Note. Added by Xie et al. (2019a) to the fauna of China.

+ *Noathrips prakashi* Bhatti, 1967

Distribution. Guizhou, Hunan (Xie et al., 2019a).

+ Genus *Opimothrips* Nonaka & Okajima, 1992

Note. Added by Xie et al. (2019a) to the fauna of China.

+ *Opimothrips tubulatus* Nonaka & Okajima, 1992

Distribution. Hainan (Xie et al., 2019a).

Note. Xie et al. (2019a) described the male for the first time.

Genus *Panchaetothrips* Bagnall, 1912***Panchaetothrips indicus* Bagnall, 1912**

Distribution. Guangdong, Guangxi, Hainan, Yunnan.

+ *Panchaetothrips timonii* Mound & Postle, 2004

Distribution. Guangdong, Hainan, Jiangxi, Yunnan* (Wang et al., 2022).

Note. *P. bifurcus* Mirab-balou, Wang & Tong, 2017 synonymized with *timonii* by Wang et al. (2022).

Genus *Phibalothrips* Hood, 1918***Phibalothrips peringueyi* (Faure, 1925)**

Distribution. Fujian, Guangdong, Henan, Taiwan, Yunnan.

+ *Phibalothrips rugosus* Kudô, 1979

Distribution. Guangdong, Taiwan*, Yunnan* (Wang et al., 2022).

Genus *Rhipiphorothrips* Morgan, 1913***Rhipiphorothrips africanus* Wilson, 1975**

Distribution. Taiwan.

***Rhipiphorothrips concoloratus* Zhang & Tong, 1993**

Distribution. Hainan*, Yunnan.

***Rhipiphorothrips cruentatus* Hood, 1919**

Distribution. Hainan, Taiwan, Yunnan*.

***Rhipiphorothrips pulchellus* Morgan, 1913**

Distribution. Guangxi, Hainan, Taiwan, Yunnan*.

Genus *Selenothrips* Karny, 1911***Selenothrips rubrocinctus* (Giard, 1901)**

Distribution. Fujian, Guangdong, Hainan, Taiwan, Yunnan, Zhejiang.

Genus *Zaniothrips* Bhatti, 1967***Zaniothrips ricini* Bhatti, 1967**

Distribution. Guangdong, Yunnan*.

Subfamily Sericothripinae Karny, 1921

After the last checklist (Mirab-balou et al., 2011a), 11 species have been added to the fauna of China. In addition, *Sericothrips cingulatus* Hind, 1902 was a misidentification of *S. houji* (see Mirab-balou et al., 2013c). Therefore, Sericothripinae includes 37 species belonging to the following three genera.

Genus *Hydatothrips* Karny, 1913***Hydatothrips abdominalis* (Kurosawa, 1937)**

Distribution. Zhejiang.

***Hydatothrips aureus* Bhatti, 1973**

Distribution. Fujian, Guangdong, Hainan, Hubei, Sichuan, Yunnan*.

***Hydatothrips boerhaaviae* Seshadri & Ananthkrishnan, 1954**

Distribution. Beijing.

***Hydatothrips chinensis* Chou & Feng, 1990**

Distribution. Guizhou.

***Hydatothrips dentatus* (Steinweden & Moulton, 1930)**

Distribution. Beijing, Fujian, Fujian, Henan, Jiangxi, Zhejiang.

+ *Hydatothrips dorax* Bhatti, 1973

Distribution. Yunnan (Elie et al., 2021).

***Hydatothrips ekasi* Kudô, 1991**

Distribution. Taiwan, Jiangsu*, Hubei*.

***Hydatothrips flavidus* Wang, 2007**

Distribution. Taiwan, Yunnan*.

***Hydatothrips funiuensis* Duan, Li, Yang & Yan, 1998**

Distribution. Henan.

+ *Hydatothrips hainanensis* Hu & Feng, 2018

Distribution. Hainan (Hu & Feng, 2018).

***Hydatothrips heteraureus* (Han & Zhao, 1990)**

Distribution. Hunan, Sichuan, Wuhan.

***Hydatothrips liquidambar* Chen, 1977**

Distribution. Guangdong*, Taiwan, Yunnan*.

***Hydatothrips longjingensis* Mirab-balou, Hu, Feng & Chen, 2011**

Distribution. Zhejiang.

***Hydatothrips meriposa* Wang, 2007**

Distribution. Taiwan.

+ *Hydatothrips noro* Kudô, 1997

Distribution. Taiwan (Mirab-balou et al., 2013a).

+ *Hydatothrips onarai* Kudô, 1997

Distribution. Yunnan (Mirab-balou et al., 2013a).

+ *Hydatothrips ormosiae* Mirab-balou, Yang & Tong, 2013

Distribution. Guangdong (Mirab-balou et al., 2013a).

***Hydatothrips proximus* Bhatti, 1973**

Distribution. Beijing, Guizhou, Shaanxi.

Genus *Neohydatothrips* John, 1929**+ *Neohydatothrips concavus* Mirab-balou, Tong & Yang, 2013**

Distribution. Hunan (Mirab-balou et al., 2013b).

***Neohydatothrips elaeagni* Kudô, 1991**

Distribution. Sichuan.

***Neohydatothrips epipactis* (Kurosawa, 1941)**

Distribution. Manchuria.

+ *Neohydatothrips flavicingulus* Mirab-balou, Tong & Yang, 2013

Distribution. Guangdong, Guangxi, Yunnan (Mirab-balou et al., 2013b).

***Neohydatothrips gracilicornis* (Williams, 1916)**

Distribution. Inner Mongolia, Ningxia.

***Neohydatothrips gracilipes* (Hood, 1924)**

Distribution. Taiwan.

+ *Neohydatothrips luteolipes* Mirab-balou, Tong & Yang, 2013

Distribution. Hainan (Mirab-balou et al., 2013b).

+ *Neohydatothrips magnoliae* Zhang, Xie & Li, 2012

Distribution. Yunnan (Zhang et al., 2012).

***Neohydatothrips medius* Wang, 1994**

Distribution. Taiwan.

***Neohydatothrips plynopygus* (Karny, 1925)**

Distribution. Taiwan, Yunnan*.

+ *Neohydatothrips reticulatus* (Kudô, 1991)

Distribution. Hunan (Feng et al., 2021).

***Neohydatothrips samayunkur* Kudô, 1995**

Distribution. Taiwan, Yunnan*.

+ *Neohydatothrips sophorae* Feng, Wang & Tong, 2021

Distribution. Xinjiang (Feng et al., 2021).

***Neohydatothrips surrufus* Wang, 2007**

Distribution. Taiwan.

***Neohydatothrips tabulifer* (Priesner, 1935)**

Distribution. Guangdong*, Taiwan.

***Neohydatothrips tadhicus* (Pelikan, 1964)**

Distribution. Inner Mongolia, Ningxia, Xinjiang*.

***Neohydatothrips trypherus* Han, 1991**

Distribution. Hainan.

***Neohydatothrips xestosternitus* Han & Cui, 1991**

Distribution. Sichuan.

Genus *Sericothrips* Haliday, 1836***Sericothrips houji* (Chou & Feng, 1990)**

Distribution. Fujian, Yunnan, Tibet, Hebei, Shaanxi, Henan, Gansu, Ningxia, Inner Mongolia, Beijing, Shandong, Zhejiang.

Note. *Sericothrips marginalis* Kudô synonymized with *S. houji* by Mirab-balou et al. (2013c).

Subfamily Thripinae Stephens, 1829

After the last checklist (Mirab-balou et al., 2011a), 110 species and 29 genera have been added to the fauna of China. In addition, the following taxa were deleted from the last checklist: *Pezothrips frontalis* (Uzel, 1895) (see Mirab-balou & Tong, 2012b), *Frankliniella pallida* (Uzel, 1895) (see Wang et al., 2019c), *Frankliniella tritici* (Fitch, 1855) (see Wang et al., 2019c) and *Taeniothrips microglandus* Han, 1990 (because of a mis-spelling of *glanduculus*, not a validly described species). Sixteen taxa were synonymized, and 11 taxa were transferred to the other as new combinations (see the following notes under each taxon). Therefore, Thripinae includes 303 species belonging to 80 following genera.

+ Genus *Ajothrips* Bhatti, 1967

Note. Added by Xie et al. (2016) to the fauna of China.

+ *Ajothrips karma* Bhatti, 1967

Distribution. Sichuan (Xie et al., 2016).

Note. Xie et al. (2016) first described male.

+ Genus *Amalothrips* Ananthakrishnan, 1967

Note. Added by Li et al. (2021) to the fauna of China.

+ *Amalothrips bifurcus* Li, Liu & Zhang, 2021

Distribution. Yunnan (Li et al., 2021).

+ *Amalothrips noorazlani* Ng, 2015

Distribution. Yunnan (Li et al., 2021).

+ Genus *Amomothrips* Bhatti, 1978

Note. Added by Li et al. (2018a) to the fauna of China.

+ *Amomothrips associatus* (Priesner, 1938)

Distribution. Yunnan* (Li et al., 2018a).

Genus *Anaphothrips* Uzel, 1895

+ *Anaphothrips atroapterus* Priesner, 1921

Distribution. Heilongjiang (Cui & Wang, 2019).

+ *Anaphothrips beijingensis* Mirab-balou, Chen & Tong, 2012

Distribution. Beijing (Mirab-balou et al., 2012a).

Note. Male and micropterous female are described by Cui and Wang (2019).

+ *Anaphothrips dentatus* Cui, Xi & Wang, 2017

Distribution. Heilongjiang (Cui et al., 2017a).

Anaphothrips floralis Karny, 1922

Distribution. Guangdong, Yunnan*.

+ *Anaphothrips incertus* (Girault, 1929)

Distribution. Guizhou, Tibet, Yunnan (Zhang et al., 2018).

+ *Anaphothrips nonporous* Cui & Wang, 2019

Distribution. Heilongjiang, Inner Mongolia (Cui & Wang, 2019).

***Anaphothrips obscurus* Müller, 1776**

Distribution. Widespread in China.

+ *Anaphothrips oroqeni* Cui & Wang, 2019

Distribution. Heilongjiang (Cui & Wang, 2019).

***Anaphothrips populi* Zhang & Tong, 1992**

Distribution. Gansu, Heilongjiang*, Henan, Jilin*, Ningxia*.

Note. Male first described by Cui & Wang (2019).

+ *Anaphothrips qinghaiensis* Cui & Wang, 2019

Distribution. Qinghai (Cui & Wang, 2019).

***Anaphothrips sudanensis* Trybom, 1911**

Distribution. Fujian, Guangdong, Guangxi, Guizhou, Hainan, Hubei, Hunan, Jiangsu, Sichuan, Taiwan, Wuhan, Yunnan, Zhejiang.

Genus *Anascirtothrips* Bhatti, 1961***Anascirtothrips arorai* Bhatti, 1961**

Distribution. Hainan, Taiwan.

***Anascirtothrips discordiae* Chen & Lu, 1994**

Distribution. Taiwan, Yunnan*.

+ Genus *Apterothrips* Bagnall, 1908

Note. Added by Hu & Feng (2011b) to the fauna of China.

+ *Apterothrips apteris* (Daniel, 1904)

Distribution. Inner Mongolia (Hu & Feng, 2011b).

+ *Apterothrips secticornis* (Trybom, 1896)

Distribution. Inner Mongolia (Hu & Feng, 2011b).

Genus *Aptinothrips* Haliday, 1836***Aptinothrips elegans* Priesner, 1924**

Distribution. Taiwan.

***Aptinothrips rufus* Haliday, 1836**

Distribution. Inner Mongolia, Ningxia, Zhejiang.

***Aptinothrips stylifer* Trybom, 1894**

Distribution. Gansu, Ningxia, Shandong, Tibet.

Genus *Arorathrips* Bhatti, 1990***Arorathrips mexicanus* (Crawford, 1909)**

Distribution. Guangdong, Shaanxi, Yunnan*, Zhejiang.

+ Genus *Aroidothrips* Ananthkrishnan, 1960

Note. Added by Tong et al. (2015) to the fauna of China.

+ *Aroidothrips longistylus* Ananthkrishnan, 1960

Distribution. Guizhou, Yunnan* (Tong et al., 2015).

Note. Added by Tong et al. (2015), with notes on sexual dimorphism.

Genus *Ayyaria* Karny, 1927

Ayyaria chaetophora Karny, 1927

Distribution. Fujian, Guangdong, Guangxi, Hainan, Taiwan, Wuhan, Yunnan.

+ **Genus *Baliothrips* Uzel, 1895**

Note. Added by Zhang et al. (2018) to the fauna of China.

+ *Baliothrips sunae* Zhang, Wang, Li & Mound, 2018

Distribution. Zhejiang (Zhang et al., 2018)

Genus *Bathrips* Bhatti, 1962

Bathrips jasmineae Ananthkrishnan, 1968

Distribution. Shaanxi*, Taiwan, Yunnan*.

Bathrips melanicornis (Shumsher, 1946)

Distribution. Fujian, Guangdong, Hainan*, Taiwan, Yunnan*.

Note. *Bathrips ipomoeae* (Zhang, 1981) was synonymized with *B. melanicornis* by Mirab-balou et al. (2012b). Sheng et al. (2012) repeated a record of *B. melanicornis* for China.

+ **Genus *Biltothrips* Bhatti, 1973**

Note. Added by Li et al. (2017) to the fauna of China.

+ *Biltothrips minutus* (Bhatti, 1967)

Distribution. Yunnan (Li et al., 2017).

Genus *Bolacothrips* Uzel, 1895

Bolacothrips graminis (Priesner, 1930)

Distribution. Taiwan, Yunnan*.

Bolacothrips striatopennatus (Schmutz, 1913)

Distribution. Taiwan, Yunnan*, Zhejiang.

Genus *Bregmatothrips* Hood, 1912

Bregmatothrips dimorphus (Priesner, 1919)

Distribution. Beijing, Gansu.

+ *Bregmatothrips sinensis* Wang & Tong, 2016

Distribution. Fujian, Guangdong, Guangxi, Yunnan* (Wang et al., 2016).

+ **Genus *Caprithrips* Faure, 1933**

Note. Added by Wang et al. (2016) to the fauna of China.

+ *Caprithrips insularis* Beshear, 1975

Distribution. Guangdong, Hainan (Wang et al., 2016).

Genus *Ceratothripoides* Bagnall, 1918***Ceratothripoides brunneus* Bagnall, 1918*****Distribution.*** Tibet.**+ *Ceratothripoides claratris* (Shumsher, 1946)*****Distribution.*** Yunnan (Xie et al., 2012).**Genus *Chaetanaphothrips* Priesner, 1926*****Chaetanaphothrips leeuweni* (Karny, 1914)*****Distribution.*** Taiwan.***Chaetanaphothrips longisetis* Nonaka & Okajima, 1992*****Distribution.*** Taiwan, Yunnan*.***Chaetanaphothrips machili* Hood, 1954*****Distribution.*** Fujian, Guangdong, Hainan, Taiwan.***Chaetanaphothrips orchidii* (Moulton, 1907)*****Distribution.*** Guangdong, Hainan, Taiwan, Yunnan*.***Chaetanaphothrips querci* Kudô, 1985*****Distribution.*** Taiwan, Yunnan*.***Chaetanaphothrips signipennis* (Bagnall, 1914)*****Distribution.*** Guangdong, Hainan.***Chaetanaphothrips theiperdus* Karny, 1921*****Distribution.*** Fujian, Guangdong, Taiwan, Yunnan*.**Genus *Chirothrips* Haliday, 1836*****Chirothrips aculeatus* Bagnall, 1927*****Distribution.*** Zhejiang.***Chirothrips africanus* Priesner, 1932*****Distribution.*** Jiangxi, Shaanxi, Taiwan, Tibet (=Xizang).***Chirothrips choui* Feng & Li, 1996*****Distribution.*** Gansu, Shaanxi.***Chirothrips cuneiceps* Hood, 1940*****Distribution.*** Manchuria.***Chirothrips manicatus* (Haliday, 1836)*****Distribution.*** Fujian, Gansu, Hebei, Henan, Inner Mongolia, Jilin, Liaoning, Ningxia, Taiwan, Zhejiang*.***Chirothrips tenuicauda* zur Strassen, 1963*****Distribution.*** Inner Mongolia, Ningxia, Shandong*.

Genus *Craspedothrips* zur Strassen, 1966***Craspedothrips minor* (Bagnall, 1921)**

Distribution. Guangdong*, Hainan, Taiwan, Yunnan.

+ Genus *Cricothrips* Trybom, 1913

Note. Added by Elie et al. (2021) to the fauna of China.

+ *Cricothrips bourbonensis* (Bournier & Bournier, 1988)

Distribution. Yunnan* (Elie et al., 2021).

Genus *Ctenothrips* Franklin, 1907***Ctenothrips distinctus* (Uzel, 1895)**

Distribution. Jilin*, Shandong.

***Ctenothrips kwanzanensis* Takahashi, 1937**

Distribution. Guizhou, Hubei, Shaanxi, Sichuan, Taiwan, Yunnan.

Note. Five previous *Ctenothrips*, i.e. *C. leionotus* Tong & Zhang, *C. cornipennis* Han, *C. taibaishanensis* Feng, Zhang & Wang, *C. guizhouensis* Xie, Zhang & Li, *C. yangi* Xie & Zhang synonymized with *C. kwanzanensis* by Wang et al. (2020).

+ *Ctenothrips parisae* Zhang, Li, Tong & Mound, 2020

Distribution. Yunnan (Wang et al., 2020).

***Ctenothrips transeolineae* Chen, 1979**

Distribution. Taiwan, Yunnan*.

Genus *Danothrips* Bhatti, 1971***Danothrips sakimurai* Chen, 1979**

Distribution. Taiwan.

+ *Danothrips salicis* Li, Xie & Zhang, 2016

Distribution. Yunnan (Li et al., 2016b).

***Danothrips theivorus* (Karny, 1921)**

Distribution. Guangdong, Hainan, Yunnan*.

Note. *D. dianellae* Zhang & Tong (1991) synonymized by Mirab-balou and Tong (2015).

***Danothrips trifasciatus* Sakimura, 1975**

Distribution. Taiwan.

***Danothrips vicinus* Chen, 1979**

Distribution. Taiwan.

Genus *Dendrothripoides* Bagnall, 1923***Dendrothripoides innoxius* (Karny, 1914)**

Distribution. Fujian, Guangdong, Hainan, Taiwan, Yunnan.

***Dendrothripoides poni* Kudô, 1977**

Distribution. Yunnan.

Genus *Dichromothrips* Priesner, 1932***Dichromothrips corbetti* (Priesner, 1936)**

Distribution. Taiwan.

+ *Dichromothrips nakahari* Mound, 1976

Distribution. Yunnan* (Elie et al., 2021).

***Dichromothrips smithi* (Zimmermann 1900)**

Distribution. Guangdong, Taiwan, Yunnan*.

+ Genus *Dictyothrips* Uzel, 1895

Note. Added by Zhang et al. (2018) to the fauna of China.

+ *Dictyothrips betae* Uzel, 1895

Distribution. Inner Mongolia (Zhang et al., 2018)

Genus *Drepanothrips* Uzel, 1895***Drepanothrips reuteri* Uzel, 1895**

Distribution. Inner Mongolia, Ningxia.

Genus *Echinothrips* Moulton, 1911***Echinothrips americanus* Morgan, 1913**

Distribution. Beijing, Shaanxi, Taiwan, Yunnan*.

Genus *Eremiothrips* Priesner, 1950***Eremiothrips antilope* (Priesner, 1923)**

Distribution. Inner Mongolia, Ningxia.

***Eremiothrips arya* (zur Strassen, 1975)**

Distribution. Inner Mongolia, Ningxia, Xizang*, Xinjiang*.

+ *Eremiothrips hanshanensis* Zhang & Feng, 2017

Distribution. Inner Mongolia (Zhang & Feng, 2017a).

Genus *Ernothrips* Bhatti, 1967**+ *Ernothrips immsi* Bagnall, 1926**

Distribution. Yunnan* (Elie et al., 2021).

***Ernothrips lobatus* Bhatti, 1967**

Distribution. Guangdong, Hainan, Hunan, Taiwan, Yunnan*.

***Ernothrips longitudinalis* Zhou, Zhang & Feng, 2008**

Distribution. Henan, Hubei, Shaanxi, Yunnan*.

Genus *Exothrips* Priesner, 1939***Exothrips sacchari* (Moulton, 1936)**

Distribution. Guangdong*, Yunnan.

+ Genus *Firmothrips* Schliephake, 1972

Note. Added by Mirab-balou et al. (2014d) to the fauna of China.

+ *Firmothrips firmus* (Uzel, 1895)

Distribution. Jiangsu (Mirab-balou et al., 2014d).

Genus *Frankliniella* Karny, 1910

***Frankliniella cephalica* (Crawford, 1910)**

Distribution. Guangdong*, Guangxi*, Hainan*, Taiwan. (Tong & Lv, 2013: recorded for mainland China).

+ *Frankliniella fusca* (Hinds, 1902)

Distribution. Yunnan* (Elie et al., 2021).

***Frankliniella intonsa* (Trybom, 1895)**

Distribution. Widespread in China.

***Frankliniella lilivora* Kurosawa, 1937**

Distribution. Dalian*, Shanghai*, Taiwan.

***Frankliniella occidentalis* (Pergande, 1895)**

Distribution. Widespread in China.

***Frankliniella schultzei* (Trybom, 1910)**

Distribution. Fujian*, Guangxi*, Guangdong*, Hainan, Taiwan.

Note. *Frankliniella gossypii* (Shiraki, 1912) and *F. hainanensis* synonymized with *F. schultzei* by Nakahara (1997) and Wang et al. (2019c).

***Frankliniella tenuicornis* (Uzel, 1895)**

Distribution. Widespread in China.

***Frankliniella williamsi* Hood, 1915**

Distribution. Taiwan, Hainan*.

Genus *Fulmekiola* Karny, 1925

***Fulmekiola serrata* (Kobus, 1892)**

Distribution. Fujian, Guangdong, Guangxi, Hainan, Hunan, Jiangsu, Sichuan, Taiwan, Yunnan, Zhejiang.

Genus *Hengduanothrips* Han & Cui, 1992

***Hengduanothrips chrysus* Han & Cui, 1992**

Distribution. Yunnan.

+ Genus *Indusiothrips* Priesner, 1952

Note. Added by Zhang et al. (2018) to the fauna of China.

+ *Indusiothrips seshadrii* Priesner, 1952

Distribution. Chongqing, Guizhou, Jiangxi, Yunnan, (Zhang et al., 2018).

+ Genus *Iridothrips* Priesner, 1940

Note. Added by Wang et al. (2019b) to the fauna of China.

+ *Iridothrips lobulatus* Wang, Mound & Tong, 2019

Distribution. Shandong (Wang et al., 2019b).

+ *Iridothrips zizaniophila* (Han & Zhang, 1982)

Distribution. Fujian, Guangdong*, Hubei, Jiangsu, Zhejiang.

Note. *Frankliniella zizaniophila* was redescribed by Mirab-balou et al. (2014c), and then transferred to the genus *Iridothrips* as a new combination (Wang et al., 2019b).

+ Genus *Isunidothrips* Kudô, 1992

Note. Added by Elie et al. (2021) to the fauna of China.

+ *Isunidothrips serangga* Kudo, 1992

Distribution. Yunnan* (Elie et al., 2021).

+ Genus *Laplothrips* Bhatti, 1972

Note. Added by Li et al. (2019) to the fauna of China.

+ *Laplothrips bicolor* Bhatti, 1972

Distribution. Yunnan (Li et al., 2019).

Genus *Lefroyothrips* Priesner, 1938**+ *Lefroyothrips alicae* Li & Zhang, 2024**

Distribution. Yunnan (Li & Zhang, 2024).

+ *Lefroyothrips laurencei* Li & Zhang, 2024

Distribution. Yunnan (Li & Zhang, 2024).

***Lefroyothrips lefroyi* (Bagnall, 1913)**

Distribution. Fujian, Guangdong, Guizhou, Jiangxi, Sichuan*, Taiwan, Yunnan, Zhejiang.

+ Genus *Limothrips* Haliday, 1836

Note. Added by Hu and Feng (2011b) to the fauna of China.

+ *Limothrips angulicornis* Jablonowski, 1894

Distribution. Shaanxi (Mirab-balou, 2015).

+ *Limothrips consimilis* Priesner, 1926

Distribution. Hebei (Hu et al., 2012a).

+ *Limothrips denticornis* (Haliday, 1836)

Distribution. Hebei, Xinjiang (Hu & Feng, 2011b).

Genus *Megalurothrips* Bagnall, 1915***Megalurothrips basisetae* Han & Cui, 1992**

Distribution. Sichuan.

***Megalurothrips distalis* (Karny, 1913)**

Distribution. Widespread in China.

***Megalurothrips equaletae* Feng, Chao & Ma, 1999**

Distribution. Shaanxi.

+ *Megalurothrips flaviflagellus* Mirab-balou, Yang & Tong, 2014

Distribution. Fujian (Mirab-balou et al., 2014e).

***Megalurothrips formosae* (Moulton, 1928)**

Distribution. Taiwan.

***Megalurothrips guizhouensis* Zhang, Feng & Zhang, 2004**

Distribution. Guizhou.

***Megalurothrips haopingensis* Feng, Chao & Ma, 1999**

Distribution. Shaanxi.

+ *Megalurothrips longus* Hu & Feng, 2019

Distribution. Hainan (Hu & Feng, 2019)

***Megalurothrips peculiaris* (Bagnall, 1918)**

Distribution. Hubei, Sichuan.

***Megalurothrips typicus* Bagnall, 1915**

Distribution. Taiwan, Wuhan, Yunnan*.

***Megalurothrips usitatus* (Bagnall, 1913)**

Distribution. Fujian, Taiwan, Wuhan, Yunnan*.

Genus *Microcephalothrips* Bagnall, 1926***Microcephalothrips abdominalis* (Crawford, 1910)**

Distribution. Fujian, Guangdong, Guangxi, Hainan, Hubei, Hunan, Jiangsu, Jiangxi, Sichuan, Taiwan, Wuhan, Yunnan*, Zhejiang.

+ Genus *Moundinothrips* Bhatti, 1999

Note. Added by Zhang et al. (2018) to the fauna of China.

+ *Moundinothrips robustus* (Bhatti, 1995)

Distribution. Yunnan (Zhang et al., 2018).

Genus *Mycterothrips* Trybom, 1910***Mycterothrips araliae* (Takahashi, 1936)**

Distribution. Taiwan.

***Mycterothrips auratus* Wang, 1999**

Distribution. Taiwan.

+ *Mycterothrips bicolor* Li & Zhang, 2022

Distribution. Yunnan (Li & Zhang, 2022).

+ *Mycterothrips cangshanensis* Li & Zhang, 2022

Distribution. Yunnan (Li & Zhang, 2022).

***Mycterothrips caudibrunneus* Wang, 1999**

Distribution. Taiwan.

***Mycterothrips consociatus* (Targioni-Tozzetti, 1887)**

Distribution. Fujian, Guangdong, Hainan, Jiangsu, Sichuan, Zhejiang.

+ *Mycterothrips dawweishanensis* Li & Zhang, 2022

Distribution. Yunnan (Li & Zhang, 2022).

+ *Mycterothrips fasciatus* Masumoto & Okajima, 2006

Distribution. Guizhou, Yunnan (Li & Zhang, 2022).

***Mycterothrips glycines* (Okamoto, 1911)**

Distribution. Beijing, Fujian, Guangdong, Jiangsu, Sichuan, Taiwan, Zhejiang.

+ *Mycterothrips gongshanensis* Li, Li & Zhang, 2017

Distribution. Guizhou, Yunnan (Li et al., 2017).

+ *Mycterothrips grandis* Masumoto & Okajima, 2006

Distribution. Guangxi (Li & Zhang, 2022).

+ *Mycterothrips hani* Li & Zhang, 2022

Distribution. Chongqing (Li & Zhang, 2022).

+ *Mycterothrips latus* (Bagnall, 1912)

Distribution. Yunnan (Li & Zhang, 2022).

***Mycterothrips nilgiriensis* (Ananthkrishnan, 1960)**

Distribution. Taiwan.

+ *Mycterothrips photiniae* Li & Zhang, 2022

Distribution. Yunnan (Li & Zhang, 2022).

***Mycterothrips ricini* (Shumsher, 1945)**

Distribution. Hainan.

***Mycterothrips setiventris* (Bagnall, 1918)**

Distribution. Hainan.

+ *Mycterothrips yelangii* Li, Li & Zhang, 2017

Distribution. Guizhou (Li et al., 2017).

+ Genus *Nandithrips* Rachana & Nagarjuna Reddy, 2023

Note. Added by Li et al. (2023) to the fauna of China.

+ *Nandithrips niveae* Li, Tong & Zhang, 2023

Distribution. Guizhou, Yunnan (Li et al., 2023).

Genus *Octothrips* Moulton, 1940

Octothrips bhattii (Wilson, 1972)

Distribution. Taiwan, Yunnan*.

Genus *Odontothrips* Amyot & Serville, 1843

+ *Odontothrips bifurcus* Hu & Feng, 2017

Distribution. Shaanxi (Hu & Feng, 2017)

Odontothrips biuncus John, 1921

Distribution. Ningxia, Inner Mongolia.

Odontothrips confusus Priesner, 1926

Distribution. Inner Mongolia, Ningxia.

+ *Odontothrips hani* Hu, Mirab-balou, Chen & Feng, 2012

Distribution. Beijing, Shaanxi (Hu et al., 2012b).

Odontothrips intermedius (Uzel, 1895)

Distribution. Beijing, Shaanxi.

Odontothrips loti (Haliday, 1852)

Distribution. Hebei, Hubei, Inner Mongolia, Ningxia, Shanxi, Shaanxi, Shandong.

Note. Two *Odontothrips* species in the previous checklist (Mirab-balou et al., 2011a), *Odontothrips qinlingensis* Feng & Zhao, 1994 and *Odontothrips yinggensis* Feng & Zhang, 2000 synonymized with *O. loti* by Hu et al. (2012b).

Odontothrips meliloti Priesner, 1951

Distribution. Shaanxi.

Odontothrips mongolicus Pelikán, 1985

Distribution. Inner Mongolia, Ningxia.

Odontothrips pentatrachopus Han & Cui, 1992

Distribution. Sichuan.

Odontothrips phaseoli Kurosawa, 1941

Distribution. Heilongjiang.

Odontothrips yunnanensis Xie, Zhang & Mound, 2010

Distribution. Yunnan.

+ **Genus *Organothrips* Hood, 1940**

Note. *Graminothrips* Zhang & Tong 1992 synonymized with *Orghanothrips* by Zhang et al. (2018).

+ *Organothrips cyperi* (Zhang & Tong, 1992)

Distribution. Guangdong, Hainan.

Note. *Graminothrips cyperi* Zhang & Tong 1992 transferred to the genus *Organothrips* as a new combination (Zhang et al., 2018).

+ *Organothrips longisetosus* (Zhang & Tong, 1992)

Distribution. Guangxi, Yunnan*.

Note. *Graminothrips longisetosus* Zhang & Tong, 1992 transferred to the genus *Organothrips* as a new combination (Zhang et al., 2018).

Genus *Oxythrips* Uzel, 1895

Note. *Chilothrips* Hood is synonymized with *Oxythrips* by Zhang et al. (2018).

+ *Oxythrips hangzhouensis* (Hu & Feng, 2015)

Distribution. Zhejiang.

Note. *Chilothrips hangzhouensis* Hu & Feng, 2015 transferred to the genus *Oxythrips* as a new combination (Zhang et al., 2018).

+ *Oxythrips jiuxiensis* (Mirab-balou, Chen & Tong, 2012)

Distribution. Zhejiang.

Note. Described by Mirab-balou et al. (2012a), *Chilothrips jiuxiensis* transferred to the genus *Oxythrips* as a new combination (Zhang et al., 2018).

+ *Oxythrips strobilus* (Tong & Zhang, 1994)

Distribution. Liaoning.

Note. Female polymorphism and the first description of the male presented by Cui et al. (2017b); *Chilothrips strobilus* transferred to the genus *Oxythrips* as a new combination (Zhang et al., 2018).

***Oxythrips ulmifoliorum* Haliday, 1836**

Distribution. Inner Mongolia.

+ Genus *Paithrips* Nonaka & Jangvitaya, 1994

Note. Added by Wang et al. (2016) to the fauna of China.

+ *Paithrips circularis* Nonaka & Jangvitaya, 1994

Distribution. Hainan (Wang et al., 2016).

Genus *Parabaliotrips* Priesner, 1935

***Parabaliotrips coluckus* (Kudô, 1977)**

Distribution. Fujian, Guangdong.

***Parabaliotrips grandiceps* Priesner, 1935**

Distribution. Taiwan.

+ *Parabaliotrips robustus* Masumoto & Okajima, 2020

Distribution. Taiwan (Masumoto & Okajima, 2020).

***Parabaliotrips takahashii* Priesner, 1935**

Distribution. Taiwan.

+ Genus *Parexothrips* Priesner, 1965

Note. Added by Mirab-balou et al. (2014b) to the fauna of China.

+ *Parexothrips palumai* Mound, 2011

Distribution. Guizhou (Li et al., 2021).

+ *Parexothrips tenellus* (Priesner, 1950)

Distribution. Fujian, Guangdong, Hainan (Mirab-balou et al., 2014b).

Genus *Pezothrips* Karny, 1907

Note. *Yaothrips* Mirab-balou, Wei, Lu & Chen 2011 synonymized with *Pezothrips* by Tong and Liu (2019).

+ *Pezothrips bactrianus* (Pelikán, 1968)

Distribution. Tibet (Mirab-balou & Tong, 2012b)

+ *Pezothrips brunicornis* Mirab-balou & Tong, 2012

Distribution. Tibet (Mirab-balou & Tong, 2012b)

+ *Pezothrips pediculae* (Han, 1988)

Distribution. Qinghai, Sichuan, Tibet.

Note. *Yaothrips shii* Mirab-balou, Wei, Lu & Chen, 2011 synonymized with *T. pediculae* (Han) by Mirab-balou et al. (2015); and then *Taeniothrips pediculae* transferred to the genus *Pezothrips* as new combination (Tong & Liu, 2019).

Genus *Plesiothrips* Hood, 1915

***Plesiothrips perplexus* (Beach, 1896)**

Distribution. Taiwan, Yunnan*.

***Plesiothrips sakagamii* Kudô, 1974**

Distribution. Taiwan.

Genus *Projectothrips* Moulton, 1929

***Projectothrips imitans* (Priesner, 1935)**

Distribution. Taiwan.

***Projectothrips longicornis* (Zhang, 1981)**

Distribution. Hainan.

Genus *Pseudanaphothrips* Karny, 1921

***Pseudanaphothrips querci* (Moulton, 1928)**

Distribution. Taiwan.

+ Genus *Pseudoxythrips* Priesner, 1940

Note. Added by Mirab-balou et al. (2012e) to the fauna of China.

+ *Pseudoxythrips dentatus* (Knechtel, 1923)

Distribution. Shandong (Mirab-balou et al., 2012e).

Genus *Psilothrips* Hood, 1927***Psilothrips bimaculatus* (Priesner, 1932)**

Distribution. Inner Mongolia, Ningxia.

Note. This species was recorded in China as *Psilothrips indicus* Bhatti, 1967, but it was synonymized with *P. bimaculatus* (Minaei & Mound, 2014).

Genus *Rhamphothrips* Karny, 1913**+ *Rhamphothrips aureus* (Ananthakrishnan, 1954)**

Distribution. Yunnan (Li et al., 2018d).

+ *Rhamphothrips bruceae* Li, Li & Zhang, 2018

Distribution. Yunnan* (Li et al., 2018b).

+ *Rhamphothrips dalbergiae* Li, Li & Zhang, 2018

Distribution. Guizhou (Li et al., 2018d).

***Rhamphothrips parviceps* (Hood, 1919)**

Distribution. Hainan, Yunnan.

***Rhamphothrips quintus* Wang, 1993**

Distribution. Taiwan.

+ *Rhamphothrips santokhi* Kulshrestha & Vijay Veer, 1984

Distribution. Yunnan (Li et al., 2018d).

+ *Rhamphothrips yunnanensis* Li, Liu & Zhang, 2021

Distribution. Yunnan (Li et al., 2021).

+ Genus *Rhaphidothrips* Uzel, 1895

Note. Added by Hu & Feng (2013b) to the fauna of China.

+ *Rhaphidothrips longistylus* Uzel, 1895

Distribution. Hebei (Hu & Feng, 2013b).

Genus *Salpingothrips* Hood, 1935***Salpingothrips aimotofus* Kudô, 1972**

Distribution. Guangdong, Hainan, Yunnan*.

Genus *Sciothrips* Bhatti, 1970***Sciothrips cardamomi* (Ramakrishna, 1935)**

Distribution. Guangdong, Hainan, Taiwan.

Genus *Scirtothrips* Shull, 1909***Scirtothrips acus* Wang, 1994**

Distribution. Taiwan.

***Scirtothrips asinus* Wang, 1994**

Distribution. Taiwan.

***Scirtothrips dobroskyi* Moulton, 1936**

Distribution. Yunnan.

***Scirtothrips dorsalis* Hood, 1919**

Distribution. Anhui, Fujian, Guangdong, Guangxi, Hainan, Henan, Jiangsu, Taiwan, Zhejiang, Yunnan.

+ *Scirtothrips ginkgoe* Mirab-balou, Tong & Chen, 2012

Distribution. Zhejinag (Mirab-balou et al., 2012c).

***Scirtothrips hainanensis* Han, 1986**

Distribution. Hainan.

***Scirtothrips hengduanicus* Han, 1990**

Distribution. Hunan, Sichuan, Tibet.

***Scirtothrips pendulae* Han, 1986**

Distribution. Beijing.

Genus *Scolothrips* Hinds, 1902***Scolothrips asura* Ramakrishna & Margabandhu, 1931**

Distribution. Fujian, Guangdong, Hainan, Sichuan, Taiwan*, Yunnan.

***Scolothrips dilongicornis* Han & Zhang, 1982**

Distribution. Beijing, Hebei.

+ *Scolothrips latipennis* Priesner, 1950

Distribution. Zhejinag (Mirab-balou et al., 2014a).

***Scolothrips longicornis* Priesner, 1926**

Distribution. Fujian, Xinjiang.

***Scolothrips rhagebianus* (Priesner, 1950)**

Distribution. Taiwan.

***Scolothrips takahashii* Priesner, 1950**

Distribution. Widespread in China.

+ Genus *Smilothrips* Bhatti, 1976

Note. Added by Mirab-balou et al. (2013d) to the fauna of China.

+ *Smilothrips productus* Bhatti, 1976

Distribution. Sichuan (Mirab-balou et al., 2013d).

+ Genus *Siamothrips* Okajima, 1990

Note. Added by Wang & Tong (2016) to the fauna of China.

+ *Siamothrips balteus* Wang & Tong, 2016

Distribution. Jiangxi (Wang & Tong, 2016).

Genus *Sorghothrips* Priesner, 1936*Sorghothrips meishanensis* Chen, 1977*Distribution.* Taiwan, Yunnan***Genus *Stenchaetothrips* Bagnall, 1926***Stenchaetothrips albicornus* Zhang & Tong, 1990*Distribution.* Fujian, Guangxi, Hainan.*Stenchaetothrips apheles* Wang, 2000*Distribution.* Taiwan.+ *Stenchaetothrips banhongensis* Hu & Feng, 2016*Distribution.* Yunnan (Hu & Feng, 2016).*Stenchaetothrips bambusae* (Shumsher, 1946)*Distribution.* Fujian, Guangdong, Guangxi, Hainan, Sichuan, Yunnan.+ *Stenchaetothrips bambusicola* Mound, 2011*Distribution.* Sichuan (Zhang & Feng, 2017b).*Stenchaetothrips basibrunneus* Wang, 2000*Distribution.* Taiwan.*Stenchaetothrips biformis* (Bagnall, 1913)*Distribution.* Widespread in China.*Stenchaetothrips brochus* Wang, 2000*Distribution.* Taiwan, Yunnan*.*Stenchaetothrips caulis* Bhatti, 1982*Distribution.* Taiwan.*Stenchaetothrips cymbopogoni* Zhang & Tong, 1990*Distribution.* Hainan, Yunnan*.*Stenchaetothrips divisae* Bhatti, 1982*Distribution.* Guangdong.*Stenchaetothrips faurei* (Bhatti, 1962)*Distribution.* Guangdong, Hainan, Fujian.*Stenchaetothrips fusca* (Moulton, 1936)*Distribution.* Hainan, Guangdong.+ *Stenchaetothrips gaomiaoensis* Zhang & Feng, 2017*Distribution.* Sichuan (Zhang & Feng, 2017b).+ *Stenchaetothrips hupingshanensis* Man & Feng, 2015*Distribution.* Hunan (Man & Feng, 2015).

***Stenchaetothrips indicus* (Ramakrishna & Margabandhu, 1931)**

Distribution. Hainan.

***Stenchaetothrips karnyanus* (Priesner, 1934)**

Distribution. Guangxi, Taiwan.

+ *Stenchaetothrips langkawiensis* Ng & Mound, 2012

Distribution. Taiwan (Masumoto & Okajima, 2013).

***Stenchaetothrips minutus* (Deventer, 1906)**

Distribution. Guangdong, Guangxi, Henan, Taiwan, Yunnan*.

***Stenchaetothrips tenebricus* (Ananthakrishnan & Jagadish, 1968)**

Distribution. Fujian, Guangxi, Hainan, Zhejiang.

***Stenchaetothrips undatus* Wang, 2000**

Distribution. Taiwan.

***Stenchaetothrips victoriensis* (Moulton, 1936)**

Distribution. Guangdong, Hainan.

***Stenchaetothrips zhangii* Duan, Li, Yang & Yan, 1998**

Distribution. Henan.

+ Genus *Striathrips* Mound, 2011

Note. Added by Zhang et al. (2018) to the fauna of China.

+ *Striathrips sulcatus* Mound, 2011

Distribution. Guangdong (Zhang et al., 2018).

Genus *Taeniothrips* Amyot & Serville, 1843

Note. *Javathrips* Bhatti, 1978 synonymized with *Taeniothrips* by Mirab-balou et al. (2015).

***Taeniothrips angustiglandus* Han & Cui, 1992**

Distribution. Yunnan.

+ *Taeniothrips changbaiensis* Cui, Lee & Wang, 2019

Distribution. Jilin (Cui et al., 2019).

***Taeniothrips cognaticeps* Priesner, 1935**

Distribution. Taiwan.

***Taeniothrips eucharis* (Whetzel, 1923)**

Distribution. Fujian, Guangdong, Hong Kong, Taiwan, Zhejiang.

***Taeniothrips glanduculus* Han, 1990**

Distribution. Tibet.

+ *Taeniothrips grisbrunneus* (Feng, Chou & Li, 1995)

Distribution. Shaanxi.

Note. *Megalurothrips grisbrunneus* was transferred to the genus *Taeniothrips* as a new combination (Mirab-balou et al., 2015).

+ *Taeniothrips inconsequens* (Uzel, 1895)

Distribution. Shaanxi, Sichuan (Mirab-balou et al., 2015).

***Taeniothrips major* Bagnall, 1916**

Distribution. Gansu, Guizhou, Inner Mongolia, Qinghai, Shaanxi, Tibet, Xinjiang.

+ *Taeniothrips musae* (Zhang & Tong, 1990)

Distribution. Guangdong, Hainan, Yunnan.

Note. *Javathrips musae* transferred to the genus *Taeniothrips* as a new combination (Mirab-balou et al., 2015).

***Taeniothrips oreophilus* Priesner, 1935**

Distribution. Guangdong, Hainan.

***Taeniothrips picipes* (Zetterstedt, 1828)**

Distribution. Henan, Shaanxi.

+ *Taeniothrips tigris* Bhatti, 1995

Distribution. Yunnan (Li et al., 2017).

+ Genus *Tameothrips* Bhatti, 1978

Note. Added by Li et al. (2018b) to the fauna of China.

+ *Tameothrips arundo* Tyagi, Kumar & Chauhan, 2015

Distribution. Yunnan (Li et al., 2018b).

+ Genus *Tenothrips* Bhatti, 1967

Note. Added by Mirab-balou et al. (2012d) to the fauna of China.

+ *Tenothrips discolor* (Karny, 1907)

Distribution. Shandong (Mirab-balou et al., 2012d).

+ *Tenothrips frici* (Uzel, 1895)

Distribution. Shaanxi (Mirab-balou & Tong, 2013), Hebei*, Guizhou*, Yunnan*, Zhejiang*.

Genus *Thrips* Linnaeus, 1758***Thrips addendus* (Priesner, 1933)**

Distribution. Taiwan.

***Thrips alatus* Bhatti, 1980**

Distribution. Gansu, Guangdong*, Sichuan.

***Thrips alius* Palmer, 1992**

Distribution. Yunnan.

***Thrips alliorum* (Priesner, 1935)**

Distribution. Widespread in China.

***Thrips andrewsi* (Bagnall, 1921)**

Distribution. Fujian, Guangdong, Hainan, Hunan, Jiangsu, Sichuan, Yunnan, Zhejiang.

+ *Thrips atactus* Bhatti, 1967

Distribution. Guangdong, Sichuan, Yunnan*.

***Thrips atratus* Haliday, 1836**

Distribution. Xinjiang.

***Thrips australis* (Bagnall, 1915)**

Distribution. Guangdong, Yunnan*.

***Thrips brevicornis* Priesner, 1920**

Distribution. Jiangsu, Sichuan, Yunnan.

***Thrips brunneus* Ananthakrishnan & Jagadish, 1968**

Distribution. Shaanxi.

***Thrips carthami* Shumsher, 1946**

Distribution. Sichuan.

***Thrips coloratus* Schmutz, 1913**

Distribution. Widespread in China.

***Thrips extensicornis* Priesner, 1934**

Distribution. Gansu, Taiwan.

***Thrips flavidulus* (Bagnall, 1923)**

Distribution. Widespread in China.

***Thrips flavus* Schrank, 1776**

Distribution. Widespread in China.

***Thrips floreus* Kurosawa, 1968**

Distribution. Fujian, Guangdong, Hainan.

***Thrips florum* Schmutz, 1913**

Distribution. Gansu.

***Thrips formosanus* Priesner, 1934**

Distribution. Fujian, Hainan, Taiwan.

***Thrips fuscipennis* Haliday, 1836**

Distribution. Beijing, Taiwan.

***Thrips garuda* Bhatti, 1980**

Distribution. Central and south of China.

***Thrips hawaiiensis* (Morgan, 1913)**

Distribution. Widespread in China.

***Thrips himalayanus* (Pelikan, 1970)**

Distribution. Tibet.

***Thrips inferus* Chen, 1979**

Distribution. Taiwan.

***Thrips juniperinus* Linnaeus, 1758**

Distribution. Xinjiang.

***Thrips kotoshoi* (Moulton, 1928)**

Distribution. Gansu, Taiwan.

***Thrips major* Uzel, 1895**

Distribution. Inner Mongolia, Ningxia, Gansu, Ningxia.

***Thrips malloti* Priesner, 1934**

Distribution. Taiwan.

***Thrips nigropilosus* Uzel, 1895**

Distribution. Fujian, Guangdong, Heilongjiang, Jiangsu, Sichuan.

***Thrips obscuripes* Priesner, 1934**

Distribution. Southwest and central parts of China.

***Thrips orientalis* (Bagnall, 1915)**

Distribution. Fujian, Guangdong, Guangxi, Hainan, Taiwan, Yunnan*.

***Thrips pallidulus* Bagnall, 1924**

Distribution. Shaanxi.

***Thrips palmi* Karny, 1925**

Distribution. Widespread in China.

***Thrips parvispinus* (Karny, 1922)**

Distribution. Taiwan, Yunnan.

***Thrips pillichii* Priesner, 1924**

Distribution. Shaanxi, Sichuan, Tibet.

***Thrips physapus* Linnaeus, 1758**

Distribution. Hainan.

***Thrips simplex* (Morison, 1930)**

Distribution. Beijing, Hong Kong, Inner Mongolia, Liaoning, Taiwan*.

***Thrips subnudula* (Karny, 1927)**

Distribution. Yunnan*.

***Thrips tabaci* Lindeman, 1889**

Distribution. Widespread in China.

+ *Thrips taiwanus* Morgan, 1913

Distribution. Yunnan* (Elie et al., 2021).

***Thrips trehernei* Priesner, 1927**

Distribution. Inner Mongolia, Qinghai.

***Thrips vitticornis* (Karny, 1922)**

Distribution. Fujian, Taiwan.

***Thrips vulgatissimus* Haliday, 1836**

Distribution. Fujian, Gansu, Jiangsu, Ningxia, Qinghai, Sichuan, Tibet, Wuhan, Xinjiang.

***Thrips wedeliae* Priesner, 1934**

Distribution. Taiwan.

***Thrips xenos* Bhatti, 1980**

Distribution. Shaanxi.

+ Genus *Trachynotothrips* Masumoto & Okajima, 2005

Note. Added by Li et al. (2019) to the fauna of China.

+ *Trachynotothrips brevispinis* Masumoto & Okajima, 2005

Distribution. Hainan, Yunnan (Li et al., 2019).

+ *Trachynotothrips striatus* Masumoto & Okajima, 2005

Distribution. Yunnan (Li et al., 2019).

Genus *Trichromothrips* Priesner, 1930**+ *Trichromothrips albus* (Bhatti, 1978)**

Distribution. Guizhou (Li et al., 2019).

+ *Trichromothrips alis* (Bhatti, 1967)

Distribution. Yunnan* (Elie et al., 2021).

+ *Trichromothrips antidesmae* Li, Li & Zhang, 2019

Distribution. Yunnan (Li et al., 2019).

+ *Trichromothrips assamensis* Tyagi & Kumar, 2017

Distribution. Yunnan (Li et al., 2019).

+ *Trichromothrips crispator* (Karny, 1915)

Distribution. Guizhou, Yunnan (Li et al., 2019).

+ *Trichromothrips elegans* Masumoto & Okajima, 2005

Distribution. Chongqing, Guizhou, Sichuan (Li et al., 2019).

Note. Added by Li et al. (2019), with the first description of the male.

+ *Trichromothrips falcus* (Bhatti, 1967)

Distribution. Yunnan (Li et al., 2019).

***Trichromothrips formosus* Masumoto & Okajima, 2005**

Distribution. Taiwan, Yunnan*.

***Trichromothrips fragilis* Masumoto & Okajima, 2005**

Distribution. Taiwan.

+ *Trichromothrips guizhouensis* Li, Li & Zhang, 2019

Distribution. Guizhou, Yunnan* (Li et al., 2019).

+ *Trichromothrips indicus* (Bhatti, 1978)

Distribution. Yunnan (Li et al., 2019).

+ *Trichromothrips moundi* Li, Li & Zhang, 2019

Distribution. Guizhou (Li et al., 2019).

***Trichromothrips priesneri* (Bhatti, 1967)**

Distribution. Taiwan.

***Trichromothrips taiwanus* Masumoto & Okajima, 2005**

Distribution. Taiwan.

***Trichromothrips trachelospermi* Zhang & Tong, 1996**

Distribution. Zhejiang.

+ *Trichromothrips trifasciatus* (Priesner, 1936)

Distribution. Yunnan (Li et al., 2019).

***Trichromothrips xanthius* (Williams, 1917)**

Distribution. Guangdong, Guangxi, Hainan, Taiwan, Yunnan.

Genus *Tusothrips* Bhatti, 1967***Tusothrips aureus* (Moulton, 1936)**

Distribution. Guangdong, Hainan, Yunnan.

+ *Tusothrips immaculatus* Reyes, 1994

Distribution. Yunnan* (Elie et al., 2021).

***Tusothrips sumatrensis* (Karny, 1925)**

Distribution. Guangdong, Hainan, Hunan, Yunnan*.

Note. *T. calopgomi* was synonymized with *T. sumatrensis* by Mirab-balou & Tong (2015).

Genus *Vulгатоthrips* Han, 1997**+ *Vulгатоthrips dissimilis* (Hu & Feng, 2014)**

Distribution. Shaanxi.

Note. *Ctenothrips dissimilis* Hu & Feng 2014 transferred to the genus *Vulгатоthrips* as a new combination (Wang et al., 2020).

***Vulgatothrips shennongjiaensis* Han, 1997**

Distribution. Hubei, Sichuan*.

+ *Vulgatothrips smilax* (Bhatti, 1976)

Distribution. Shanxi, Sichuan, Yunnan (Hu & Feng, 2011a).

Note. *Ctenothrips smilax* was added to the fauna of China with the first description of the male and macropterous female by Hu & Feng (2011a) and transferred to the genus *Vulgatothrips* as a new combination. *Ctenothrips niger* was added to the fauna of China with the first description of the male by Hu and Feng (2011a), and then synonymized with *Vulgatothrips smilax* (Bhatti) by Wang et al. (2020).

Genus *Yaobinthrips* Zhang, Mound, & Xie, 2010***Yaobinthrips yangtzei* Zhang, Mound & Xie, 2010**

Distribution. Sichuan.

Note. Li et al. (2016a) first described the male.

Genus *Yoshinothrips* Kudô, 1985***Yoshinothrips pasekamui* Kudô, 1985**

Distribution. Jiangsu, Yunnan*.

***Yoshinothrips ponkamui* Kudô, 1985**

Distribution. Fujian, Jiangsu.

+ *Yoshinothrips tianmushanensis* Mirab-balou & Chen, 2012

Distribution. Zhejiang (Mirab-balou et al., 2012e).

II. Suborder Tubulifera Haliday, 1836

This suborder included only one family with two subfamilies, Idolothropinae Bagnall and Phlaeothripinae Uzel, in the world (Bhatti, 1990), of which 373 species and 90 genera are known from China.

Family Phlaeothripidae Uzel, 1895**Subfamily Idolothropinae Bagnall, 1908**

After the last checklist (Mirab-balou et al., 2011a), 29 species and four genera have been added to the fauna of China. In addition, the following taxa were deleted from the last checklist: *Allothrips pillichellus* (Priesner 1925) and *Cryptothrips sauteri* Karny, 1913 (see Dang & Qiao, 2013a), *Neosmerinthothrips* Schmutz, 1913 and *Neosmerinthothrips brevicollis* (Bagnall, 1921) (see Dang & Qiao (2013a)). Five taxa were synonymized, and one taxon was transferred to the other as a new combination (see the following notes under each taxon). Therefore, Idolothropinae includes 82 species belonging to 22 following genera.

Genus *Acallurothrips* Bagnall, 1921***Acallurothrips casuarinae* Okajima, 1993**

Distribution. Taiwan.

***Acallurothrips hagai* Okajima, 1993**

Distribution. Taiwan.

***Acallurothrips hanatani* Okajima, 1993**

Distribution. Taiwan.

+ *Acallurothrips nogutti* (Kurosawa, 1932)

Distribution. Guangxi (Wang & Zhao, 2022).

***Acallurothrips nonakai* Okajima, 1993**

Distribution. Taiwan.

***Acallurothrips tubullatus* Wang & Tong, 2008**

Distribution. Guangdong.

Genus *Allothrips* Hood, 1908***Allothrips bicolor* Ananthkrishnan, 1964**

Distribution. Guangdong, Hainan.

+ *Allothrips brasiliensis* Hood, 1955

Distribution. Guangdong (Wang & Zhao, 2022), Taiwan.

***Allothrips discolor* Chen, 1982**

Distribution. Taiwan.

***Allothrips nubillicauda* (Watson, 1935)**

Distribution. Taiwan.

***Allothrips taiwanus* Okajima, 1987**

Distribution. Guangdong*, Guangxi*, Taiwan, Yunnan*.

+ *Allothrips yunnanensis* Mound, Li & Zhang, 2020

Distribution. Yunnan (Mound et al., 2020).

Genus *Bactrothrips* Karny, 1912***Bactrothrips brevitubus* Takahashi, 1935**

Distribution. Anhui, Fujian, Guangdong, Guangxi*, Hainan, Hubei*, Taiwan*, Yunnan, Zhejiang.

Note. *Meiothrips baishanzuensis* Duan & Li (1995) synonymized with *B. brevitubus* by Dang and Qiao (2012a).

+ *Bactrothrips elongatus* Dang & Qiao, 2012

Distribution. Guangxi (Dang & Qiao, 2012a).

***Bactrothrips flectoventris* Haga & Okajima, 1989**

Distribution. Hainan*, Taiwan.

+ *Bactrothrips furvescens* Dang & Qiao, 2012

Distribution. Zhejiang (Dang & Qiao, 2012a).

***Bactrothrips honoris* (Bagnall, 1921)**

Distribution. Guangxi*, Taiwan, Yunnan*.

+ *Bactrothrips pictipes* Haga & Okajima, 1989

Distribution. Anhui, Fujian, Guangdong, Guangxi*, Hainan, Yunnan, Taiwan*, Tibet*.

Note. *Bactrothrips brevitubus zhamanus* Han & Zhang (1981) synonymized with *B. pictipes* by Dang and Qiao (2012a)

+ *Bactrothrips quadrituberculatus* (Bagnall, 1908)

Distribution. Hainan, Yunnan (Dang & Qiao, 2012a).

+ **Genus *Bolothrips* Priesner, 1926**

Note. Added by Guo et al. (2014) to the fauna of China, and again recorded from China by Dang et al. (2021a).

+ *Bolothrips bicolor* (Heeger, 1852)

Distribution. Shaanxi (Guo et al., 2014).

Note. Added by Guo et al. (2014) to the fauna of China, and again recorded from China by Dang et al. (2021a).

+ *Bolothrips icarus* (Uzel, 1895)

Distribution. Hebei, Inner Mongolia, Ningxia (Guo et al., 2014).

+ **Genus *Carientothrips* Moulton, 1944**

Note. Added by Wang and Zhao (2022) to the fauna of China.

+ *Carientothrips japonicus* (Bagnall, 1921)

Distribution. Guangdong (Wang & Zhao, 2022).

Genus *Compsothrips* Reuter, 1901

Compsothrips reticulatus Guo & Feng, 2006

Distribution. Hebei.

Compsothrips sinensis (Pelikán, 1961)

Distribution. Guangdong*, Hebei, Sichuan.

Note. *Ophthalmothrips tenebronus* (Han & Cui, 1991) transferred to the genus *Compsothrips* as a new combination (Dang et al., 2013b). *Cryptothrips furvus* Reyes was synonymized by that species. Finally, *tenebronus* was synonymized with *C. sinensis* by Dang et al. (2023d).

+ *Compsothrips timor* (Pelikan, 1961)

Distribution. Tibet (Dang et al., 2023d).

Genus *Cryptothrips* Uzel, 1895

+ *Cryptothrips nigripes* (Reuter, 1880)

Distribution. Inner Mongolia, Sichuan (Dang et al., 2013b).

Genus *Dinothrips* Bagnall, 1908

Dinothrips hainanensis Zhang, 1982

Distribution. Guangdong, Hainan.

Dinothrips juglandis Moulton, 1933

Distribution. Guangdong, Guangxi*, Tibet.

***Dinotrrips spinosus* (Schmutz, 1913)**

Distribution. Guangdong*, Guangxi*, Hainan*, Taiwan*, Yunnan.

***Dinotrrips sumatrensis* Bagnall, 1908**

Distribution. Fujian, Guangdong, Hainan.

Genus *Elaphrothrips* Buffa, 1909***Elaphrothrips athletes* (Karny, 1923)**

Distribution. Fujian.

***Elaphrothrips denticollis* (Bagnall, 1909)**

Distribution. Fujian, Guangdong, Guangxi, Hainan, Taiwan, Yunnan.

+ *Elaphrothrips fulmeki* Priesner, 1935

Distribution. Hainan (Dang & Qiao, 2013a), Guangxi*.

***Elaphrothrips greeni* (Bagnall, 1914)**

Distribution. Fujian, Guangdong*, Hainan*, Tibet, Yunnan.

+ *Elaphrothrips insignis* Ananthkrishnan, 1973

Distribution. Hubei, Yunnan (Dang & Qiao, 2013a).

***Elaphrothrips jacobsoni* Priesner, 1935**

Distribution. Guizhou.

+ *Elaphrothrips malayensis* (Bagnall, 1909)

Distribution. Guizhou, Hainan, Hubei, Tibet, Yunnan (Dang & Qiao, 2013a), Guizhou*.

+ *Elaphrothrips procer* (Schmutz, 1913)

Distribution. Guangdong, Hainan, Hubei, Yunnan (Dang & Qiao, 2013a), Hunan*, Guangxi*, Guizhou*.

***Elaphrothrips spiniceps* (Bagnall, 1932)**

Distribution. Fujian, Guangdong, Guangxi*, Hainan, Taiwan, Yunnan*.

Genus *Ethirottrips* Karny, 1925***Ethirottrips brevis* (Bagnall, 1921)**

Distribution. Guangdong*, Taiwan.

***Ethirottrips chui* (Chen, 1982)**

Distribution. Taiwan.

***Ethirottrips indicus* (Bagnall, 1921)**

Distribution. Taiwan.

***Ethirottrips longisetis* Ananthkrishnan & Jagadish, 1970**

Distribution. Guangdong, Hainan.

***Ethirottrips obscurus* (Schmutz, 1913)**

Distribution. Taiwan.

***Ethirotrips stenomelas* (Walker, 1859)**

Distribution. Guangdong, Guangxi*, Hainan.

+ *Ethirotrips tibialis* (Okajima, 1975)

Distribution. Hainan (Wang & Zhao, 2022).

***Ethirotrips virgulae* (Chen, 1980)**

Distribution. Guangdong*, Guangxi*, Hainan*, Taiwan.

***Ethirotrips vitreipennis* (Priesner, 1939)**

Distribution. Fujian, Guangdong, Hainan.

Genus *Gastrothrips* Hood, 1912**+ *Gastrothrips acutulus* Okajima, 1979**

Distribution. Taiwan (Wang & Zhao, 2022).

***Gastrothrips eurypelta* Cao, Guo & Feng, 2009**

Distribution. Hebei, Shaanxi, Shanxi.

***Gastrothrips fulviceps* Hood, 1973**

Distribution. Taiwan.

***Gastrothrips fuscatus* Okajima, 1979**

Distribution. Guangdong, Taiwan.

***Gastrothrips mongolicus* (Pelikán, 1965)**

Distribution. Fujian, Inner Mongolia, Ningxia, Sichuan, Zhejiang.

+ *Gastrothrips monticola* Okajima, 2006

Distribution. Inner Mongolia (Dang & Qiao, 2013a).

Genus *Holurothrips* Bagnall, 1914***Holurothrips morikawai* Kurosawa, 1968**

Distribution. Fujian, Guangdong, Hainan, Taiwan*.

+ Genus *Loyolaia* Ananthakrishnan, 1964

Note. Added by Cao et al. (2011) to the fauna of China.

+ *Loyolaia wuyiensis* Cao, Guo & Feng, 2011

Distribution. Fujian (Cao et al., 2011).

Genus *Machatothrips* Bagnall, 1908***Machatothrips antennatus* (Bagnall, 1915)**

Distribution. Guangdong, Hainan.

***Machatothrips artocarp* Moulton, 1928**

Distribution. Guangdong, Hainan, Taiwan.

***Machatothrips celosia* Moulton, 1928**

Distribution. Hainan, Taiwan.

Genus *Mecynothrips* Bagnall, 1908***Mecynothrips kanoi* (Takahashi, 1937)**

Distribution. Taiwan.

***Mecynothrips pugilator* (Karny, 1913)**

Distribution. Taiwan.

+ *Mecynothrips simplex* Bagnall, 1912

Distribution. Hainan, Yunnan (Dang & Qiao, 2013a).

***Mecynothrips taiwanus* Okajima, 1979**

Distribution. Hainan*, Taiwan, Yunnan*.

Genus *Megalothrips* Uzel, 1895***Megalothrips roundus* Guo, Cao & Feng, 2010**

Distribution. Hubei.

Genus *Megathrips* Targioni-Tozzetti, 1881***Megathrips lativentris* (Heeger, 1852)**

Distribution. Henan, Hebei*, Shandong*.

Note. *Megathrips antennatus* Guo, Feng & Duan, 2005 was synonymized with *M. lativentris* (Heeger) by Dang & Qiao (2013a).

Genus *Meiothrips* Priesner, 1929**+ *Meiothrips fuscicrus* Dang & Qiao, 2012**

Distribution. Yunnan (Dang & Qiao, 2012b).

***Meiothrips menoni* Ananthkrishnan, 1964**

Distribution. Fujian*, Guangdong, Hainan, Yunnan*.

+ *Meiothrips nepalensis* Kudo & Ananthkrishnan, 1974

Distribution. Yunnan (Dang & Qiao, 2012b).

Genus *Nesothrips* Kirkaldy, 1907***Nesothrips brevicollis* (Bagnall, 1914)**

Distribution. Gansu*, Guangdong*, Henan*, Shaanxi*, Taiwan.

Note. *Nesothrips atropoda* Duan & Yan, 1998 synonymized with *N. brevicollis* by Dang et al. (2013b).

+ *Nesothrips doulli* (Mound, 1974)

Distribution. Hainan (Wang & Zhao, 2022).

+ *Nesothrips fodinae* Mound, 1974

Distribution. Hainan (Wang & Zhao, 2022).

***Nesothrips lativentris* (Karny, 1913)**

Distribution. Fujian*, Guangdong*, Guangxi*, Hainan*, Taiwan, Yunnan*.

+ *Nesothrips minor* (Bagnall, 1921)

Distribution. Guangdong, Hainan (Wang & Zhao, 2022).

***Nesothrips peltatus* Han & Cui, 1991**

Distribution. Sichuan.

+ *Nesothrips propinquus* (Bagnall, 1916)

Distribution. Fujian, Jiangxi (Zhang et al., 2017).

Genus *Ophthalthrips* Hood, 1919**+ *Ophthalthrips elongatus* Li & Dang, 2022**

Distribution. Hunan (Li et al., 2022).

***Ophthalthrips formosanus* (Karny, 1913)**

Distribution. Henan*, Taiwan.

***Ophthalthrips longiceps* (Haga, 1975)**

Distribution. Fujian, Guangdong*, Hainan*, Taiwan.

***Ophthalthrips miscanthicola* (Haga, 1975)**

Distribution. Fujian, Guangdong, Hainan, Jiangxi, Sichuan, Zhejiang*.

***Ophthalthrips yunnanensis* Cao, Guo & Feng, 2010**

Distribution. Yunnan.

Note. Minoura and Mound (2019) mentioned that this species is similar to *O. miscanthicola*.

+ Genus *Paractinothrips* Mound & Palmer, 1983

Note. Added by Wang and Zhao (2022) to the fauna of China.

+ *Paractinothrips peratus* Mound & Palmer, 1983

Distribution. Yunnan (Wang & Zhao, 2022).

Genus *Phaulothrips* Hood, 1918***Phaulothrips solifer* Okajima, 1989**

Distribution. Taiwan.

Subfamily Phlaeothripinae Uzel, 1895

After the last checklist (Mirab-balou et al., 2011a), 99 species and 11 genera have been added to the fauna of China. In addition, the following taxa were deleted from the last checklist: *Gigantothrips vanapennis* Moulton, 1928; *Hoplothrips flavipes* (Bagnall, 1910) (misidentification, see Mound & Wang, 2020); *Mesothrips alluaudi* Vuillet, 1914 and *Mesothrips manii* Ananthakrishnan, 1972 (see Dang et al., 2024a); *Liothrips invisus* (Cott, 1956); and *Liothrips luzonensis* (Priesner, 1939) (not valid species). Nineteen taxa were synonymized, and seven taxa were transferred to the other as new combinations (see the following notes under each taxon). Therefore, Phlaeothripinae includes 291 species belonging to 68 following genera.

Genus *Ablemothrips* Ananthkrishnan, 1969**+ *Ablemothrips breviceps* Okajima, 1999****Distribution.** Guangxi (Wang & Zhao, 2022).***Ablemothrips maxillatus* Ananthkrishnan, 1969****Distribution.** Guangxi*, Taiwan, Yunnan*.**Genus *Acanthothrips* Uzel, 1895*****Acanthothrips nodicornis* (Reuter, 1880)****Distribution.** Henan, Ningxia, Shandong*.**+ Genus *Adraneothrips* Hood, 1925****Note.** *Stigmothrips* Ananthkrishnan was synonymized with *Adraneothrips* Hood by Dang et al. (2013a).**+ *Adraneothrips chinensis* (Zhang & Tong, 1990)****Distribution.** Fujian*, Guangdong, Hainan*, Hunan*, Yunnan.**Note.** *Stigmothrips chinensis* was transferred to the genus *Adraneothrips* as a new combination (Dang et al., 2013a).**+ *Adraneothrips hani* Dang, Mound & Qiao, 2013****Distribution.** Taiwan (Dang et al., 2013a).**+ *Adraneothrips russatus* (Haga, 1973)****Distribution.** Guangdong, Guizhou, Hainan, Hunan, Jiangxi*, Sichuan, Taiwan*, Yunnan, Zhejiang*.**Note.** *Stigmothrips russatus* Haga transferred to the genus *Adraneothrips* as a new combination (Dang et al., 2013a).**+ *Adraneothrips yunnanensis* Dang, Mound & Qiao, 2013****Distribution.** Guangdong*, Hainan*, Hubei*, Hunan*, Jiangxi*, Yunnan (Dang et al., 2013a), Zhejiang*.**Genus *Agynaikothrips* Okajima, 2006*****Agynaikothrips venapennis* Moulton, 1928****Distribution.** Taiwan.**Genus *Aleurodothrips* Franklin, 1909*****Aleurodothrips fasciapennis* (Franklin, 1908)****Distribution.** Fujian, Guangdong, Guangxi, Hainan, Sichuan, Taiwan, Yunnan.**Genus *Androthrips* Karny, 1911*****Androthrips crus* Chen, 1979****Distribution.** Taiwan.***Androthrips guiyangensis* Sha, Feng & Duan, 2003****Distribution.** Guizhou.***Androthrips ramachandrai* Karny, 1926****Distribution.** Fujian, Guangdong, Guangxi, Hainan, Taiwan, Yunnan.

Genus *Apelaunothrips* Karny, 1925***Apelaunothrips bicolor* Okajima, 1976**

Distribution. Guizhou*, Hainan, Yunnan.

***Apelaunothrips consimilis* (Ananthakrishnan, 1969)**

Distribution. Guangdong*, Taiwan, Yunnan.

+ *Apelaunothrips dentiellus* Zhao, Jia & Tong, 2018

Distribution. Hunan*, Yunnan (Zhao et al., 2018c).

***Apelaunothrips hainanensis* Zhang & Tong, 1990**

Distribution. Guangdong*, Guangxi*, Hainan, Henan*, Hunan*, Jiangxi*, Yunnan.

+ *Apelaunothrips indicus* (Ananthakrishnan, 1968)

Distribution. Guangdong (Zhao et al., 2018c).

***Apelaunothrips lieni* Okajima, 1979**

Distribution. Guangdong*, Taiwan, Yunnan.

***Apelaunothrips longidens* Zhang & Tong, 1990**

Distribution. Guangdong, Guizhou*, Hainan*, Hunan*, Guangxi*.

***Apelaunothrips luridus* Okajima, 1979**

Distribution. Guangdong, Guizhou*, Hainan, Jiangxi*, Sichuan*, Yunnan, Zhejiang*.

+ *Apelaunothrips maculipennis* (Okajima, 1976)

Distribution. Hainan (Zhao et al., 2018c), Taiwan.

***Apelaunothrips medioflavus* (Karny, 1927)**

Distribution. Fujian, Guangdong, Guangxi*, Hainan*, Hunan*, Sichuan*, Taiwan, Yunnan.

+ *Apelaunothrips moutanus* Okajima, 1979

Distribution. Yunnan (Dang & Qiao, 2014).

***Apelaunothrips nigripennis* Okajima, 1979**

Distribution. Guangdong, Guizhou*, Hainan, Henan*, Hunan*, Jiangxi*, Taiwan, Yunnan*.

Genus *Apterygothrips* Priesner, 1933***Apterygothrips brunneicornus* Han, Cui, Hu & Cui, 1991**

Distribution. Sichuan, Tibet.

+ *Apterygothrips flavescens* Dang & Qiao, 2022

Distribution. Tibet (Dang et al., 2022).

***Apterygothrips fungosus* (Ananthakrishnan & Jagadish, 1969)**

Distribution. Guangdong, Guizhou, Shandong, Hainan.

***Apterygothrips haloxyli* Priesner, 1933**

Distribution. Inner Mongolia, Ningxia.

+ Genus *Asianthrips* Okajima, 2006

Note. Added to the fauna of China by Okajima (2006).

+ *Asianthrips orientalis* Okajima, 2006

Distribution. Taiwan (Okajima, 2006).

Genus *Azaleothrips* Ananthkrishnan, 1964**+ *Azaleothrips atayal* Okajima & Masumoto, 2014**

Distribution. Taiwan (Okajima & Masumoto, 2014).

+ *Azaleothrips formosae* Okajima & Masumoto, 2014

Distribution. Taiwan (Okajima & Masumoto, 2014), Yunnan*.

+ *Azaleothrips laevigatus* Okajima, 2006

Distribution. Guangxi*, Taiwan (Okajima & Masumoto, 2014).

+ *Azaleothrips laocai* Okajima & Masumoto, 2014

Distribution. Shaanxi (Dang et al., 2023b).

+ *Azaleothrips lepidus* Okajima, 1978

Distribution. Yunnan (Dang et al., 2023b).

***Azaleothrips moundi* Okajima, 1976**

Distribution. Shanxi*, Sichuan*, Taiwan.

Note. *Azaleothrips magnus* Chen, 1980 synonymized with *A. moundi* Okajima by Okajima and Masumoto (2014).

***Azaleothrips siamensis* Okajima, 1978**

Distribution. Chongqing*, Guizhou, Guangxi*, Yunnan*.

+ *Azaleothrips sphaericus* Dang & Mound, 2023

Distribution. Guangxi (Dang et al., 2023b).

+ *Azaleothrips taiwanus* Okajima & Masumoto, 2014

Distribution. Guangdong, Taiwan (Okajima & Masumoto, 2014).

+ *Azaleothrips templeri* Okajima & Masumoto, 2014

Distribution. Guangxi (Dang et al., 2023b).

Genus *Baenothrips* Crawford, 1948***Baenothrips asper* (Bournier, 1963)**

Distribution. Taiwan, Yunnan.

+ *Baenothrips cuneatus* Zhao & Tong, 2016

Distribution. Guangdong, Guangxi, Hainan, Hunan, Yunnan (Zhao & Tong, 2016).

***Baenothrips murphyi* (Stannard, 1970)**

Distribution. Fujian, Guangdong, Guizhou*.

***Baenothrips ryukyuensis* Okajima, 1994**

Distribution. Fujian*, Taiwan.

Genus *Bagnalliella* Karny, 1920***Bagnalliella yuccae* (Hind, 1902)**

Distribution. Beijing, Jiangsu, Shaanxi, Shandong, Taiwan, Zhejiang.

Genus *Bamboosiella* Ananthakrishnan, 1957**+ *Bamboosiella antennatus* Dang & Qiao, 2016**

Distribution. Yunnan (Dang & Qiao, 2016).

+ *Bamboosiella bicoloripes* Ananthakrishnan, 1957

Distribution. Yunnan (Dang & Qiao, 2016).

+ *Bamboosiella brevis* Okajima, 1995

Distribution. Guangdong, Hainan, Yunnan (Zhao et al., 2018a).

+ *Bamboosiella caudibruna* Zhao, Wang & Tong, 2018

Distribution. Guangdong, Jiangxi (Zhao et al., 2018a).

***Bamboosiella cingulata* (Hood, 1919)**

Distribution. Taiwan.

***Bamboosiella exastis* (Ananthakrishnan & Kudô, 1974)**

Distribution. Hainan, Shandong, Taiwan, Yunnan, Zhejiang.

Note. *Bamboosiella brevibristla* Sha, Guo, Feng & Duan, 2003 placed as a synonym of *B. exastis* by Dang and Qiao (2016).

+ *Bamboosiella fasciata* Okajima, 1995

Distribution. Hainan (Dang & Qiao, 2016).

+ *Bamboosiella flavescens* Okajima, 1995

Distribution. Hainan, Yunnan (Dang & Qiao, 2016).

+ *Bamboosiella graminella* (Ananthakrishnan & Jagadish, 1969)

Distribution. Guangdong (Wang & Zhao, 2022).

+ *Bamboosiella lewisi* (Bagnall, 1921)

Distribution. Guangdong, Hainan, Jiangxi (Zhao et al., 2018a).

+ *Bamboosiella longisetis* Dang & Qiao, 2016

Distribution. Yunnan (Dang & Qiao, 2016).

+ *Bamboosiella magnus* Dang & Qiao, 2016

Distribution. Hainan (Dang & Qiao, 2016).

***Bamboosiella nayari* (Ananthakrishnan, 1958)**

Distribution. Fujian, Guangdong*, Guangxi, Hainan, Yunnan*.

+ *Bamboosiella rugata* Zhao, Wang & Tong, 2018

Distribution. Guangdong (Zhao et al., 2018a).

+ *Bamboosiella sculpta* Zhao, Wang & Tong, 2018

Distribution. Hainan (Zhao et al., 2018a).

+ *Bamboosiella semiflava* Okajima, 1995

Distribution. Yunnan (Dang & Qiao, 2016).

Bamboosiella varia (Ananthkrishnan & Jagadish, 1969)

Distribution. Guangdong, Hainan, Henan*, Yunnan*.

+ *Bamboosiella xiphophora* Okajima, 1995

Distribution. Guangdong, Yunnan (Zhao et al., 2018a).

Genus *Bradythrips* Hood & Williams, 1925

Bradythrips zhangi Wang & Tong, 2007

Distribution. Guangdong.

+ Genus *Crinitothrips* Okajima, 1978

Crinitothripsi sp.

Distribution. Guangdong (Wang & Zhao, 2022).

Genus *Cephalothrips* Uzel, 1895

Cephalothrips brachychaitus Han & Cui, 1991

Distribution. Sichuan.

+ *Cephalothrips monilicornis* (Reuter, 1885)

Distribution. Inner Mongolia (Cao & Feng, 2011).

Genus *Crotonothrips* Ananthkrishnan, 1968

Crotonothrips dentifer Priesner, 1935

Distribution. Taiwan.

Genus *Deplorothrips* Mound & Walker, 1986

Deplorothrips acutus Okajima, 1989

Distribution. Taiwan.

Deplorothrips medius Okajima, 1989

Distribution. Taiwan.

Genus *Dolichothrips* Karny, 1912

+ *Dolichothrips indicus* (Hood, 1919)

Distribution. Taiwan.

Note. *Dolicothrips pulmilus* Priesner synonymized with *D. indicus* by Mound and Okajima (2015).

Dolichothrips macarangai (Moulton, 1928)

Distribution. Guangdong, Hainan, Taiwan.

+ *Dolichothrips reuteri* (Karny, 1920)

Distribution. Guangdong, Hainan, Taiwan.

Note. *Dolichothrips flavipes* (Moulton) was synonymized with *D. reuteri* by Mound and Okajima (2015).

***Dolichothrips zyziphi* (Bagnall, 1923)**

Distribution. Yunnan.

Genus *Dyothrips* Kudô, 1974***Dyothrips pallescens* (Hood, 1919)**

Distribution. Guangdong.

Genus *Ecacanthothrips* Bagnall, 1909***Ecacanthothrips inarmatus* Kurosawa, 1932**

Distribution. Guangdong.

***Ecacanthothrips kolibaci* Pelikan, 2000**

Distribution. Sichuan.

***Ecacanthothrips tibialis* (Ashmead, 1903)**

Distribution. Gansu*, Guangdong, Guangxi*, Hainan, Taiwan, Yunnan.

Genus *Eugynothrips* Priesner, 1952***Eugynothrips intorquens* (Karny, 1912)**

Distribution. Taiwan.

Genus *Gigantothrips* Zimmermann, 1900***Gigantothrips elegans* Zimmermann, 1900**

Distribution. Guangdong, Hainan, Taiwan.

+ *Gigantothrips tibetanus* Dang & Mound, 2023

Distribution. Tibet (Dang et al., 2023c).

***Gigantothrips tibialis* Bagnall, 1921**

Distribution. Guangdong, Hainan.

+ *Gigantothrips yunnanensis* Dang & Mound, 2023

Distribution. Yunnan (Dang et al., 2023c).

Genus *Gynaikothrips* Zimmermann, 1900***Gynaikothrips ficorum* (Marchal, 1908)**

Distribution. Beijing, Fujian, Guangdong, Guangxi, Hainan, Taiwan, Yunnan, Zhejiang*.

***Gynaikothrips insulsus* Priesner, 1939**

Distribution. Taiwan.

***Gynaikothrips uzeli* (Zimmermann, 1900)**

Distribution. Fujian, Guangdong, Hainan, Taiwan, Yunnan.

Genus *Habrothrips* Ananthkrishnan, 1968***Habrothrips curiosus* Ananthkrishnan, 1967**

Distribution. Guangdong*, Hainan*, Taiwan.

Genus *Haplothrips* Amyot & Serville, 1843***Haplothrips (Haplothrips) aculeatus* (Fabricius, 1803)**

Distribution. Widespread in China.

***Haplothrips (Haplothrips) allii* Priesner, 1935**

Distribution. Guangdong, Hainan, Taiwan, Yunnan.

***Haplothrips (Haplothrips) arundinariae* Takahashi, 1937**

Distribution. Taiwan.

***Haplothrips (Haplothrips) breviseta* Duan, Zhao & Yang, 1998**

Distribution. Inner Mongolia.

***Haplothrips (Haplothrips) certus* Priesner, 1929**

Distribution. Taiwan.

***Haplothrips (Haplothrips) chinensis* Priesner, 1933**

Distribution. Widespread in China.

***Haplothrips (Haplothrips) fuscipennis* Moulton, 1928**

Distribution. Taiwan.

***Haplothrips (Haplothrips) ganglbaueri* Schmutz, 1913**

Distribution. Widespread in China.

***Haplothrips (Haplothrips) gowdeyi* (Franklin, 1908)**

Distribution. Fujian, Guangdong, Guangxi, Guizhou, Hainan, Hunan, Jiangxi, Sichuan, Taiwan, Tibet, Yunnan.

+ *Haplothrips (Haplothrips) helanshanensis* Dang & Mound, 2023

Distribution. Inner Mongolia (Dang & Mound, 2023).

***Haplothrips (Haplothrips) jordani* (Bagnall, 1909)**

Distribution. Taiwan.

***Haplothrips (Haplothrips) kurdjumovi* Karny, 1913**

Distribution. Gansu, Heilongjiang, Inner Mongolia, Jilin, Liaoning, Ningxia, Xinjiang.

***Haplothrips (Haplothrips) leucanthemi* (Schrank, 1781)**

Distribution. Guangdong, Guangxi, Hainan, Taiwan.

+ *Haplothrips (Haplothrips) longistylus* Dang & Mound, 2023

Distribution. Tibet (Dang & Mound, 2023).

***Haplothrips (Haplothrips) montivagus* Priesner, 1935**

Distribution. Taiwan.

***Haplothrips (Haplothrips) pirus* Bhatti, 1967**

Distribution. Guangdong, Hainan, Sichuan.

***Haplothrips (Haplothrips) reuteri* (Karny, 1907)**

Distribution. Inner Mongolia, Zhejiang*.

***Haplothrips (Haplothrips) subtilissimus* (Haliday, 1852)**

Distribution. Fujian, Guangdong, Zhejiang.

***Haplothrips (Haplothrips) tenuipennis* Bagnall, 1918**

Distribution. Inner Mongolia, Jiangsu, Ningxia, Tibet, Wuhan, Yunnan, Zhejiang.

***Haplothrips (Haplothrips) tritici* (Kurdjumov, 1912)**

Distribution. Gansu, Xinjiang, the provinces north of the Yellow River.

+ *Haplothrips (Trybomiella) atriculosus* (Bagnall, 1926)

Distribution. Guangdong (Song et al., 2013).

Genus *Heliothripoides* Okajima, 1987***Heliothripoides reticulatus* Okajima, 1987**

Distribution. Hainan.

Genus *Holothrips* Karny, 1911***Holothrips attenuatus* Okajima, 1987**

Distribution. Fujian, Taiwan.

+ *Holothrips flavicornis* Okajima, 1987

Distribution. Guangdong, Hainan (Wang & Zhao, 2022).

+ *Holothrips flavus* Okajima, 1987

Distribution. Taiwan (Dang & Qiao, 2014).

***Holothrips formosanus* Okajima, 1987**

Distribution. Fujian, Hainan, Taiwan.

+ *Holothrips hagai* Okajima, 1987

Distribution. Fujian*, Guangdong*, Taiwan (Dang & Qiao, 2014), Yunnan*.

+ *Holothrips hasegawai* Okajima, 1987

Distribution. Guizhou (Dang & Qiao, 2014).

***Holothrips hunanensis* Han & Li, 1999**

Distribution. Hunan.

***Holothrips latidentis* Okajima, 1987**

Distribution. Fujian, Henan, Taiwan.

Note. *Holothrips okinawanus* was synonymized with *H. latidentis* by Okajima (2006).

***Holothrips porifer* Okajima, 1987**

Distribution. Taiwan.

***Holothrips ryukyuensis* Okajima, 1987**

Distribution. Fujian, Guangdong*.

***Holothrips typicus* (Ananthakrishnan, 1967)**

Distribution. Taiwan.

Genus *Hoplandrothrips* Hood, 1912**+ *Hoplandrothrips adraneoides* Okajima & Masumoto, 2024**

Distribution. Taiwan (Okajima & Masumoto, 2024).

+ *Hoplandrothrips basantratus* Okajima & Masumoto, 2024

Distribution. Taiwan (Okajima & Masumoto, 2024).

***Hoplandrothrips bidens* (Bagnall, 1910)**

Distribution. Beijing, Guangdong*.

+ *Hoplandrothrips coloratus* Okajima, 2006

Distribution. Guangdong*, Taiwan (Dang & Qiao, 2014).

***Hoplandrothrips flavipes* (Bagnall, 1923)**

Distribution. Fujian, Hainan*, Jiangsu, Jiangxi*, Taiwan.

+ *Hoplandrothrips formosae* Okajima & Masumoto, 2024

Distribution. Taiwan (Okajima & Masumoto, 2024).

***Hoplandrothrips nobilis* Priesner, 1939**

Distribution. Guangdong.

+ *Hoplandrothrips nonakai* Okajima, 2006

Distribution. Guangxi, Jiangxi (Wang & Zhao, 2022).

***Hoplandrothrips obesametae* Chen, 1980**

Distribution. Fujian, Hainan, Taiwan.

+ *Hoplandrothrips ochraceus* Okajima & Urushihara, 1992

Distribution. Guangdong*, Hainan*, Yunnan (Dang & Qiao, 2014).

***Hoplandrothrips orientalis* (Moulton, 1927)**

Distribution. Hong Kong.

+ *Hoplandrothrips quinqueconus* Okajima & Masumoto, 2024

Distribution. Taiwan (Okajima & Masumoto, 2024).

+ *Hoplandrothrips sapae* Okajima & Masumoto, 2024

Distribution. Sichuan, Taiwan (Okajima & Masumoto, 2024).

Hoplandrothrips trucatoapicus Guo, Feng & Duan, 2004

Distribution. Henan, Inner Mongolia*.

Genus *Hoplothrips* Amyot & Serville, 1843

+ *Hoplothrips corticis* De Geer, 1773

Distribution. Fujian, Guangdong, Hainan.

Note. *Hoplothrips aceris* was synonymized with *H. corticis* by Okajima (2006).

Hoplothrips fungosus Moulton, 1928

Distribution. Beijing, Fujian, Guangdong*, Hainan, Taiwan.

+ *Hoplothrips hongruiae* Mound & Wang, 2020

Distribution. Yunnan (Mound & Wang, 2020).

Hoplothrips japonicus (Karny, 1913)

Distribution. Hubei*, Jiangxi*, Taiwan.

Hoplothrips mainlingensis Han, 1988

Distribution. Gansu*, Guizhou*, Hunan, Tibet.

Hoplothrips orientalis (Ananthkrishnan, 1969)

Distribution. Taiwan.

+ *Hoplothrips palidispinosus* Steinweden & Moulton, 1930

Distribution. Zhejiang (Wang & Zhao, 2022).

+ *Hoplothrips persimilis* Okajima, 2006

Distribution. Guangdong (Wang & Zhao, 2022).

Genus *Horistothrips* Morgan, 1913

Horistothrips palidispinosus Steinweden & Moulton, 1930

Distribution. Jiangxi, Zhejiang.

Genus *Hyidiothrips* Hood, 1938

Hyidiothrips brunneus Okajima, 1995

Distribution. Taiwan.

Hyidiothrips guangdongensis Wang, Tong & Zhang, 2006

Distribution. Guangdong.

Hyidiothrips japonicus Okajima, 1977

Distribution. Guangdong.

Genus *Karnyothrips* Watson, 1923

+ *Karnyothrips cyathomorphus* Wang, Mirab-balou & Tong, 2013

Distribution. Guangdong (Wang et al., 2013).

Karnyothrips flavipes (Jones, 1912)

Distribution. Fujian, Guangdong, Guangxi, Guizhou*, Hainan, Hunan, Sichuan.

***Karnyothrips melaleucus* (Bagnall, 1911)**

Distribution. Fujian, Guangdong, Guangxi, Guizhou, Hainan, Taiwan, Yunnan.

+ *Karnyothrips palmarea* (Chen, 1980)

Distribution. Taiwan.

Note. *Xylaplothrips palmarea* Chen transferred to the genus *Karnyothrips* as a new combination (Dang et al., 2014).

+ *Karnyothrips robustus* Okajima, 2006

Distribution. Taiwan (Wang et al., 2013).

Genus *Leeuwenia* Karny, 1912***Leeuwenia coriacea* (Bagnall, 1912)**

Distribution. Fujian, Guangdong, Hainan.

***Leeuwenia flavicornata* Zhang & Tong, 1993**

Distribution. Yunnan.

***Leeuwenia karnyiana* Priesner, 1929**

Distribution. Hainan, Hunan.

***Leeuwenia pasanii* (Mukaigawa, 1912)**

Distribution. Guangdong, Taiwan, Yunnan.

***Leeuwenia pugnatrix* Priesner, 1935**

Distribution. Fujian, Taiwan.

***Leeuwenia taiwanensis* Takahashi, 1936**

Distribution. Taiwan.

***Leeuwenia vorax* Ananthkrishnan, 1970**

Distribution. Hainan.

Genus *Liophloeothrips* Priesner, 1919***Liophloeothrips succintus* Ananthkrishnan & Jagadish, 1969**

Distribution. Guangdong, Hainan.

+ *Liophloeothrips terminaliae* (Moulton, 1928)

Distribution. Taiwan.

Note. *Liothrips terminaliae* Moulton transferred to the genus *Liophloeothrips* as a new combination (Wang & Lin, 2020).

Genus *Liothrips* Uzel, 1895***Liothrips adusticornis* (Karny, 1916)**

Distribution. Fujian, Hong Kong*.

+ *Liothrips aporosae* (Tong, Lau & Zhao, 2021)

Distribution. Hainan, Hong Kong (Tong et al., 2021).

Note. *Psephenothrips aporosae* described by Tong et al. (2021), was transferred to the genus *Liothrips* as a new combination (Dang et al., 2024b).

***Liothrips bomiensis* Han, 1988**

Distribution. Tibet.

***Liothrips bournierorum* Han, 1993**

Distribution. Sichuan.

+ *Liothrips brevis* Dang & Qiao, 2024

Distribution. Guangxi, Yunnan (Dang et al., 2024b).

***Liothrips brevitubus* Karny, 1964**

Distribution. Taiwan.

+ *Liothrips dayulingensis* Wang & Lin, 2020

Distribution. Taiwan (Wang & Lin, 2020).

+ *Liothrips elongatus* Dang & Qiao, 2024

Distribution. Yunnan (Dang et al., 2024b).

***Liothrips fagraeae* Priesner, 1968**

Distribution. Sichuan.

***Liothrips floridensis* (Watson, 1913)**

Distribution. Fujian, Guangdong, Hainan, Taiwan.

+ *Liothrips hagai* Okajima, 2006

Distribution. Yunnan (Dang et al., 2024b).

+ *Liothrips heptapleuricola* (Takahashi, 1937)

Distribution. Taiwan*, Yunnan (Wang & Lin, 2020).

***Liothrips heptapleurinus* (Priesner, 1935)**

Distribution. Taiwan.

+ *Liothrips hsuae* Wang & Lin, 2020

Distribution. Taiwan (Wang & Lin, 2020).

***Liothrips kuwayamai* (Moulton, 1928)**

Distribution. Yunnan, Taiwan.

+ *Liothrips longistylus* Dang et Qiao, 2024

Distribution. Guangxi (Dang et al., 2024b).

+ *Liothrips minys* Ananthkrishnan, 1972

Distribution. Fujian, Shaanxi, Yunnan (Dang et al., 2024b).

+ *Liothrips mirabilis* (Schmütz, 1913)

Distribution. Southern China (Dang et al., 2024b).

Note. *Liothrips karnyi* (Bagnall, 1914) is a synonym of *L. mirabilis* (see Dang et al., 2024b).

+ *Liothrips miyazakii* Okajima, 2006

Distribution. Sichuan (Dang et al., 2024b).

+ *Liothrips mohanrami* Bhatti, Varatharajan & Singh, 2006

Distribution. Tibet (Dang et al., 2024b).

+ *Liothrips motuoensis* Dang & Qiao, 2024

Distribution. Tibet (Dang et al., 2024b).

+ *Liothrips pallipes* (Karny, 1913)

Distribution. Guangxi, Taiwan* (Wang & Lin, 2020).

Note. *Liothrips kuwanai* (Moulton, 1928) was recorded from Taiwan and synonymized with *L. pallipes* by Mound (2020).

+ *Liothrips piceae* Dang & Qiao, 2024

Distribution. Xinjiang (Dang et al., 2024b).

***Liothrips piperinus* Priesner, 1935**

Distribution. Fujian, Guangdong, Hainan, Taiwan, Yunnan*.

+ *Liothrips populi* Dang & Qiao, 2024

Distribution. Inner Mongolia (Dang et al., 2024b).

+ *Liothrips rohdeae* Okajima, 2006

Distribution. Sichuan (Dang et al., 2024b).

***Liothrips setinodis* (Reuter, 1880)**

Distribution. Sichuan, Guangxi*.

***Liothrips styracinus* Priesner, 1968**

Distribution. Fujian, Taiwan.

***Liothrips takahashii* (Moulton, 1928)**

Distribution. Taiwan, Yunnan*.

+ *Liothrips threobrevis* Moulton, 1928

Distribution. Hainan, Henan, Taiwan.

Note. A new name was proposed for *Gynaikothrips citricornis* Moulton by Wang and Lin (2020), and a replacement name for *citricornis* Moulton, a homonym of *citricornis* Hood.

+ *Liothrips tibetanus* Dang & Qiao, 2024

Distribution. Tibet (Dang et al., 2024b).

***Liothrips vaneeckeii* Priesner, 1920**

Distribution. Fujian, Guangdong, Guangxi, Hainan, Hubei, Heilongjiang, Jilin, Liaoning, Sichuan, Taiwan.

Note. Four *Liothrips* species, i.e. *L. chinensis* Han, *L. diwasabiae* Han, *L. sanxiaensis* Han and *L. sinarundinariae* Han synonymized with *L. vaneeckeii* by Dang et al. (2024b).

+ *Liothrips vitivorus* Priesner, 1935

Distribution. Taiwan (Wang & Lin, 2020).

Note. Replacement name for *claripennis* Moulton 1928 (see Dang et al., 2024b)

+ *Liothrips wasabiae* Haga & Okajima, 1983

Distribution. Northern China (Dang et al., 2024b).

+ Genus *Lissothrips* Hood, 1908

Note. Added by Cao et al. (2016) to the fauna of China.

+ *Lissothrips okajimai* Mound, 1989

Distribution. Hunan (Cao et al., 2016).

Genus *Litotetothrips* Priesner, 1929

Litotetothrips hainanensis Feng & Guo, 2004

Distribution. Hainan.

Litotetothrips pasaniae Kurosawa, 1937

Distribution. Taiwan.

Litotetothrips rotundus (Moulton, 1928)

Distribution. Hong Kong, Taiwan.

+ Genus *Macrophthalthrips* Karny, 1922

Note. Added by Wang & Zhao (2022) to the fauna of China.

+ *Macrophthalthrips splendidus* Ananthkrishnan, 1968

Distribution. Yunnan (Wang & Zhao, 2022).

Genus *Manothrips* Priesner, 1953

Manothrips fortis Priesner, 1953

Distribution. Fujian.

Genus *Medogothrips* Han, 1988

Medogothrips reticulatus Han, 1988

Distribution. Tibet.

Genus *Megalothrips* Uzel, 1895

Megalothrips roundus Guo, Cao & Feng, 2010

Distribution. Hubei.

+ Genus *Mesandrothrips* Priesner, 1933

Note. Added by Dang et al. (2020) to the fauna of China.

+ *Mesandrothrips acutisetis* Dang & Qiao, 2020

Distribution. Shaanxi (Dang et al., 2020).

+ *Mesandrothrips inquilinus* (Priesner, 1921)

Distribution. Guangdong*, Sichuan (Dang et al., 2020), Taiwan*.

+ *Mesandrothrips pictipes* (Bagnall, 1919)

Distribution. Jiangxi, Sichuan, Tibet, Yunnan (Dang et al., 2020), Hunan*, Guangdong*, Hainan*.

+ *Mesandrothrips subterraneus* (Crawford, 1938)

Distribution. Guangdong, Yunnan (Dang et al., 2020).

Genus *Mesothrips* Zimmermann, 1900***Mesothrips claripennis* Moulton, 1928**

Distribution. Guangdong, Guangxi*, Hainan, Taiwan, Yunnan*.

+ *Mesothrips jianfengi* Dang, Tong & Mound, 2024

Distribution. Xizang, Yunnan (Dang et al., 2024a).

***Mesothrips jordani* Zimmermann, 1900**

Distribution. Fujian, Guangdong, Guangxi*, Hainan, Hong Kong, Shaanxi*, Taiwan, Yunnan.

+ *Mesothrips longistylus* Dang, Tong & Mound, 2024

Distribution. Sichuan (Dang et al., 2024a).

***Mesothrips pycetes* Karny, 1916**

Distribution. Taiwan.

+ *Mesothrips vernicia* Dang, Tong & Mound, 2024

Distribution. Hubei, Sichuan (Dang et al., 2024a).

+ *Mesothrips vitripennis* Karny, 1922

Distribution. Guangdong, Guangxi*, Hainan, Hong Kong.

Note. *Mesothrips mouni* was synonymized with *M. vitripennis* by Dang et al. (2024a).

Genus *Mystrothrips* Priesner, 1949**+ *Mystrothrips levis* Zhao & Tong, 2017**

Distribution. Guangdong (Zhao & Tong, 2017a).

***Mystrothrips longantennus* Wang, Tong & Zhang, 2008**

Distribution. Guangdong, Hainan*, Yunnan.

+ *Mystrothrips reteanum* Shin & Woo, 1999

Distribution. Guangdong, Guangxi*, Taiwan*.

Note. *Mystrothrips flavidus* was synonymized with *M. reteanum* by Mound and Tree (2018).

Genus *Oidanothrips* Moulton, 1944***Oidanothrips frontalis* (Bagnall, 1914)**

Distribution. Gansu*, Guangxi*, Henan, Yunnan.

Note. *Oidanothrips notabilis* Feng, Guo & Duan, 2006 synonymized with *O. frontalis* by Dang et al. (2014).

***Oidanothrips taiwanus* Okajima, 1999**

Distribution. Guangdong*, Hainan*, Taiwan.

***Oidanothrips takasago* Okajima, 1999**

Distribution. Taiwan.

Genus *Okajimathrips* Bhatti, 1992***Okajimathrips kentingensis* (Okajima, 1986)**

Distribution. Taiwan.

+ Genus *Pentagonothrips* Haga & Okajima, 1979

Note. Added by Zhao & Tong (2017a) to the fauna of China.

+ *Pentagonothrips antennalis* Haga & Okajima, 1979

Distribution. Hubei, Hunan (Zhao & Tong, 2017a).

Genus *Phenicothrips* Bhatti, 1995***Phenicothrips callosae* Priesner, 1968**

Distribution. Guangdong, Hainan.

***Phenicothrips eugeniae* (Priesner, 1930)**

Distribution. Guangdong, Hainan.

***Phenicothrips siamensis* (Karny, 1923)**

Distribution. Taiwan.

Genus *Phylladothrips* Priesner, 1933**+ *Phylladothrips fasciae* Okajima, 1988**

Distribution. Xizang (Dang et al., 2023a).

***Phylladothrips pallidus* Okajima, 1988**

Distribution. Taiwan.

***Phylladothrips pictus* Okajima, 1988**

Distribution. Guangxi*, Taiwan.

+ *Phylladothrips trisetae* Dang & Mound, 2023

Distribution. Xizang (Dang et al., 2023a).

Genus *Plectrothrips* Hood, 1908**+ *Plectrothrips bicolor* Okajima, 1981**

Distribution. Guangdong (Zhao & Tong, 2017a).

***Plectrothrips corticinus* Priesner, 1935**

Distribution. Beijing, Taiwan, Yunnan*.

+ *Plectrothrips crassiceps* (Priesner, 1932)

Distribution. Beijing (Dang et al., 2014).

***Plectrothrips hiromasai* Okajima, 1981**

Distribution. Taiwan.

Genus *Plicothrips* Bhatti, 1979***Plicothrips apicalis* (Bagnall, 1915)**

Distribution. Taiwan, Yunnan*.

Genus *Podothrips* Hood, 1913**+ *Podothrips femoralis* Dang & Qiao, 2019**

Distribution. Fujian, Guangdong, Yunnan (Dang et al., 2019).

***Podothrips lucasseni* (Krüger, 1890)**

Distribution. Guizhou*, Taiwan.

***Podothrips luteus* Okajima, 1978**

Distribution. Taiwan.

***Podothrips odonaspicola* (Kurosawa, 1937)**

Distribution. Guangdong, Hubei*, Sichuan*, Taiwan.

Note. Repeated as a new record for China by Dang et al. (2019).

+ *Podothrips sasacola* Kurosawa, 1940

Distribution. Sichuan (Dang et al., 2019).

+ *Podothrips semiflavus* Hood, 1913

Distribution. Guangdong (Dang et al., 2019).

Genus *Praepodothrips* Priesner & Seshadri, 1953***Praepodothrips flavicornis* (Zhang, 1984)**

Distribution. Guangdong, Hainan.

+ *Praepodothrips priesneri* Ananthakrishnan, 1955

Distribution. Guangdong (Wang & Zhao, 2022).

***Praepodothrips yunnanensis* Zhang & Tong, 1993**

Distribution. Yunnan.

Genus *Preeriella* Hood, 1939***Preeriella armigera* Okajima, 1998**

Distribution. Taiwan.

***Preeriella formosana* Okajima, 1998**

Distribution. Taiwan.

***Preeriella parvula* Okajima, 1978**

Distribution. Fujian*, Guangdong, Yunnan.

Genus *Psalidothrips* Priesner, 1932***Psalidothrips amens* Priesner, 1932**

Distribution. Guangdong, Hainan.

+ *Psalidothrips angustus* Zhao, Zhang & Tong, 2018

Distribution. Guangdong, Hainan (Zhao et al., 2018b).

Psalidothrips armatus Okajima, 1983

Distribution. Guangdong, Hainan.

Psalidothrips ascitus (Ananthakrishnan, 1969)

Distribution. Guangdong, Guizhou, Hainan, Hubei*, Hunan*, Jiangxi*, Yunnan, Taiwan.

Psalidothrips bicoloratus Wang, Tong & Zhang, 2007

Distribution. Guangdong.

Psalidothrips chebalingicus Zhang & Tong, 1997

Distribution. Guangdong, Hainan*, Hunan*, Jiangxi*.

+ *Psalidothrips comosus* Zhao, Zhang & Tong, 2018

Distribution. Guangdong (Zhao et al., 2018b).

+ *Psalidothrips consimilis* Okajima, 1992

Distribution. Guangdong (Zhao et al., 2018b).

Psalidothrips elagatus Wang, Tong & Zhang, 2007

Distribution. Guangdong.

+ *Psalidothrips fabarius* Zhao, Zhang & Tong, 2018

Distribution. Guangdong (Zhao et al., 2018b).

+ *Psalidothrips latizonus* Zhao, Zhang & Tong, 2018

Distribution. Guangdong, Hainan (Zhao et al., 2018b).

Psalidothrips lewisi (Bagnall, 1914)

Distribution. Guangdong, Guizhou*, Hainan, Hunan*, Jiangxi*, Shandong*, Yunnan*.

Psalidothrips longidens Wang, Tong & Zhang, 2007

Distribution. Guangdong.

+ *Psalidothrips nigroterminatus* Zhao, Zhang & Tong, 2018

Distribution. Hainan, Yunnan (Zhao et al., 2018b).

Psalidothrips simplus Haga, 1973

Distribution. Guangdong, Guizhou, Hainan, Hubei*, Hunan*, Jiangxi*, Yunnan*.

Genus *Psephenothrips* Reyes, 1994

+ *Psephenothrips baiheensis* Wang & Lin, 2020

Distribution. Taiwan (Wang & Lin, 2020).

+ *Psephenothrips cymbidas* Wang & Lin, 2020

Distribution. Taiwan (Wang & Lin, 2020).

+ *Psephenothrips eriobotryae* Dang & Qiao, 2021

Distribution. Sichuan (Dang et al., 2021b).

+ *Psephenothrips leptoceras* Okajima, 2006

Distribution. Taiwan*, Yunnan (Dang & Qiao, 2014; Wang & Lin, 2020).

***Psephenothrips machili* (Moulton, 1928)**

Distribution. Taiwan.

Genus *Pygmaethrips* Karny, 1920***Pygmaethrips angusticeps* (Hood, 1908)**

Distribution. Hainan*, Taiwan.

+ Genus *Sinuothrips* Collins, 2000

Note. Added by Dang and Qiao (2013b) to the fauna of China.

+ *Sinuothrips hasta* Collins, 2000

Distribution. Inner Mongolia (Dang & Qiao, 2013b).

Genus *Sophiothrips* Hood, 1934***Sophiothrips nigrus* Ananthkrishnan, 1971**

Distribution. Guangdong*, Hunan*, Taiwan.

***Sophiothrips typicus* (Ananthkrishnan, 1964)**

Distribution. Taiwan.

Genus *Stephanothrips* Trybom, 1913**+ *Stephanothrips austrinus* Tong & Zhao, 2017**

Distribution. Guangdong, Jiangxi (Tong & Zhao, 2017).

***Stephanothrips formosanus* Okajima, 1976**

Distribution. Taiwan.

***Stephanothrips japonicus* Saikawa, 1974**

Distribution. Fujian, Guangdong, Guizhou, Hunan, Hubei*, Jiangxi*, Shandong*, Taiwan, Yunnan*, Zhejiang*.

***Stephanothrips kentingensis* Okajima, 1976**

Distribution. Guangdong, Taiwan.

***Stephanothrips occidentalis* Hood & Williams, 1925**

Distribution. Guangdong, Hainan*, Taiwan, Yunnan.

Genus *Streptothrips* Hood, 1934***Streptothrips orientalis* Ananthkrishnan, 1964**

Distribution. Guangdong*, Taiwan.

+ Genus *Streptothrips* Priesner, 1932

Note. Added by Dang et al. (2014) to the fauna of China.

+ *Streptothrips tibialis* Priesner, 1932

Distribution. Guangxi (Dang et al., 2014).

Genus *Terthrothrips* Karny, 1925

+ *Terthrothrips ananthakrishmani* Kudô, 1978

Distribution. Fujian (Cao et al., 2012), Jiangxi*.

Terthrothrips apterus Kudô, 1978

Distribution. Guangdong, Guizhou, Hunan.

+ *Terthrothrips levigatus* Zhao & Tong, 2017

Distribution. Guangdong (Zhao & Tong, 2017b).

Terthrothrips palmatus Wang & Tong, 2011

Distribution. Hainan, Yunnan.

Terthrothrips parvus Okajima, 2006

Distribution. Guangdong, Guizhou*, Hainan, Taiwan*, Yunnan*.

+ *Terthrothrips strasseni* Dang, Mound & Qiao, 2014

Distribution. Guangdong, Guizhou, Hainan, Yunnan (Zhao & Tong, 2017b).

+ *Terthrothrips trigonius* Zhao & Tong, 2017

Distribution. Guangdong, Guizhou, Hunan (Zhao & Tong, 2017b).

+ **Genus *Teuchothrips* Hood, 1919**

Note. Added by Dang et al. (2024b) to the fauna of China.

+ *Teuchothrips fuscus* (Steinweden & Moulton, 1930)

Distribution. Zhejiang (Dang et al., 2024b).

Note. *Liothrips fuscus* transferred to the genus *Teuchothrips* as a new combination (Dang et al., 2024b).

+ *Teuchothrips turkestanicus* (John, 1928)

Distribution. Inner Mongolia, Ningxia.

Note. *Liothrips turkestanicus* transferred to the genus *Teuchothrips* as a new combination (Dang et al., 2024b).

+ **Genus *Urothrips* Bagnall, 1909**

Note. Dang and Qiao (2012c) added *Coxothrips* Bournier to the fauna of China, and then it was synonymized with *Urothrips* by Ullitzka & Mound (2014).

+ *Urothrips calvus* Tong & Zhao, 2017

Distribution. Jiangxi (Tong & Zhao, 2017).

+ *Urothrips gibberosa* (Kudô, 1989)

Distribution. Tibet (Dang & Qiao, 2012c).

Note. This species was recorded from China as *Coxothrips gibberosa* (Kudô) by Dang and Qiao (2012c) and was synonymized by Ullitzka & Mound (2014).

+ *Urothrips lancangensis* Zhao & Tong, 2017

Distribution. Yunnan (Zhao & Tong, 2017a).

+ *Urothrips probolus* Lu & Wang, 2019

Distribution. Yunnan (Lu & Wang, 2019).

+ *Urothrips tarai* (Stannard, 1970)

Distribution. Guangdong*, Hainan*, Yunnan (Dang & Qiao, 2012c).

Note. This species was recorded from China as *Coxothrips tarai* (Stannard) by Dang and Qiao (2012c), and synonymized by Ulitzka and Mound (2014).

Genus *Veerabahuthrips* Ramakrishna, 1932

***Veerabahuthrips longicornis* Okajima, 1978**

Distribution. Fujian.

Genus *Xylaplothrips* Priesner, 1928

***Xylaplothrips inquilinus* (Priesner, 1921)**

Distribution. Fujian, Guangdong, Hainan, Taiwan, Yunnan.

***Xylaplothrips pictipes* (Bagnall, 1919)**

Distribution. Yunnan.

DISCUSSION

China is one of 17 megadiverse countries lying in two of the world's major biogeographic realms: the Palaearctic and the Indomalayan (Zhen, 1960; Zhang, 1998). By one measure, China has over 34,687 species of animals and vascular plants, making it the third-most biodiverse country in the world after Brazil and Colombia (Anonymous, 2024b). In China, the resulting diversity of biomes, from the cold northern forests and grasslands to the rich tropical forests of the south and the extensively dissected topography of the southwest, supports a highly diverse flora and fauna. This diversity is clearly reflected in the Thysanoptera fauna, with a few endemics (Li et al., 2018c), but European taxa in the north (Mirab-balou et al., 2014d), Asian taxa in the south (Li et al. 2018b), and several from Australia reported from southern China. Fortunately, in the past 10 years, many additional taxa have been newly recorded or described for this country (Table 1). In total, according to the latest statistics of thrips species in China, which is 816 species, it includes about 12.6% of all species of thrips in the world.

Table 1. The number of taxa and their events in China (including Taiwan), 2011 to 2024.

Suborder	Family	Subfamily	No. Genera		No. species		New record			New taxa		Syn. taxa	Comb. taxa	Deleted taxa	
			2011	2024	2011	2024	Family	genus	species	genus	species				
Terebrantia 116 genera 443 species	Aeolothripidae	-	3	6	18	24	0	+3	+2	0	+4	0	0	0	
	Melanthripidae	-	1	1	2	3	0	0	+1	0	0	0	0	0	
	Merothripidae	-	1	1	3	3	0	0	0	0	0	0	0	0	
	Stenurothripidae	-	0	1	0	1	+1	+1	+1	0	0	0	0	0	
	Thripidae 107 genera 412 species	Dendrothripinae		3	6	15	25	0	+3	+7	0	+5	0	0	-2
		Panchaethripinae		13	18	32	47	0	+4	+11	+1	+7	-2	0	-1
Sericothripinae			3	3	27	37	0	0	+4	0	+7	0	0	-1	
	Thripinae		55	80	216	303	0	+29	65	0	+45	-16	-11	-4	
Tubulifera 90 genera 373 species	Phlaeothripidae	Idolothripinae	18	22	59	82	0	+4	+23	0	+6	-5	-1	-4	
		Phlaeothripinae	58	68	194	291	0	+11	+30	0	+60	-19	-7	-6	
TOTAL	6	6	155	206	566	816	+1	+55	+144	+1	+134	-42	-19	-18	

Globally, the order Thysanoptera comprises 6,458 species in 788 genera, but the diversity in China shares ~12.6% of the global thrips diversity. In total, 816 species in 206 genera within two suborders, six families and six subfamilies. According to this updated checklist, the family Thripidae is the most diverse, with 412 species. Within this family, the richest genera are *Thrips* with 44 species, followed by *Stenchaetothrips* with 23 species, *Mycterothrips* with 18 species and *Trichromothrips* with 17 species. Regarding the *Thrips* genus, which has the most species in China, compared to the Japanese thrips fauna, only 39% of Japanese species have been reported in China (Masumoto & Okajima, 2019), but compared to Indian thrips fauna, about 56% of Indian species have been reported from this country (Tyagi et al., 2024). Considering that a part of China is located in the Palaearctic region, compared to a country like Iran, about 36% of the *Thrips* species in both countries are similar (Mirab-balou, 2018). The family Phlaeothripidae currently comprises more than 3,700 species worldwide and is the richest group in the order (ThripsWiki, 2023). In China, about 10% of this family has been recorded, showing a small number of the species. In this family, the richest genera are *Liothrips*, with 34 species, followed by *Haplothrips*, with 21 species and *Bamboosiella*, with 18 species. The family Aeolothripidae is represented by 24 species in six genera in China. This family includes facultative or obligatory predatory species, such as those in the genera *Franklinothrips* and *Aeolothrips* (Mound & Marullo, 1996). The most species have been recorded from Taiwan, with 292 records, followed by Yunnan, with 273 records, and Guangdong, with 237 records (Table 2).

Table 2. The number of thrips species recorded from China (provinces and autonomous regions).

Localities	No. Species	Localities	No. Species
Anhui	3	Shanxi	5
Fujian	113	Shandong	22
Gansu	24	Sichuan	78
Guangdong	237	Yunnan	273
Guizhou	65	Zhejiang	50
Hainan	198	Guangxi	87
Hebei	20	Inner Mongolia	48
Heilongjiang	9	Ningxia	33
Henan	31	Tibet or Xizang	41
Hubei	36	Xinjiang	15
Hunan	52	Beijing	27
Jiangsu	30	Chongqing	6
Jiangxi	41	Shanghai	1
Jilin	7	Tianjin	0
Liaoning	8	Taiwan	292
Qinghai	5	Hong Kong	11
Shaanxi	39		

AUTHOR'S CONTRIBUTION

The author confirms his contribution to the whole processing steps in the research, conceptualization, collecting the specimens, and manuscript preparation. He read and approved the final version of the manuscript.

FUNDING

This research received no specific grant from any funding agencies.

AVAILABILITY OF DATA AND MATERIAL

Some of the specimens examined in this study are deposited in the collection of the Department of Plant Protection, College of Agriculture, Ilam University, Iran (ILAMU) and are available from the curator upon request. The type specimens are preserved in the collections and museums, whose names are mentioned in the cited papers.

ETHICS APPROVAL AND CONSENT TO PARTICIPATE

This study only included arthropod material, and all required ethical guidelines for the treatment and use of animals were strictly adhered to in accordance with international, national, and institutional regulations. No human participants were involved in any studies conducted by the authors for this article.

CONSENT FOR PUBLICATION

Not applicable.

CONFLICT OF INTERESTS

The author declares that there is no conflict of interest regarding the publication of this paper.

ACKNOWLEDGMENTS

I wish to express my heartfelt thanks to all professors, experts, researchers, and students for their invaluable contributions to the research on Thysanoptera in China. This paper is dedicated to Professor Wei-qiu ZHANG, Emeritus Professor of Entomology at South China Agricultural University (SCAU), who has worked on Thysanoptera in China since 1980 (for four decades) and he has collected and identified a large number of thrips in SCAU; he died on 27 June 2019 at the age of 88; and to Professor Xiao-li TONG, retired Professor of Entomology at South China Agricultural University; who has also worked on Thysanoptera and Ephemeroptera in China since 1988 (for 36 years), and he has collected and identified a large number of thrips and mayflies in SCAU. I would like to thank Prof. Xue-xin Chen from Zhejiang University, Prof. Shu-Jun Wei and Prof. Hong Lu from the Institute of Plant and Environmental Protection, Beijing Academy of Agricultural and Forestry Sciences, China, for their support, and I am grateful to Dr L.A. Mound (Australian National Insect Collection, CSIRO, Canberra), Prof. Xiao-li Tong (SCAU), Dr. Hongrui Zhang and Yajin Li (Yunnan Agricultural University, Kunming, China), for their supplying some references; and Dr Ehsan Rakhshani (Professor at the Department of Plant Protection, College of Agriculture, University of Zabol, Iran) for his useful comments on the earlier draft. The author would like to thank to the anonymous reviewers for their valuable comments on the manuscript. Sincere thanks to the subject editor, Prof. Kambiz Minaei (Department of Entomology, College of Agriculture, Shiraz University, Iran).

REFERENCES

- Anonymous (2024a) "Administrative Division". State Council of the People's Republic of China. Available from: https://en.wikipedia.org/wiki/China#cite_note-225 [Accessed December 19, 2022]
- Anonymous (2024b) Countries with highest biological diversity archived. Available from: https://worldrainforests.com/03highest_biodiversity.htm [Accessed May 10, 2024]
- Bhatti, J.S. (1989) The classification of Thysanoptera into families. *Zoology (Journal of Pure and Applied Zoology)*, 2 (1), 1–23.
- Bhatti, J.S. (1990) Family group names in the order Terebrantia. *Zoology (Journal of Pure and Applied Zoology)*, 2, 185–192.
- Cao, S.J. & Feng, J.N. (2011) A newly recorded species of the genus *Cephalothrips* Uzel (Thysanoptera: Phlaeothripidae) from China. *Entomotaxonomia*, 33, 192–194.
- Cao, S.J., Guo, F.Z. & Feng, J.N. (2011) A newly recorded genus and a new species of *Loyolaia* Ananthakrishnan (Thysanoptera: Phlaeothripidae) from China. *Transactions of the American Entomological Society*, 137, 359–362.
- Cao, S.J., Xian, X.Y. & Feng, J.N. (2012) A newly recorded species of the genus *Terthrothrips* Karny (Thysanoptera, Phlaeothripidae) from China. *Acta Zootaxonomica Sinica*, 37, 236–238.
- Cao, S.J., Zhang, W.T. & Feng, J.N. (2016) Genus *Lissothrips* Hood (Thysanoptera: Phlaeothripidae) newly recorded from China, with a checklist of known species worldwide. *Entomotaxonomia*, 38, 248–252.
- Cui, Y. & Wang, J. (2019) The genus *Anaphothrips* (Thysanoptera, Thripidae) in China, with three new species. *Zootaxa*, 4700, 246–258. <https://doi.org/10.11646/zootaxa.4700.2.4>
- Cui, Y., Xi, J. & Wang, J. (2017a) The genus *Anaphothrips* with one new species from China (Thysanoptera, Thripidae). *ZooKeys*, 668, 49–59. <https://doi.org/10.3897/zookeys.668.12376>
- Cui, Y., Xi, J. & Wang, J. (2017b) Female polymorphism in *Chilothrips strobilus* (Thysanoptera: Thripidae), with the first description of the male. *Zootaxa*, 4358, 193–196. <https://doi.org/10.11646/zootaxa.4358.1.11>

- Cui, Y., Lee, G.S. & Wang, J. (2019) *Taeniothrips changbaiensis* sp. n. (Thysanoptera, Thripidae) living on the leaves of a Poaceae species in China. *Zootaxa*, 4559, 314–320. <https://doi.org/10.11646/zootaxa.4559.2.5>
- Dang, L.H. & Mound, L.A. (2023) Sexual dimorphism of feeding stylets in some Thysanoptera – Phlaeothripinae, with description of two new species of *Haplothrips* from China. *ZooKeys*, 1176, 29–36. <https://doi.org/10.3897/zookeys.1176.105751>
- Dang, L.H. & Qiao, G.X. (2012a) The genus *Bactrothrips* in China (Thysanoptera: Idolothripinae): morphological and molecular data, and a key with two new species. *Zootaxa*, 3449, 47–61. <https://doi.org/10.11646/zootaxa.3449.1.3>
- Dang, L.H. & Qiao, G.X. (2012b) The genus *Meiothrips* Priesner (Thysanoptera, Phlaeothripidae, Idolothripinae) with a key and a new species from China. *ZooKeys*, 177, 59–68. <https://doi.org/10.3897/zookeys.177.2695>
- Dang, L.H. & Qiao, G.X. (2012c) First record of the genus *Coxothrips* Bournier from China with two new record species (Thysanoptera, Phlaeothripidae, Phlaeothripinae). *Acta Zootaxonomica Sinica*, 37, 889–893.
- Dang, L.H. & Qiao, G.X. (2013a) Review of the spore-feeding Idolothripinae from China (Thysanoptera, Phlaeothripidae). *ZooKeys*, 345, 1–28. <https://doi.org/10.3897/zookeys.345.6167>
- Dang, L.H. & Qiao, G.X. (2013b) First record of the genus *Sinuothrips* Collins in Phlaeothripinae (Thysanoptera, Phlaeothripidae) from China. *Acta Zootaxonomica Sinica*, 38, 427–431.
- Dang, L.H. & Qiao, G.X. (2014) Key to the fungus-feeder Phlaeothripinae species from China (Thysanoptera: Phlaeothripidae). *Zoological Systematics*, 39, 313–358. <http://159.226.67.68/EN/10.11865/zs20140301>
- Dang, L.H. & Qiao, G.X. (2016) Species of the Poaceae-associated genus *Bamboosiella* (Thysanoptera, Phlaeothripidae) from China, with three new species. *Zootaxa*, 4184, 541–522. <https://doi.org/10.11646/zootaxa.4184.3.8>
- Dang, L.H., Mound, L.A. & Qiao, G.X. (2013a) Leaf-litter thrips of the genus *Adraneothrips* from Asia and Australia (Thysanoptera, Phlaeothripinae). *Zootaxa*, 3716, 001–021. <http://dx.doi.org/10.11646/zootaxa.3716.1.1>
- Dang, L.H., Mound, L.A. & Qiao, G.X. (2013b) New records and nomenclatural changes among spore-feeding thrips from China (Thysanoptera, Phlaeothripidae, Idolothripinae). *Acta Zootaxonomica Sinica*, 38, 657–660.
- Dang, L.H., Mound, L.A. & Qiao, G.X. (2014) Conspectus of the Phlaeothripinae genera from China and Southeast Asia (Thysanoptera, Phlaeothripidae). *Zootaxa*, 3807, 1–82. <https://doi.org/10.11646/zootaxa.3807.1.1>
- Dang, L.H., Zhao, L., Wang, X. & Qiao, G.X. (2019) Review of *Podothrips* from China (Thysanoptera, Phlaeothripidae), with one new species and three new records. *ZooKeys*, 882, 41–49. <https://doi.org/10.3897/zookeys.882.39029>
- Dang, L.H., Zhao, L.P., Xie, D.L., Zhao, L. & Qiao, G.X. (2020) Studies on the genus *Mesandrothrips* from China, with a new species (Thysanoptera: Phlaeothripinae: Haplothripini). *Zootaxa*, 4816, 123–128. <https://doi.org/10.11646/zootaxa.4816.1.9>
- Dang, L.H., Zhao, L.P., Li, Y.Q. & Wang, X. (2021a) *Bolothrips bicolor* (Heeger) (Thysanoptera: Idolothripinae): a genus and species newly recorded from China. *Zoological Systematics*, 46, 264–268. <https://doi.org/10.11865/zs.2021308>
- Dang, L.H., Zhao, L.P., Li, Y.Q. & Qiao, G.X. (2021b) Studies on the genus *Psephenothrips* Reyes from China (Thysanoptera, Phlaeothripinae), with one new species. *ZooKeys*, 1029, 113–121. <https://doi.org/10.3897/zookeys.1029.64531>
- Dang, L.H., Zhao, L.P., Li, Y.Q. & Qiao, G.X. (2022) The genus *Apterygothrips* Priesner (Thysanoptera, Phlaeothripinae, Haplothripini) from China, with one new species. *ZooKeys*, 1112, 1–9. <https://doi.org/10.3897/zookeys.1112.85902>
- Dang, L.H., An, Y.Y., Okajima, S. & Mound, L.A. (2023a) Taxonomic review of the Oriental genus *Phylladothrips* Priesner (Thysanoptera, Phlaeothripidae). *ZooKeys*, 1185, 241–253. <https://doi.org/10.3897/zookeys.1185.113895>
- Dang, L.H., Li, Y.Y., Mound, L.A. & Qiao, G.X. (2023b) The Oriental fungus-feeding genus *Azaleothrips* Ananthakrishnan, 1964 from China with one new species and four new records (Thysanoptera, Phlaeothripidae, Phlaeothripinae). *ZooKeys*, 1183, 219–231. <https://doi.org/10.3897/zookeys.1183.113182>
- Dang, L.H., Mound, L.A. & Zhang, H.R. (2023c) Review of the genus *Gigantothrips* Zimmermann from China and Southeast Asia (Thysanoptera, Phlaeothripidae, Phlaeothripinae). *ZooKeys*, 1169, 221–234. <https://doi.org/10.3897/zookeys.1169.106733>
- Dang, L.H., Guo, F.Z., An, Y.Y. & Mound, L.A. (2023d) Ant-mimicking thrips of the genus *Compsothrips* Reuter from China (Phlaeothripidae, Idolothripinae). *Zootaxa*, 5353, 187–195. <https://doi.org/10.11646/zootaxa.5353.2.8>

- Dang, L.H., Tong, X.L. & Mound, L.A. (2024a) New synonymy among gall thrips of the Asian genus *Mesothrips*, with revision of species from China (Thysanoptera, Haplothripini). *ZooKeys*, 1196, 121–138. <https://doi.org/10.3897/zookeys.1196.118131>
- Dang, L.H., An, Y.Y., Mound, L.A. & Qiao, G.X. (2024b) Leaf-feeding species of the genus *Liothrips* from China (Thysanoptera, Phlaeothripinae). *Zootaxa*, 5419, 053–084. <https://doi.org/10.11646/zootaxa.5419.1.2>
- Elie, N., Li, Y.J., Xie, Y.L., Zhou, Y.L. & Zhang, H.R. (2021) Checklist of the suborder Terebrantia (Thysanoptera): generic diversity and species composition in Xishuangbanna, Yunnan Province, China. *Biodiversity Data Journal*, 9, e72670. <https://doi.org/10.3897/BDJ.9.e72670>
- Feng, Q.J. & Tong, X.L. (2021) First record of an extant species of the family Stenurothripidae from China (Insecta: Thysanoptera). *Zootaxa*, 5040, 448–450. <https://doi.org/10.11646/zootaxa.5040.3.9>
- Feng, Q.J., Wang, J. & Tong, X.L. (2021) *Neohydathrips* from China, with one new species and one new record (Thysanoptera: Thripidae). *Zootaxa*, 5057, 562–570. <https://doi.org/10.11646/zootaxa.5057.4.6>
- Guo, F.Z., Cao, S.J. & Feng, J.N. (2014) The genus *Bolothrips* (Thysanoptera: Idolothripinae), a new record to China, with two new record species. *Entomotaxonomia*, 36, 90–96.
- Hu, Q.L. & Feng, J.N. (2011a) First descriptions of male and macropterous female of *Ctenothrips smilax* (Thysanoptera: Thripidae) Bhatti from China. *Transactions of the American Entomological Society*, 137, 179–184. <https://doi.org/10.3157/061.137.0108>
- Hu, Q.L. & Feng, J.N. (2011b) Two newly recorded genera of the subfamily Thripidae Stephens from China with revision of genus *Apterothrips* Bagnall. *Acta Zootaxonomica Sinica*, 36, 865–870.
- Hu, Q.L. & Feng, J.N. (2013a) A newly recorded species in China, *Ctenothrips niger* Kudô (Thysanoptera: Thripidae), and the first description of its male. *Turkish Journal of Zoology*, 37, 381–384. <https://doi.org/10.3906/zoo-1203-14>
- Hu, Q.L. & Feng, J.N. (2013b) A newly recorded genus *Rhaphidothrips* Uzel in China and its only species (Thysanoptera: Thripidae). *Acta Zootaxonomica Sinica*, 38, 432–435.
- Hu, Q.L. & Feng, J.N. (2014) A new species of *Ctenothrips* Franklin, 1907 (Thysanoptera: Thripidae) from China. *Entomotaxonomia*, 36, 261–266. <https://doi.org/10.11680/entomotax.2015036>
- Hu, Q.L. & Feng, J.N. (2015) A new species of *Chilothrips* Hood, 1916 (Thysanoptera: Thripidae) from China. *Entomotaxonomia*, 37, 1–4. <https://doi.org/10.11680/entomotax.2015036>
- Hu, Q.L. & Feng, J.N. (2016) A bamboo-inhabiting species *Stenchaetothrips banhongensis* sp. nov. (Thysanoptera: Thripidae) from Southwestern China. *Entomotaxonomia*, 38, 243–247. <https://doi.org/10.11680/entomotax.2016042>
- Hu, Q.L. & Feng, J.N. (2017) A new species in the genus *Odonthrips* Amyot & Serville, 1843 (Thysanoptera: Thripidae) from China. *Entomotaxonomia*, 39, 176–180. <https://doi.org/10.11680/entomotax.2017022>
- Hu, Q.L. & Feng, J.N. (2018) A new species in the genus *Hydatothrips* Karny, 1913 (Thysanoptera: Thripidae) from Hainan, China. *Entomotaxonomia*, 40, 310–313. <https://doi.org/10.11680/entomotax.2018032>
- Hu, Q.L. & Feng, J.N. (2019) A new species of genus *Meglurothrips* Bagnall, 1915 (Thysanoptera: Thripidae) from Hainan Island of China. *Pakistan Journal of Zoology*, 51, 379–381. <https://doi.org/10.17582/journal.pjz/2019.51.1.SC7>
- Hu, Q.L., Zhao, K.X. & Feng, J.N. (2012a) A newly recorded species of *Limothrips* Haliday (Thysanoptera, Thripidae) from China. *Acta Zootaxonomica Sinica*, 37, 668–670.
- Hu, Q.L., Mirab-balou, M., Chen, X.X. & Feng, J.N. (2012b) A new species and two new synonyms from China in the genus *Odonthrips* (Thysanoptera: Thripidae). *Zootaxa*, 3259, 58–63. <https://doi.org/10.11646/zootaxa.3259.1.4>
- Lewis, T. (1997) *Thrips as Crop Pests*. CAB International, Wallingford. Xii + 740 p.
- Li, Y.J. & Zhang, H.R. (2022) Five new species and two new records of *Mycterothrips* (Thysanoptera: Thripidae) from Southern China. *Zootaxa*, 5214, 544–556. <https://doi.org/10.11646/zootaxa.5214.4.4>
- Li, Y.J. & Zhang, H.R. (2024) Two new species of *Lefroyothrips* (Thysanoptera: Thripinae) from China. *Zootaxa*, 5489 (1), 092–098. <https://doi.org/10.11646/zootaxa.5489.1.5>
- Li, Y.J., Xie, Y.H. & Zhang, H.R. (2016a) First description of the male of *Yaobinthrips yangtzei* (Thysanoptera: Thripidae). *Zootaxa*, 4066, 083–084. <https://doi.org/10.11646/zootaxa.4066.1.8>
- Li, Y.J., Xie, Y.H. & Zhang, H.R. (2016b) A new species of *Danothrips* from Southwestern China (Thysanoptera: Thripidae). *Zootaxa*, 4161, 116–118. <http://doi.org/10.11646/zootaxa.4161.1.4>
- Li, Y.J., Li, Z.Y. & Zhang, H.R. (2017) Two new species of *Mycterothrips* (Thysanoptera: Thripidae) from Southwestern China. *Zootaxa*, 4353, 371–377. <https://doi.org/10.11646/zootaxa.4353.2.8>

- Li, Y.J., Xie, Y.H., Zhang, H.R. & Li, Z.Y. (2018a) *Amomothrips* Bhatti, a newly recorded genus of Thripinae from China (Thysanoptera: Thripidae). *Zoological Systematics*, 43, 211–214. <https://doi.org/10.11865/zs.201819>
- Li, Y.J., Xie, Y.H., Zhang, H.R. & Li, Z.Y. (2018b) A newly recorded genus of *Anaphothrips* genus-group from China. *Journal of Yunnan Agricultural University (Natural Science)*, 33, 371–375.
- Li, Y.J., Li, Z.Y. & Zhang, H.R. (2018c) A new Panchaetothripinae genus and species, also a newly recorded genus, from Southwestern China (Thysanoptera: Thripidae). *Zootaxa*, 4394, 235–242. <https://doi.org/10.11646/zootaxa.4394.2.6>
- Li, Y.J., Li, Z.Y. & Zhang, H.R. (2018d) A new species and two new records of *Rhamphothrips* (Thysanoptera: Thripidae) from Southwestern China. *Zootaxa*, 4446, 397–400 <https://doi.org/10.11646/zootaxa.4446.3.6>
- Li, Y.J., Li, Z.Y. & Zhang, H.R. (2019) *Trichomothrips* genus-group (Thysanoptera, Thripidae) from China, with descriptions of three new species and ten new records. *Zootaxa*, 4544, 079–092. <https://doi.org/10.11646/zootaxa.4544.1.3>
- Li, Y.J., Yuan, S. & Zhang, H.R. (2020) *Filicopsothrips* genus recorded from China, with a description of a new species (Thysanoptera: Thripidae). *Zootaxa*, 4845, 297–300. <https://doi.org/10.11646/zootaxa.4845.2.12>
- Li, Y.J., Liu, Z. & Zhang, H. (2021) *Rhamphothrips* genus-group in China, with description of two new species and two new records (Thysanoptera: Thripidae). *Zootaxa*, 5039, 425–432. <https://doi.org/10.11646/zootaxa.5039.3.7>
- Li, Y.J., Elie, N., Liu, H. & Zhang, H.R. (2022a) *Aduncothrips* newly recorded from China, with three new species and a new generic synonym (Thysanoptera: Aeolothripidae). *Zootaxa*, 5141, 49–59. <https://doi.org/10.11646/zootaxa.5141.1.4>
- Li, Y.J., Mound, L.A., Xie, Y.L. & Zhang, H.R. (2022b) Species of *Astrothrips* from China, with one new species and a list of plant associations (Thysanoptera, Panchaetothripinae). *Zootaxa*, 4920, 267–277. <https://doi.org/10.11646/zootaxa.4920.2.7>
- Li, S.L., Song, Z.D., Cheng, F.G., Mao, R.Q. & Wang, Z.H. (2022c) First description of males of *Ensiferothrips wallacei* Mound & Tree (Thripidae: Dendrothripinae) with variation in fore wing setae. *Zootaxa*, 5174, 444–446. <https://doi.org/10.11646/zootaxa.5174.4.7>
- Li, Y.J., Tong, X.L., & Zhang, H.R. (2023) The genus *Nandithrips* (Thysanoptera: Thripidae), with a new species from Southern China. *Zootaxa*, 5277, 395–400. <https://doi.org/10.11646/zootaxa.5277.2.10>
- Li, Y.Q., Zhao, L.P., Li, C.W. & Dang, L.H. (2022) Review of the genus *Ophthalmothrips* Hood (Thysanoptera: Phlaeothripidae) from China, with a new species. *Zoological Systematics*, 47, 305–312. <https://doi.org/10.11865/zs.2022403>
- Li, Y.Y., Li, Z.Y. & Zhang, H.R. (2017) One genus and two species of Thripinae newly recorded from China (Thysanoptera: Thripidae). *Annals of Biological Sciences*, 5, 54–57.
- Liu, H., Mound, L.A. & Zhang, H.R. (2020) *Streothrips jianshuiensis* sp. n., a tropical addition to the Aeolothripidae fauna of China (Thysanoptera). *Zootaxa*, 4819, 001–005. <https://doi.org/10.11646/zootaxa.4819.1.1>
- Lu, Y. & Wang, J. (2019) A new species of *Urothrips* (Thysanoptera, Phlaeothripidae) from canopy of monsoon forest in China. *Zootaxa*, 4614, 191–194. <https://doi.org/10.11646/zootaxa.4614.1.11>
- Man, W.M. & Feng, J.N. (2015) A new species of *Stenchaetothrips* Bagnall (Thysanoptera: Thripidae) from China. *Entomotaxonomia*, 37, 253–256. <https://doi.org/10.11680/entomotax.2015041>
- Masumoto, M. & Okajima, S. (2013) Review of the genus *Thrips* and related genera (Thysanoptera, Thripidae) from Japan. *Zootaxa*, 3678, 001–065. <https://doi.org/10.11646/zootaxa.3678.1.1>
- Masumoto, M. & Okajima, S. (2019) Three new species of the genus *Thrips* (Thysanoptera, Thripidae) in Japan. *Zootaxa*, 4614 (3), 575–584. <https://doi.org/10.11646/zootaxa.4614.3.9>
- Masumoto, M. & Okajima, S. (2020) The genus *Parabaliouthrips* Priesner (Thysanoptera, Thripidae) with three new species from Japan and Taiwan, and two new records of related genera from Japan. *Zootaxa*, 4838, 566–580. <https://doi.org/10.11646/zootaxa.4838.4.8>
- Minaei, K. & Mound, L.A. (2014) Thysanoptera disjunct distribution between western America and the Mediterranean with a new *Psilothrips* species (Thripidae) from Iran. *Dtsch. Entomol. Z.* 62 (1), 1–7. <https://doi.org/10.3897/dez.62.8563>
- Mirab-balou, M. (2015) A newly recorded species of the genus *Limothrips* (Thysanoptera: Thripidae) in China, with a key to Chinese species. *Journal of Insect Biodiversity and Systematics*, 1, 55–60.
- Mirab-balou, M. (2018) An updated checklist of Iranian thrips (Insecta: Thysanoptera). *Far Eastern Entomologist*, 361, 12–36. <https://doi.org/10.25221/fee.361.2>
- Mirab-balou, M. & Tong, X.L. (2012a) First record of *Franklinothrips vespiformis* (Crawford, 1909) (Thysanoptera: Aeolothripidae) from mainland China. *Far Eastern Entomologist*, 249, 5–7.

- Mirab-balou, M. & Tong, X.L. (2012b) A new species and a new record of the genus *Pezothrips* Karny from China (Thysanoptera: Thripidae). *Entomological News*, 122, 348–353. <https://doi.org/10.3157/021.122.0408>
- Mirab-balou, M. & Tong, X.L. (2013) A new record for China of *Tenothrips frici*. *Iranian Journal of Entomology*, 3, 9–13.
- Mirab-balou, M. & Tong, X.L. (2015) Two new synonyms among Chinese Thripinae (Thysanoptera: Thripidae). *Zootaxa*, 3941, 149–150. <https://doi.org/10.11646/zootaxa.3941.1.11>
- Mirab-balou, M., Tong, X.L., Feng, J.N. & Chen, X.X. (2011a) Thrips (Insecta: Thysanoptera) of China. *Check List*, 7, 720–744. <https://doi.org/10.15560/11009>
- Mirab-balou, M., Wei, S.J., Lu, H. & Chen, X.X. (2011b) *Rhipidothrips* Uzel, a newly recorded genus of Aeolothripidae (Thysanoptera: Terebrantia) from China. *Entomotaxonomia*, 33, 289–294.
- Mirab-balou, M., Chen, X.X. & Tong, X.L. (2012a) A review of the *Anaphothrips* genus-group (Thysanoptera: Thripidae) in China, with descriptions of two new species. *Acta Entomologica Sinica*, 55, 719–726.
- Mirab-balou, M., Yang, S.L. & Tong, X.L. (2012b) *Bathrips* in China (Thysanoptera: Thripidae), with a new record and new synonym. *Zootaxa*, 3571, 87–88. <https://doi.org/10.11646/zootaxa.3571.1.6>
- Mirab-balou, M., Tong, X.L. & Chen, X.X. (2012c) A new species of *Scirtothrips* infesting *Ginkgo biloba* in eastern China. *Journal of Insect Science*, 12, 1–7. <https://doi.org/10.1673/031.012.11701>
- Mirab-balou, M., Chen, X.X. & Tong, X.L. (2012d) *Tenothrips* Bhatti, a newly recorded genus of Thripinae (Thysanoptera: Thripidae) from China. *Entomotaxonomia*, 34, 162–166.
- Mirab-balou, M., Wei, S.J., Lu, H. & Chen, X.X. (2012e) Description of a new grass-living species of the genus *Yoshinothrips* Kudo, and a newly recorded genus of Thripinae for China (Thysanoptera: Thripidae). *Acta Zootaxonomica Sinica*, 37, 345–349.
- Mirab-balou, M., Yang, S.L. & Tong, X.L. (2013a) One new species, four new records and key to species of *Hydatothrips* (Thysanoptera: Thripidae) from China (including Taiwan). *Zootaxa*, 3641, 74–82. <https://doi.org/10.11646/zootaxa.3641.1.8>
- Mirab-balou, M., Tong, X.L. & Yang, S.L. (2013b) *Neohydatothrips* (Thysanoptera: Thripidae) from China: new species and records, with a key to species. *Zootaxa*, 3700, 185–194. <https://doi.org/10.11646/zootaxa.3700.1.8>
- Mirab-balou, M., Minoura, K. & Tong, X.L. (2013c) A new synonym of *Sericothrips* from China and Japan (Thysanoptera: Thripidae). *Zootaxa*, 3620, 481–482. <https://doi.org/10.11646/zootaxa.3620.3.8>
- Mirab-balou, M., Yang, S.L. & Tong, X.L. (2013d) A newly recorded genus *Smilothrips* Bhatti (Thysanoptera: Thripidae) in China. *Entomotaxonomia*, 35, 179–184.
- Mirab-balou, M., Tong, X.L. & Chen, X.X. (2014a) Thrips species diversity in urban green spaces of Hangzhou (Zhejiang Province), China. *Journal of Entomological and Acarological Research*, 46, 85–89. <https://doi.org/10.4081/jear.2014.1828>
- Mirab-balou, M., Yang, S.L., Gao, J.Q. & Tong, X.L. (2014b) A newly recorded genus of the *Rhamphothrips* genus-group (Thysanoptera: Thripidae) from China. *Zoological Systematics*, 39, 583–587.
- Mirab-balou, M., Tong, X.L. & Chen, X.X. (2014c) Re-description of aquatic grass-inhabiting thrips, *Frankliniella zizaniophila*, with remarks on its systematic position within the genus *Frankliniella* (Thysanoptera). *Journal of Insect Science*, 14, 1–7. <https://doi.org/10.1093/jisesa/ieu016>
- Mirab-balou, M., Yang, S.L. & Tong, X.L. (2014d) The *Frankliniella* genus-group (Thysanoptera: Thripidae) in China, with a newly-recorded genus. *Entomotaxonomia*, 36, 97–104.
- Mirab-balou, M., Yang, S.L. & Tong, X.L. (2014e) Description of a new species of the genus *Megalurothrips* (Thysanoptera: Thripidae) from China. *Entomological News*, 123, 380–386. <https://doi.org/10.3157/021.123.0509>
- Mirab-balou, M., Mound, L.A. & Tong, X.L. (2015) New combinations and a new generic synonym in the genus *Taeniothrips* (Thysanoptera: Thripidae). *Zootaxa*, 3964, 371–378. <https://doi.org/10.11646/zootaxa.3964.3.6>
- Mirab-balou, M., Wang, Z.H. & Tong, X.L. (2017) Review of the Panchaetothripinae (Thysanoptera: Thripidae) of China, with two new species descriptions. *The Canadian Entomologist*, 149, 141–158. <https://doi.org/10.4039/tce.2016.53>
- Minoura, K. & Mound, L.A. (2019) The world species of *Ophthalmothrips* Hood (Thysanoptera; Phlaeothripidae), with new records from Africa, China and Japan. *Zootaxa*, 4623, 555–562. <https://doi.org/10.11646/zootaxa.4623.3.7>
- Mound, L.A. (2020) *Liothrips* species (Thysanoptera, Phlaeothripinae) from leaf-galls on *Piper* species in Southeast Asia and Australia. *Zootaxa*, 4830 (2), 383–391. <https://doi.org/10.11646/zootaxa.4830.2.9>

- Mound, L.A. & Marullo, R. (1996) The Thrips of Central and South America: An Introduction. *Memoirs on Entomology*, 6, 1–488.
- Mound, L.A. & Okajima, S. (2015) Taxonomic studies on *Dolichothrips* (Thysanoptera: Phlaeothripinae), pollinators of *Macaranga* trees in Southeast Asia (Euphorbiaceae). *Zootaxa*, 3956, 079–096.
<http://dx.doi.org/10.11646/zootaxa.3956.1.4>
- Mound, L.A. & Tree, D.J. (2018) Asia-Australia distribution patterns among species of *Mystrothrips* (Thysanoptera, Phlaeothripinae), with two new species. *Zootaxa*, 4526, 347–357. <https://doi.org/10.11646/zootaxa.4526.3.4>
- Mound, L.A. & Wang, J. (2020) *Hoplothrips* species recorded from China (Thysanoptera, Phlaeothripidae), with one new species from Yunnan. *Zootaxa*, 4758, 596–599. <https://doi.org/10.11646/zootaxa.4758.3.12>
- Mound, L.A., Li, Y.J. & Zhang, H.R. (2020) Species of the genus *Allothrips* (Thysanoptera, Idolothripinae) from Southeast Asia, with one new species from Yunnan, China. *Zootaxa*, 4732, 593–595.
<https://doi.org/10.11646/zootaxa.4732.4.10>
- Nakahara, S. (1997) Annotated list of the *Frankliniella* species of the world (Thysanoptera: Thripidae). *Contributions on Entomology, International*, 2 (4), 355–389.
- Okajima, S. (2006) *The Insects of Japan. Vol. 2. The suborder Tubulifera (Thysanoptera)*. Fukuoka, Touka Shobo Co. Ltd., 720 p.
- Okajima, S. & Masumoto, M. (2014) Species-richness in the Oriental fungus-feeding thrips of the genus *Azaleothrips* (Thysanoptera, Phlaeothripidae). *Zootaxa*, 3846, 301–347. <https://doi.org/10.11646/zootaxa.3846.3.1>
- Okajima, S. & Masumoto, M. (2024) The genus *Hoplandrothrips* and its relatives (Thysanoptera: Phlaeothripidae) from Southeast Asia and Taiwan. *Zootaxa*, 5489, 022–091. <https://doi.org/10.11646/zootaxa.5489.1.4>
- Sheng, D.R., Xie, Y.H., He, S.Y., Li, Z.Y. & Zhang, H.R. (2012) One newly recorded species of the genus *Bathrips* Bhatti from Chinese mainland (Thysanoptera, Thripidae). *Journal of Yunnan Agricultural University*, 27 (2), 285–287.
- Song, T., Mirab-balou, M. & Tong, X.L. (2013) A newly recorded species of subgenus *Trybomiella* in the genus *Haplothrips* (Thysanoptera: Phlaeothripidae) from China. *Acta Zootaxonomica Sinica*, 38, 196–199.
- ThripsWiki (2023) ThripsWiki - providing information on the World's thrips. Available from: http://thrips.info/wiki/Main_Page [Accessed July 12, 2023]
- Tong, X.L. & LV, Y.B. (2013) *Frankliniella cephalica* (Crawford) (Thysanoptera, Thripidae), a newly recorded exotic invasive species in mainland China. *Chinese Journal of Applied Entomology*, 50 (2), 496–499.
- Tong, X.L. & Liu, L.X. (2019) *Yaothrips* as a new synonym of *Pezothrips*, with description of the male of *Pezothrips pediculae* comb.n. (Thysanoptera: Thripidae). *Zootaxa*, 4646, 598–600.
<https://doi.org/10.11646/zootaxa.4646.3.12>
- Tong, X.L. & Zhao, C. (2017) Review of fungus-feeding urothripine species from China, with descriptions of two new species (Thysanoptera: Phlaeothripidae). *Zootaxa*, 4237, 307–320.
<https://doi.org/10.11646/zootaxa.4237.2.5>
- Tong, X.L., Wang, Z.H. & Zhao, C. (2015) Remarkable sexually dimorphic *Aroidothrips longistylus* newly recorded from China (Thysanoptera: Thripidae). *Zootaxa*, 4028, 148–150. <https://doi.org/10.11646/zootaxa.4028.1.9>
- Tong, X.L., Wang, Z.H. & Mirab-balou, M. (2016) Two new species and one new record of the genus *Asprothrips* (Thysanoptera: Thripidae) from China. *Zootaxa*, 4061, 181–188. <http://doi.org/10.11646/zootaxa.4061.2.8>
- Tong, X.L., Lau, C.S.K. & Zhao, C. (2021) A new species of *Psephenothrips* (Thysanoptera: Phlaeothripidae) from China. *Zootaxa*, 5072, 291–297. <https://doi.org/10.11646/zootaxa.5072.3.6>
- Tyagi, K., Patidar, A., Singha, D. & Kumar, V. (2024) *Fauna of India Checklist: Arthropoda: Insecta: Thysanoptera*. Version 1.0. Zoological Survey India. <https://doi.org/10.26515/Fauna/1/2023/Arthropoda:Insecta:Thysanoptera>
- Ulitzka, M.R. & Mound, L.A. (2014) New generic synonyms in the Palaeotropical genus *Urothrips* (Thysanoptera: Phlaeothripinae) with one new species from Seychelles. *Zootaxa*, 3755, 595–600.
<https://doi.org/10.11646/zootaxa.3755.6.6>
- Wang, C.L. & Lin, F.C. (2020) Genera and species of the *Liothrips* lineage (Thysanoptera, Phlaeothripinae) from Taiwan. *Zootaxa*, 4861, 349–375. <https://doi.org/10.11646/zootaxa.4861.3.3>
- Wang, C.L., Chen, Y.J. & Lin, F.C. (2018) Taxonomic description of Idolothripinae (Thysanoptera: Tubulifera: Phlaeothripidae) of Taiwan. I. Tribe Idolothripini. *Journal of Taiwan Agricultural Research*, 67, 323–336.
- Wang, J. & Zhao, C. (2022) Taxonomy, species diversity and distribution patterns of fungus-feeding Phlaeothripidae in China. *Biodiversity Science*, 30, 22128, 1–7. [in Chinese, with Supplementary Material].
<https://doi.org/10.17520/biods.2022128>

- Wang, J., Mirab-balou, M. & Tong, X.L. (2013) A new species of the genus *Karnyothrips* (Thysanoptera, Phlaeothripidae) from China. *ZooKeys*, 346, 17–21. <https://doi.org/10.3897/zookeys.346.6216>
- Wang, Z.H. & Tong, X.L. (2016) *Siamothrips balteus*, a new species of *Scirtothrips* genus-group from China (Thysanoptera, Thripidae). *ZooKeys*, 637, 129–133. <https://doi.org/10.3897/zookeys.637.10910>
- Wang, Z.H. & Tong, X.L. (2017a) A new species of *Helionothrips* from China (Thysanoptera, Panchaetothripinae). *ZooKeys*, 714, 47–52. <https://doi.org/10.3897/zookeys.714.20644>
- Wang, Z.H. & Tong, X.L. (2017b) Variation in colour markings of an unusual new *Asprothrips* species from China (Thysanoptera, Thripidae). *ZooKeys*, 716, 19–28. <https://doi.org/10.3897/zookeys.716.20952>
- Wang, Z.H., Zhao, C., Chen, J.Y. & Tong, X.L. (2016) Two newly recorded genera and a new species of Thripinae from China (Thysanoptera: Thripidae). *Zoological Systematics*, 41, 253–260. <https://doi.org/10.11865/zs.201626>
- Wang, Z.H., Mound, L.A. & Tong, X.L. (2019a) Character state variation within *Dendrothrips* (Thysanoptera: Thripidae) with a revision of the species from China. *Zootaxa*, 4590, 231–248. <https://doi.org/10.11646/zootaxa.4590.2.2>
- Wang, Z.H., Mound, L.A. & Tong, X.L. (2019b) Phylogenetic relationships within the *Frankliniella* genus-group based on morphology, with a revision of *Iridothrips* (Thysanoptera, Thripidae). *Zootaxa*, 4651, 141–154. <https://doi.org/10.11646/zootaxa.4651.1.9>
- Wang, Z.H., Mound, L.A. & Tong, X.L. (2019c) *Frankliniella* species from China, with nomenclatural changes and illustrated key (Thysanoptera, Thripidae). *ZooKeys*, 873, 43–53. <https://doi.org/10.3897/zookeys.873.36863>
- Wang, Z.H., Li, Y.J., Tong, X.L. & Mound, L.A. (2020) Phylogenetic analysis of the *Taeniothrips* genus-group, with revision of the species of *Ctenothrips* and *Vulgothrips* (Thysanoptera, Thripinae). *Zootaxa*, 4750, 301–327. <https://doi.org/10.11646/zootaxa.4750.3.1>
- Wang, Z.H., Mound, L.A., Mao, R.Q. & Tong, X.L. (2022) Two new synonyms among Panchaetothripinae (Thysanoptera: Thripidae) with three species newly recorded from China. *Zootaxa*, 5190, 275–285. <https://doi.org/10.11646/zootaxa.5190.2.7>
- Xie, Y.H., Zhang, H.R., Li, Z.Y., Sun, Y.X. & Lu, Y.B. (2012) A virus vector species of *Ceratothripoides* new to China (Thysanoptera: Thripidae). *Entomotaxonomia*, 34, 30–34.
- Xie, Y.H., Li, Y.J. & Zhang, H.R. (2016) The Indian genus *Ajothrips* (Thysanoptera: Thripidae) newly recorded from China, with description of the male. *Zootaxa*, 4196, 597–599. <http://doi.org/10.11646/zootaxa.4196.4.9>
- Xie, Y.H., Li, Y.J., Li, Z.Y. & Zhang, H.R. (2019a) Two genera of Panchaetothripinae newly recorded from China, with first description of males of *Opimothrips tubulatus* (Thysanoptera, Thripidae). *Zootaxa*, 4567, 583–586. <https://doi.org/10.11646/zootaxa.4567.3.10>
- Xie, Y.H., Mound, L.A. & Zhang, H.R. (2019b) A new species of *Heliothrips* (Thysanoptera, Panchaetothripinae), based on morphological and molecular data. *Zootaxa*, 4638, 143–150. <https://doi.org/10.11646/zootaxa.4638.1.8>
- Xie, Y.L., Li, Y.J. & Zhang, H.R. (2022) The genus *Helionothrips* (Thysanoptera, Panchaetothripinae) in China, with two new species and an identification key. *Zootaxa*, 5194, 392–402. <https://doi.org/10.11646/zootaxa.5194.3.3>
- Yang, S.L., Mirab-balou, M. & Tong, X.L. (2014) A newly recorded species of the genus *Melanthrips* Haliday (Thysanoptera: Melanthripidae) in China. *Journal of South China Agricultural University*, 35, 114–116.
- Zhang, H.R., Xie, Y.H. & Li, Z.Y. (2012) A new leaf-feeding species of *Neohydatothrips* from southwestern China (Thysanoptera: Thripidae). *Zootaxa*, 3180, 61–65. <https://doi.org/10.11646/zootaxa.3180.1.6>
- Zhang, R.Z. (1998) The second revision of zoogeographical regions of China. *Zootaxa*, 23 (Suppl.), 207–22. [in Chinese]
- Zhang, S.M. & Feng, J.N. (2017a) The genus *Eremiothrips* (Thysanoptera: Thripidae) from China, with one new species. *Zootaxa*, 4250, 396–400. <https://doi.org/10.11646/zootaxa.4250.4.10>
- Zhang, S.M. & Feng, J.N. (2017b) A new species and a new record of *Stenchaetothrips* Bagnall (Thysanoptera, Thripidae) from China. *Transactions of the American Entomological Society*, 143, 199–205. <https://doi.org/10.3157/061.143.0210>
- Zhang, S.M., Wang, Z.H., Li, Y.J. & Mound, L.A. (2018) One new species, two generic synonyms and eight new records of Thripidae from China (Thysanoptera). *Zootaxa*, 4418, 370–378. <https://doi.org/10.11646/zootaxa.4418.4.3>
- Zhang, W.T., Feng, J.N., Cao, S.J. & Guo, F.Z. (2017) The spore-feeding genus *Nesothrips* (Thysanoptera: Idolothripinae) from China, with one new record. *Entomotaxonomia*, 39, 314–319. <https://doi.org/10.11680/entomotax.2017038>

- Zhao, C. & Tong, X.L. (2016) A new species of *Baenothrips* Crawford from China (Thysanoptera, Phlaeothripidae). *ZooKeys*, 636, 67–75. <https://doi.org/10.3897/zookeys.636.10706>
- Zhao, C. & Tong, X.L. (2017a) Two new species and two new records of fungus-feeding Phlaeothripinae from China (Thysanoptera, Phlaeothripidae). *ZooKeys*, 694, 1–10. <https://doi.org/10.3897/zookeys.694.14616>
- Zhao, C. & Tong, X.L. (2017b) Two new species and a new record of the fungivorous genus *Terthrothrips* from China (Thysanoptera: Phlaeothripidae). *Zootaxa*, 4323, 561–571. <https://doi.org/10.11646/zootaxa.4323.4.8>
- Zhao, C., Wang, Z.H. & Tong, X.L. (2018a) Three new species and three new records of the genus *Bamboosiella* from China (Thysanoptera: Phlaeothripidae). *Zootaxa*, 4514, 167–180. <https://doi.org/10.11646/zootaxa.4514.2.2>
- Zhao, C., Zhang, H.R. & Tong, X.L. (2018b) Species of the fungivorous genus *Psalidothrips* Priesner from China, with five new species (Thysanoptera, Phlaeothripidae). *ZooKeys*, 746, 25–50. <https://doi.org/10.3897/zookeys.746.22882>
- Zhao, C., Jia, H.M. & Tong, X.L. (2018c) Two new records and one new species of the genus *Apelaunothrips* from China (Thysanoptera: Phlaeothripidae). *Zootaxa*, 4450, 385–393. <https://doi.org/10.11646/zootaxa.4450.3.5>
- Zhen, Z.X. (1960) The zoogeographic division of China and the distribution of chief economic animals. *Chinese Journal of Zoology*, 154 (4), 176–7.

تریپس‌های (Insecta: Thysanoptera) کشور چین: چک لیست به‌روز شده

مجید میراب‌بالو

گروه گیاهپزشکی، دانشکده کشاورزی، دانشگاه ایلام، ایلام، ایران

* پست الکترونیک نویسنده مسئول مکاتبه: m.mirabbalou@ilam.ac.ir

| تاریخ دریافت: ۰۶ مرداد ۱۴۰۳ | تاریخ پذیرش: ۱۴ آذر ۱۴۰۳ | تاریخ انتشار: ۲۸ اسفند ۱۴۰۳ |

چکیده: فهرست حاضر بر اساس تمام متون منتشر شده در مورد طبقه‌بندی و تنوع زیستی تریپس‌های کشور چین (از جمله تایوان، هنگ کنگ و ماکائو) تا جولای ۲۰۲۴ است. فون بال‌ریشکداران کشور چین در حال حاضر از ۸۱۶ گونه در ۲۰۶ جنس شامل ۴۴۳ گونه در زیرراسته‌ی *Terebrantia* و ۳۷۳ گونه در زیرراسته‌ی *Tubulifera* تشکیل شده است. همچنین، خانواده‌ی (*Stenurothripidae* Bagnall) به چک‌لیست این کشور اضافه شده است. در ۱۰ سال گذشته، بسیاری از گونه‌ها به تازگی برای چین ثبت یا توصیف شده‌اند، که در حال حاضر شامل حدود ۱۲/۶ درصد از کل گونه‌های تریپس در جهان است. در میان تریپس‌های گزارش شده از چین، خانواده *Thripidae* با ۴۱۲ گونه متنوع‌ترین خانواده است و در این خانواده غنی‌ترین جنس‌ها به ترتیب *Thrips*، *Stenchaetothrips*، *Mycterothrips* و *Trichromothrips* می‌باشند. در کل، بیشترین تعداد گونه از تایوان با ۲۹۲ رکورد، و پس از آن استان یوننان با ۲۷۳ رکورد و استان گوانگدونگ با ۲۳۷ رکورد ثبت شده است.

واژگان کلیدی: شرق پالئارکتیک، فون، خاورزمین، هم‌نامی، تاکسونومی، تایوان